ANNEXES

Copyright © United Nations, 2007. All rights reserved

ANNEX 1

ALLOCATION OF LABEL ELEMENTS

Copyright © United Nations, 2007. All rights reserved

Annex 1

ALLOCATION OF LABEL ELEMENTS

For the GHS, the assigned pictogram, signal word and hazard statement are given in that order for each hazard category of the hazard class. Where the hazard class and or categories are covered under the *UN Recommendations on the Transport of Dangerous Goods, Model Regulations*, the assigned corresponding pictogram is given for each category below the GHS requirements.

	EXPLOSIVES						
Unstable explosives	Division 1.1	Division 1.2	Division 1.3	Division 1.4	Division 1.5	Division 1.6	
					No pictogram 1.5 on orange background	No pictogram 1.6 on orange background	
Danger	Danger	Danger	Danger	Warning	Danger	No signal word	
Unstable explosive	Explosive; mass explosion hazard	Explosive; severe projection hazard	Explosive; fire, blast or projection hazard	Fire or projection hazard	May mass explode in fire	No hazard statement	
No pictogram assigned in the UN Model Regulations (Transport not allowed)	1.1	1.2	1.3	1.4	1.5	1.6	

<u>Notes</u> on the colours of the *UN Recommendations on the Transport of Dangerous Goods, Model Regulations*, pictogram elements:

- (1) For Divisions 1.1, 1.2 and 1.3: Symbol exploding bomb: black; background: orange; Division number (1.1, 1.2 or 1.3, as appropriate) and compatibility group (*) in bottom half and figure "1" in bottom corner: black.
- (2) For Divisions 1.4, 1.5, 1.6: Background: orange; Figures: black; Compatibility group (*) in bottom half and figure "1" in bottom corner: black.
- (3) The pictogram for Divisions 1.1, 1.2 and 1.3 is also assigned to substances which have an explosive subsidiary risk, but without the indication of the division number and the compatibility group (see also "Self-reactive substances and mixtures" and "Organic peroxides").

Copyright © United Nations, 2007. All rights reserved

	FLAMMABLE GASES				
Category 1	Category 2	-	-	Note	
	No pictogram			Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border	
Danger	Warning			line may be shown in black instead of	
Extremely	Flammable gas			white. The	
flammable gas				background colour	
2	Not required under the <i>UN Model</i> <i>Regulations</i>			stays red in both cases.	

	FLAMMABLE AEROSOLS					
Category 1	Category 2	-	-	Note		
Danger	Warning			Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in		
Extremely flammable aerosol	Flammable aerosol			black instead of white. The background colour		
2	2			stays red in both cases.		

	OXIDIZING GASES				
Category 1	-	-	-	Note	
Danger					
May cause or intensify fire; oxidizer					
5.1				Pictogram colours: Symbol (flame over circle): black; Background: yellow; Figure "5.1" in bottom corner: black.	

	GASES UNDER PRESSURE					
Compressed gas	Liquefied gas	Refrigerated liquefied gas	Dissolved gas	Note		
Warning Contains gas under pressure; may explode if heated	Warning Contains gas under pressure; may explode if heated	Warning Contains refrigerated gas; may cause cryogenic burns or injury	Warning Contains gas under pressure; may explode if heated	gases. (2) The symbol,		
2	2	2	2	number and border line may be shown in white instead of black. The background stays green in both cases.		

Copyright © United Nations, 2007. All rights reserved

FLAMMABLE LIQUIDS					
Category 1	Category 2	Category 3	Category 4	Note	
			No pictogram	Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol,	
Danger Extremely flammable liquid and vapour	Danger Highly flammable liquid and vapour	Warning Flammable liquid and vapour	Warning Combustible liquid	number and border line may be shown in black instead of white. The background colour stays red in	
3	3	3	Not required under the UN Recommendations on the Transport of Dangerous Goods Model Regulations	both cases.	

FLAMMABLE SOLIDS				
Category 1	Category 2	-	-	Note
				Colours for pictogram under the UN Recommendations on the Transport of Dangerous Goods,
Danger Flammable solid	Warning Flammable solid			Model Regulations: Symbol (flame): black; Background:
				white with seven vertical red stripes; Figure "4" in the bottom corner: black.

SF	SELF-REACTIVE SUBSTANCES AND MIXTURES					
Type A	Type B	Types C and D	Types E and F	Type G		
				There are no label elements allocated to this hazard category		
Danger Heating may cause an explosion	Danger Heating may cause a fire or explosion	Danger Heating may cause a fire	Warning Heating may cause a fire			
Same as for explosives (follow same symbol selection process)				Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations		

Notes: (1) For Type B, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, special provision 181 may apply (Exemption of explosive label with competent authority approval. See Chapter 3.3 of UN Model Regulations for more details).

- (2) UN Model Regulations pictogram colours:
 - Self-reactive substance pictogram: Symbol (flame): black; Background: white with seven vertical red stripes; Figure "4" in the bottom corner: black.
 - Explosives pictogram: Symbol (exploding bomb): black; background orange; figure "1" in the bottom corner: black.

Copyright © United Nations, 2007. All rights reserved

	PYROPHORIC LIQUIDS				
Category 1	-	-	-	Note	
				Colours of UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram:	
Catches fire spontaneously if exposed to air				Symbol (flame): black; Background: upper half white, lower half red; figure "4" in bottom corner: black.	

	PYROPHORIC SOLIDS				
Category 1	-	-	-	Note	
				Colours of UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram:	
Danger Catches fire spontaneously if exposed to air				Symbol (flame): black; Background: upper half white, lower half red; figure "4"	
4				in bottom corner: black.	

SF	SELF-HEATING SUBSTANCES AND MIXTURES				
Category 1	Category 2	-	-	Note	
				Colours of UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram:	
Danger Self-heating; may catch fire	Warning Self-heating in large quantities; may catch fire			Symbol (flame): black; Background: upper half white,	
4	4			lower half red; figure "4" in bottom corner: black.	

SUBSTANCE	SUBSTANCES AND MIXTURES, WHICH IN CONTACT WITH WATER, EMIT FLAMMABLE GASES					
Category 1	Category 2	Category 3	-	Note		
Danger In contact with water releases flammable gases which may ignite spontaneously	Danger In contact with water releases flammable gases	Warning In contact with water releases flammable gases		Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, the symbol, number and border line may be shown in black instead of white. The background stays blue in both cases.		
4	4	4				

Copyright © United Nations, 2007. All rights reserved

	OXIDIZING LIQUIDS				
Category 1	Category 2	Category 3	-	Note	
				Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram colours:	
Danger May cause fire or explosion; strong oxidizer	Danger May intensify fire; oxidizer	Warning May intensify fire; oxidizer		Symbol (flame over circle): black; Background: yellow; Figure "5.1" in bottom	
5.1	5.1	5.1		corner: black.	

	OXIDIZING SOLIDS				
Category 1	Category 2	Category 3	-	Note	
	30			Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram colours:	
Danger May cause fire or explosion; strong oxidizer	Danger May intensify fire; oxidizer	Warning May intensify fire; oxidizer		Symbol (flame over circle): black; Background: yellow; Figure "5.1" in bottom	
5.1	5.1	5.1		corner: black.	

	ORGANIC PEROXIDES					
Type A	Type B	Types C and D	Types E and F	Type G		
				There are no label elements allocated to this hazard category		
Danger	Danger	Danger	Warning			
Heating may cause an explosion	Heating may cause a fire or explosion	Heating may cause a fire	Heating may cause a fire			
Same as for explosives (follow same symbol selection process)	5.2	5.2	5.2	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.		

Notes: (1) For Type B, under the *UN Recommendations on the Transport of Dangerous Goods, Model Regulations*, special provision 181 may apply (Exemption of explosive label with competent authority approval. See Chapter 3.3 of UN Model Regulations for more details).

- (2) UN Model Regulations pictogram colours:
 - Organic peroxide pictogram: Symbol (flame): black or white; background: upper half: red; lower half: yellow; Figure "5.2" in the bottom corner: black.
 - Explosives pictogram: Symbol (exploding bomb): black; background orange; figure "1" in the bottom corner: black.
- (3) The label conforming to the colouring scheme in the table for oxidizing liquids may be used until 1 January 2011.

Copyright © United Nations, 2007. All rights reserved

	CORROSIVE TO METALS				
Category 1	-	-	-	Note	
Warning				Under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations, pictogram colours:	
May be corrosive to metals				Symbol (corrosion): black; background: upper half: white; lower	
8				half: black with white border; Figure "8" in the bottom corner: white.	

Copyright © United Nations, 2007. All rights reserved

ACUTE TOXICITY: ORAL					
Category 1	Category 2	Category 3	Category 4	Category 5	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Fatal if swallowed	Fatal if swallowed	Toxic if swallowed	Harmful if swallowed	May be harmful if swallowed	
6	6	6	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations. Note: For gases under the UN Model Regulations, replace the number 6 in the bottom corner of the pictogram by 2. UN Model Regulations pictogram colours: Symbol (skull and crossbones): black; Background: white; Figure "6" in bottom corner: black.		

ACUTE TOXICITY: SKIN					
Category 1	Category 2	Category 3	Category 4	Category 5	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Fatal in contact with skin	Fatal in contact with skin	Toxic in contact with skin	Harmful in Contact with skin	May be harmful in contact with skin	
6	6	6	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations. Note:		
Y Y	· · · · · · · · · · · · · · · · · · ·	×	For gases under the Regulations, replace the bottom corner of by "2".	the number "6" in	
			UN Model Regulaticolours: Symbol (scrossbones): black; white; Figure "6" is corner: black.	kull and Background:	

ACUTE TOXICITY: INHALATION					
Category 1	Category 2	Category 3	Category 4	Category 5	
				No pictogram	
Danger	Danger	Danger	Warning	Warning	
Fatal if inhaled	Fatal if inhaled	Toxic if inhaled	Harmful if inhaled	May be harmful if inhaled	
6	6	6	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations. Note: For gases under the UN Model Regulations, replace the number "6" in the bottom corner of the pictogram by "2". UN Model Regulations pictogram colours: Symbol (skull and crossbones) and figure: black; Background: white.		

SKIN CORROSION/IRRITATION				
Category 1A	Category 1B	Category 1C	Category 2	Category 3
			<u>(i)</u>	No pictogram
Danger	Danger	Danger	Warning	Warning
Causes severe skin burns and eye damage	Causes severe skin burns and eye damage	Causes severe skin burns and eye damage	Causes skin irritation	Causes mild skin irritation
8	8	8	Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations. Note: UN Model Regulations pictogram colours: Symbol (corrosion): black background: upper half: white; lower half: black with white border; Figure "8" in the bottom corner: white.	

SERIOUS EYE DAMAGE/ EYE IRRITATION				
Category 1	Category 2A	Category 2B	-	-
		No pictogram		
Danger	Warning	Warning		
Causes serious eye damage	Causes serious eye irritation	Causes eye irritation		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

	RESPIRATORY SENSITIZATION *				
Category 1	-	-	-	-	
Danger					
May cause allergy or asthma symptoms or breathing difficulties if inhaled					
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.					

SKIN SENSITIZATION *				
Category 1	-	•	-	-
Warning				
May cause an allergic skin reaction				
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

^{*} Further work is included in the work programme of the Sub-Committee of Experts on the GHS.

GERM CELL MUTAGENICITY				
Category 1A	Category 1B	Category 2	-	-
Danger	Danger	Warning		
May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	May cause genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Suspected of causing genetic defects (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		
Not required under the				
UN Reco	ommendations on the	Transport of Dangero	ous Goods, Model Reg	gulations.

CARCINOGENICITY				
Category 1A	Category 1B	Category 2	-	-
Danger	Danger	Warning		
May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	May cause cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Suspected of causing cancer (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		
Not required under the				
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

TOXIC TO REPRODUCTION				
Category 1A	Category 1B	Category 2	Additional Category on effects on or via lactation	-
			No pictogram	
Danger	Danger	Warning	No signal word	
May damage fertility or the unborn child (state specific effect if known) (state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	May damage fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)	Suspected of damaging fertility or the unborn child (state specific effect if known)(state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard)		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE)				
Category 1	Category 2	Category 3	-	-
Danger	Warning	Warning		
Causes damage to organs (or state all organs affected, if	May cause damage to organs (or state all organs affected,	(respiratory tract irritation) May cause		
known) (state route of exposure if it is conclusively proven	if known) (state route of exposure if it is conclusively	respiratory irritation		
that no other routes of exposure cause	proven that no other routes of exposure	or		
the hazard)	cause the hazard)	(Narcotic effects) May cause drowsiness or dizziness		
Not required under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

SPECIFIC TARGET ORGAN TOXICITY (REPEATED EXPOSURE)				
Category 1	Category 2	-	-	-
Danger	Warning			
Causes damage to	May cause damage			
organs (state all	to organs (state all			
organs affected, if	organs affected, if			
known) through	known) through			
prolonged or	prolonged or			
repeated exposure	repeated exposure			
(state route of	(state route of			
exposure if it is	exposure if it is			
conclusively proven	conclusively proven			
that no other routes	that no other routes			
of exposure cause	of exposure cause			
the hazard)	the hazard)			
Not required under the				
UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

Copyright © United Nations, 2007. All rights reserved

ASPIRATION HAZARD				
Category 1	Category 2	•	-	-
Danger	Warning			
May be fatal if swallowed and enters airways	May be harmful if swallowed and enters airways			
Not required under the				
UN Recommendations on the Transport of Dangerous Goods, Model Regulations.				

	AQUATIC TOXICITY (ACUTE)				
Category 1	Category 2	Category 3	-	Note	
	No pictogram	No pictogram		For Category 1, under the UN Recommendations on the Transport of Dangerous Goods, Model Regulations,	
Warning	No signal word	No signal word		the pictogram is not required if the	
Very toxic to aquatic life	Toxic to aquatic life	Harmful to aquatic life		substance presents any other hazards covered by <i>UN Model</i>	
	Recommendations	under the UN on the Transport of Model Regulations		Regulations. If no other hazard is presented (i.e. for UN Nos. 3077 and 3082 in Class 9 of the UN Model Regulations), this pictogram is required as a mark in addition to the UN Model Regulations Class 9 label.	

AQUATIC TOXICITY (CHRONIC)					
Category 1	Category 2	Category 3	Category 4	Note	
		No pictogram	No pictogram	For Categories 1 and 2, under the UN Recommendations on the Transport of Dangerous Goods,	
Warning	No signal word	No signal word	No signal word	Model Regulations, the pictogram is not required if the	
Very toxic to aquatic life with long lasting effects	Toxic to aquatic life with long lasting effects	Harmful to aquatic life with long lasting effects	May cause long lasting harmful effects to aquatic life	substance presents any other hazards covered by <i>UN Model Regulations</i> . If no other hazard is presented (i.e. for UN Nos. 3077 and 3082 in Class 9 of the <i>UN</i>	
		Not required to Recommendations of Dangerous Goods, I	on the Transport of	Model Regulations), this pictogram is required as a mark in addition to the UN Model Regulations Class 9 label.	
		Recommendations of	under the <i>UN</i> on the Transport of	presented (i.e. for UN Nos. 3077 and 3082 in Class 9 of the UN Model Regulations), this pictogram is required as a mark in addition to the UN Model Regulations	

Copyright © United Nations, 2007. All rights reserved