

Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023

I, Benjamin Noyen, as delegate of the Secretary of the Department of Health and Aged Care, make the following instrument.

Dated 25 May 2023

Benjamin Noyen Assistant Secretary Regulatory Engagement Branch Health Products Regulation Group Department of Health and Aged Care

Contents

```
Reader's guide
                                                                                            i
    Introduction
    Classification
                                                                                    iii
    Principles of scheduling
                                                                                     iv
    Reading the schedules
     Availability of poisons
                                                                                    vii
     Appendices viii
         Appendix A (General
                        exemptions)
                                                                                         viii
         Appendix B (Substances considered not to require control by scheduling)
         Appendix C
                        (blank)
         Appendix D (Additional controls on possession or supply of poisons included in
                        Schedule 4 or 8)
                                              ix
         Appendix E (First aid instructions for
                        poisons)
                                                                          ix
         Appendix F (Warning statements and general safety directions for poisons)
         Appendix G (Dilute
                        preparations)
         Appendix H (Schedule 3 medicines permitted to be
                        advertised)
         Appendix I
                        (blank)
         Appendix J (Conditions for availability and use of certain poisons included in
                        Schedule 7) x
         Appendix K (Human medicines required to be labelled with a sedation warning)
         Appendix L (Requirements for dispensing labels for
                        medicines)
         Appendix M
                        (blank)
```

X

Poisons Information Centre telephone numbers for first aid instructions, warning statements and general safety directions for poisons xi

| Part 1—Prel | liminary and interpretation | 1 |
|-------------------|--|----|
| | 1 Name. 1 | |
| | 2 Commencement | 1 |
| | 3 Authority | 1 |
| | 4 Repeal and transitional provisions | 1 |
| | 5 Reader's guide and Index | 2 |
| | 6 Definitions | 2 |
| | 7 References to substances | 10 |
| | 8 References to concentration, strength or quantity of substances | |
| | 9 References to boiling or distillation temperatures | |
| | 10 References to standards | 11 |
| Part 2—Con | trols on substances | 12 |
| Division | 1—Preliminary | 12 |
| | 11 Application of Part 2 | 12 |
| | 12 Preparations containing poisons included in different schedules | |
| Division 2 | 2—Labels | 13 |
| Subd | livision A— | |
| | General | |
| | 13 | |
| | 13 General requirements | 13 |
| | 14 Immediate wrapper | 13 |
| Subd | livision B—Primary packs and immediate containers | |
| | 15 Primary packs and immediate containers | |
| | 16 Signal words | |
| | 17 Cautionary statement—possession without authority illegal | |
| | 18 Cautionary statement—keep out of reach of children | 1: |
| | 19 Cautionary statement—fire and explosion hazard | |
| | 20 Cautionary statement—burns skin and throat | |
| | 21 Cautionary statements for aqueous solution of paraquat | |

| 22 | Cautionary statement—read safety directions | |
|-------------|---|--------|
| 23 | Cautionary statement—flammable | |
| | Cautionary statement—for animal treatment only | |
| 25 | Cautionary statement—do not swallow | 17 |
| 26 | Approved name and quantity, proportion or strength | 17 |
| 27 | Statement—an anticholinesterase compound | |
| 28 | Directions for use | 18 |
| | Safety directions | |
| 30 | Warning statements | 19 |
| 31 | First aid | 20 |
| | Name and address of manufacturer or distributor | |
| 33 | Warning statements and sedation warnings for certain medicines for hum 21 | an use |
| Subdivisi | ion C—Statements of quantity, proportion or strength 21 | |
| 34 | Statements of quantity, proportion or strength | 2 |
| Subdivisi | ion D—Exemptions from labelling requirements 22 | |
| 35 | Selected containers and measure packs | 2 |
| 36 | Ampoules, pre-filled syringes and injection vials | 23 |
| 37 | Transport containers and wrappings | 23 |
| 38 | Dispensary, industrial, laboratory and manufacturing poisons | 23 |
| 39 | Exemptions from label requirements in certain circumstances | |
| 40 | Dispensed medicines | 24 |
| 41 | Gas cylinders | 24 |
| 42 | Paints | 24 |
| 43 | Camphor and naphthalene | 25 |
| Subdivisi | ion E— | |
| | Prohibitions | |
| | 25 | |
| 44 | Prohibitions | 25 |
| Division 3— | Containers | 27 |
| 45 | General requirements. | 27 |
| | Containers for poisons other than poisons included in Schedule 5 | |
| 47 | Containers for poisons included in Schedule 5 | 2 |
| 48 | Approved containers | 28 |

| | 49 Child-resistant closures | 28 |
|--------|---|----|
| | 50 Poisons included in Schedule 8 | 30 |
| | 51 Exemptions | 30 |
| | 52 Camphor and naphthalene | 31 |
| | 53 Prohibitions—use of containers for poisons | 31 |
| Divisi | on 4—Storage | 32 |
| | 54 General storage requirements | |
| Divisi | on 5—Disposal | 33 |
| | 55 General disposal requirements | |
| Divisi | on 6—Record keeping | 34 |
| | 56 General record-keeping requirements | |
| Divisi | on 7—Advertising | 35 |
| | 57 General advertising requirements | |
| Divisi | on 8—Supply, prescribing, possession or use | 36 |
| | 58 Poisons included in Schedule 2 | |
| | 59 Poisons included in Schedule 3 | |
| | 60 Poisons included in Schedule 4 | 37 |
| | 61 Poisons included in Schedules 5 and 6 | |
| | 62 Poisons included in Schedule 7 | |
| | 63 Poisons included in Schedule 10 | 38 |
| | 64 Poisons included in Schedule 4 or 8 and Appendix D | |
| | 65 Hawking | 39 |
| Divisi | on 9—Paints and tinters | 40 |
| | 66 General requirements | 40 |
| | 67 Definition of first group paint | 40 |
| | 68 Definition of second group paint | 41 |

| Schedule 1—Blank | 42 |
|---|--|
| Schedule 2—Pharmacy medicines | 43 |
| Schedule 3—Pharmacist only medicines | 61 |
| Schedule 4—Prescription only medicines and prescription remedies 70 | ı animal |
| Schedule 5—Caution | 173 |
| Schedule 6—Poisons | 207 |
| Schedule 7—Dangerous poisons | 261 |
| Schedule 8—Controlled drugs | 274 |
| Schedule 9—Prohibited substances | 279 |
| Schedule 10—Substances of such danger to health as to w prohibition of supply and | arrant |
| use | 287 |
| | 287 293 |
| use Appendix A—General exemptions 1 Exempt preparations and products | 293 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293293 ol by |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 ol by 296 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 ol by 296 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 ol by 296 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 ol by 296 298 306 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 ol by 296 298 306 |
| Appendix A—General exemptions 1 Exempt preparations and products | 293 293 293 296 296 298 306 7 of poisons |

2 Poisons available for human use only from or on the prescription or order of a specialist physician or a dermatologist 307

| 3 | Poisons available only from or on the prescription or order of a medical practitioner or authorised under section 19 of the Act | |
|-------------|--|-----------|
| 4 | Poisons available only from or on the order of a specialist physician | |
| 5 | Poisons for which possession without authority is illegal | 308 |
| | Poisons available for human use only from or on the prescription or order of a speci physician 309 | |
| 7 | Poisons available for human use only from or on the prescription or order of a derm 310 | atologist |
| 8 | Poison available for initial treatment of a patient only if authorised by certain health practitioners 310 | |
| 9 | Poisons which must be stored in a locked container to prevent unauthorised access 310 | |
| Appendix E- | —First aid instructions for poisons | 311 |
| | Standard statements for first aid instructions | 311 |
| 2 | Poisons information centre contact information in statements | |
| 3 | First aid instructions for poisons. | 312 |
| Appendix F– | —Warning statements and general safety directions | for |
| | poisons 323 | |
| | Warning statements | 323 |
| | Safety directions—general | |
| | Poisons information centre contact information in statements | |
| 4 | Poisons that must be labelled with warning statements and safety directions | |
| Appendix G- | —Dilute preparations 3 | 44 |
| 1 | Substances exempt at or below certain concentrations | |
| Appendix H- | —Schedule 3 medicines permitted to be advertised | 346 |
| | Schedule 3 medicines permitted to be advertised | |

| Appendix I—Blank | 348 |
|--|---------|
| Appendix J—Conditions for availability and use of certain | poisons |
| included in | |
| Schedule 7 | 349 |
| 1 Conditions for supply of certain poisons included in Schedule 7 | |
| Appendix K—Human medicines required to be labelled wi sedation warning 352 | |
| 1 Human medicines required to be labelled with a sedation warning | |
| 1 General | |
| 2 Additional warning statements for certain human medicines | |
| Appendix M—Additional controls or supply requirements included in Schedule 3 to allow them to be propharmacist 360 | • |
| Index | 361 |

's guide

ction

This instrument is made under paragraph 52D(2)(b) of the *Therapeutic Goods Act 1989* (the *Act*), and is a compilation of decisions made under section 52D of the Act. This instrument should be real in conjunction with the *Scheduling Policy Framework* (the *SPF*) of the Australian Health Ministers Advisory Council. Further information on the scheduling amendments and the SPF can be viewed the Therapeutic Goods Administration's website (www.tga.gov.au). Refer to section 6 for definition of specific terms used in this document including "medicine" and "poison" (noting that the definition of poison includes medicine).

This instrument serves 2 key purposes.

Firstly, this instrument contains the decisions of the Secretary of the Department of Health and Aga Care or the Secretary's delegates regarding the classification of poisons into Schedules, as recommendations to Australian States and Territories. The scheduling classification sets the level of control on the availability of poisons. The scheduling of poisons is implemented through relevant State and Territory legislation. Certain advertising, labelling and packaging requirements may also a consequence of scheduling, but are the subject of other Commonwealth registration schemes.

Secondly, this instrument includes provisions for labelling, containers, storage, disposal, record-keeping, supply and possession of poisons in general which are intended to be adopted for t in each jurisdiction of Australia. Other government agencies may also impose controls on certain products.

The requirements for labelling and containers in this instrument are intended to integrate with existing legislative instruments for labelling and containers. Advertising, labelling and packaging of therapeutic goods and agricultural and veterinary chemicals are also dealt with through the respective product registration schemes provided for in Commonwealth legislation.

Poisons which are packed and sold solely for industrial, manufacturing, laboratory or dispensary us are exempt from all labelling requirements included in this instrument as they are covered by labelling requirements under applicable jurisdictional Work Health and Safety laws, as amended from time to time. Note, however that this exemption does not extend to controls on supply of thes poisons.

This instrument is presented with a view to promoting uniform:

- scheduling of poisons throughout Australia; and
- signal headings on labels for poisons throughout Australia; and
- labelling and packaging requirements for poisons throughout Australia; and

additional controls on the availability and use of poisons in Australia.

The various Commonwealth Acts, legislative instruments and other documents, which integrate wi this instrument include the following:

- the Act;
- the Agricultural and Veterinary Chemicals Code Act 1994;
- the Agricultural and Veterinary Chemicals Code Regulations 1995;
- the Therapeutic Goods Order No. 91 Standard for labels of prescription and related medicines;
- the Therapeutic Goods Order No. 92 Standard for labels of non-prescription medicines;
- the Therapeutic Goods (Standard for Medicinal Cannabis) (TGO 93) Order 2017;
- the *Therapeutic Goods Order No. 95 Child-resistant packaging requirements for medicines 2017* (TGO 95);
- the Therapeutic Goods (Standard for Nicotine Vaping Products) (TGO 110) Order 2021;
- the *Therapeutic Goods (Medicines Advisory Statements) Specification 2021* Schedule 1 Required Advisory Statements for Medicine Labels No. 6 (RASML).

ation

Poisons are classified according to the Schedules in which they are included. The following is a general description of the Schedules. For the legal definitions, however, it is necessary to check wi each relevant State or Territory authority.

| Schedule | Title | Description |
|------------|---|---|
| Schedule 1 | Blank | This Schedule is intentionally blank. |
| Schedule 2 | Pharmacy medicines | Substances, the safe use of which may require advice from a pharmacist and which should be available from a pharmacy or, where a pharmacy service is not available, from a licensed person. |
| Schedule 3 | Pharmacist only medicines | Substances, the safe use of which requires professional advice but which should be available to the public from a pharmacist without a prescription. |
| Schedule 4 | Prescription only medicines and prescription animal remedies | Substances, the use or supply of which should be by or on the order of persons permitted by State or Territory legislation to prescribe and should be available from a pharmacist on prescription. |
| Schedule 5 | Caution | Substances with a low potential for causing harm, the extent of which can be reduced through the use of appropriate packaging with simple warnings and safety directions on the label. |
| Schedule 6 | Poisons | Substances with a moderate potential for causing harm, the extent of which can be reduced through the use of distinctive packaging with strong warnings and safety directions on the label. |
| Schedule 7 | Dangerous poisons | Substances with a high potential for causing harm at low exposure and which require special precautions during manufacture, handling or use. These poisons should be available only to specialised or authorised users who have the skills necessary to handle them safely. Special regulations restricting their availability, possession, storage or use may apply. |
| Schedule 8 | Controlled drugs | Substances which should be available for use but require restriction of manufacture, supply, distribution, possession and use to reduce abuse, misuse and physical or psychological dependence. |
| Schedule 9 | Prohibited substances | Substances which may be abused or misused, the manufacture, possession, supply or use of which should be prohibited by law except when required for medical or scientific research, or for |

| Schedule | Title | Description |
|---|--|---|
| | | analytical, teaching or training purposes with approval of Commonwealth and/or State or Territory Health Authorities. |
| Schedule 10 (previously Appendix C) | Substances of such danger to health as to warrant prohibition of supply and use | Substances which are prohibited for the purpose or purposes listed for each poison. |

es of scheduling

Poisons are not scheduled on the basis of a universal scale of toxicity. Although toxicity is one of the factors considered, and is itself a complex of factors, the decision to include a substance in a particular Schedule also takes into account many other criteria such as the purpose of use, potential for abuse, safety in use and the need for the substance.

This instrument lists poisons in 10 Schedules according to the degree of control recommended to b exercised over their availability to the public.

Poisons for therapeutic use (medicines) are mostly included in Schedules 2, 3, 4 and 8 with progression through these Schedules signifying increasingly restrictive regulatory controls.

For some medicines and agricultural, domestic and industrial poisons, Schedules 5, 6 and 7 repress increasingly stricter container and labelling requirements with special regulatory controls over the availability of the poisons listed in Schedule 7. Products for domestic use must not include poisons listed in Schedule 7.

Schedule 9 contains substances that should be available only for teaching, training, medical or scientific research including clinical trials conducted with the approval of Commonwealth and/or State and Territory health authorities. Although appearing as a Schedule in this instrument, the method by which it is implemented in the States and Territories may vary.

Schedule 10 (previously Appendix C) contains a list of substances or preparations, the supply or us of which should be prohibited because of their known dangerous properties.

Substances in products which have been considered for scheduling, but have been exempted from this instrument, may be listed in either Appendix A (general exemptions) or Appendix B (substance considered not to require control by scheduling).

the schedules

Schedule entries have been designed to be as simple as possible while retaining readability, legal integrity and as much freedom from ambiguity and contradiction as possible. As a result, they are expressed in a number of ways, though this number has been kept to a minimum. It is necessary to keep this variety of expression in mind when searching or interpreting Schedule entries.

Firstly, poisons are scheduled individually using their approved names wherever practicable althou exceptions are necessary in some cases. Some of those are mentioned below. Older group entries a revised and replaced by individual entries as time permits, although in some of these cases a group term has also been retained to deal with any members of the group or class that may have escaped attention but should be scheduled.

Secondly, Schedule entries have been expressed in either positive or negative terms and care must taken to distinguish between the 2 different forms of expression. Thus, selenium is in Schedule 6 only when one of the clauses in this Schedule entry applies, while fluorides are in Schedule 6 unles one of the exempting clauses applies.

Where exceptions are included in an entry, these have been emphasised by printing the word "except" in bold type.

Where the Schedule entries for a poison make a specific exclusion or exemption, the requirements this instrument do not apply to that poison within the constraints of that exclusion or exemption although controls under other legislation, such as pesticide registration, may apply.

Where a Schedule entry for a poison requires a specific statement to be included on a label as a condition for a product to qualify for an exemption ("reverse scheduling"), then in cases where it is impracticable for a supplier to use the exact wording of such a statement, its wording may be varie provided that the full intent and meaning of the statement is not changed.

Where a poison has been included in more than one Schedule, the principal entry, where practicabl has been included in the most restrictive Schedule with references to the other Schedule(s) involve

It is important to remember that a Schedule entry includes preparations containing the poison in an concentration and all salts and derivatives of the poison unless it specifically states otherwise (see section 7).

It is important to note that a substance is not classed as a derivative on the basis of a single, prescriptive set of criteria. Classification of a substance as a derivative of a scheduled poison relies on a balanced consideration of factors to decide if a substance has a similar nature (e.g. structurally pharmacologically, and toxicologically) to a scheduled poison or is readily converted (either physically or chemically) to a scheduled poison. However, a substance is only considered a derivative of a scheduled poison if it is not individually listed elsewhere in the Schedules, or captured by a more restrictive group or class entry. Additionally, some entries specifically exclude derivatives. Once a substance is determined to be a derivative of a scheduled poison, the same

scheduling requirements as the scheduled poison, including limits on access, supply and availabilit will apply.

Finally, when using this instrument to determine the scheduling status of a poison, it may be necessary to search each relevant Schedule as well as Appendices A, B and the Index. In this proce if the poison is not found under its "approved name" it may be shown under a group term such as:

| Group | Example |
|---|---|
| the parent acid of salts | "oxalic acid" to find sodium oxalate |
| the radical of a salt | "chromates" to find potassium chromate |
| the element | "arsenic" to find arsenic trioxide |
| a chemical group with similar toxicological or pharmacological activity | "hydrocarbons, liquid" to find kerosene |
| a pharmacological group | "anabolic steroidal agents" to find "androsterone" |

lity of poisons

The purpose of classification is to group substances into Schedules that require similar regulatory controls over their availability.

These Schedules have been developed over a long period and contain poisons that may be obsolete for various reasons. Also, as part of the move to harmonise the Australian and New Zealand classifications, many substances have been added to the Schedules for that purpose, irrespective of their availability in either country.

Inclusion of a poison in a Schedule indicates the degree of control required if it is marketed. It does not:

- indicate that the poison is available; or
- indicate that it is has been approved or is efficacious for any use that may be specified in a Schedule; or
- negate any obligation for registration of therapeutic goods, or agricultural or veterinary chemical product containing that poison.

ices

Some substances in certain circumstances are also subject to exemptions or additional restrictions a described in the Appendices of this instrument. The table below summarises the purpose of each of the Appendices and the controls imposed on substances included in them.

| Appendix | Title | Purpose/controls imposed |
|------------|--|--|
| Appendix A | General exemptions | List of preparations and products exempted from this instrument. |
| Appendix B | Substances considered not to require control by scheduling | List of poisons exempted from scheduling. |
| Appendix C | Appendix is intentionally left blank | See Schedule 10. |
| Appendix D | Additional controls on possession or supply of poisons included in Schedule 4 or 8 | List of poisons included in Schedule 4 or 8 where additional specified controls apply on possession or supply. |
| Appendix E | First aid instructions for poisons | First aid instructions for poisons (other than agricultural and veterinary chemicals and chemicals packed and sold solely for industrial, dispensary, manufacturing or laboratory use). |
| Appendix F | Warning statements and general safety directions for poisons | Warning statements and general safety directions for poisons (other than human medicines, agricultural and veterinary chemicals and chemicals packed and sold solely for industrial, dispensary, manufacturing or laboratory use). |
| Appendix G | Dilute preparations | Concentration cut-offs for specified poisons, below which the requirements of this instrument do not apply |
| Appendix H | Schedule 3 medicines permitted to be advertised | List of medicines included in Schedule 3 that are permitted to be advertised to the public. |
| Appendix I | Appendix is intentionally left blank | |
| Appendix J | Conditions for availability and use of Schedule 7 poisons | List of poisons included in Schedule 7 where additional specified conditions apply to their availability and use. |
| Appendix K | Human medicines required to be labelled with a sedation warning | List of poisons in medicines for human use required to be labelled with a warning regarding their sedation potential. |

| Appendix | Title | Purpose/controls imposed |
|------------|--|--|
| Appendix L | Requirements for dispensing labels for medicines | Requirements applying to labels attached to medicines at the time of dispensing. |
| Appendix M | Additional controls or supply requirements for poisons included in Schedule 3 to allow them to be provided by a pharmacist | |
| | Appendix is intentionally left blank and is reserved for future use. | |

x A (General exemptions)

Appendix A lists preparations and products that are exempted from this instrument.

x B (Substances considered not to require control by scheduling)

Substances for which the available information suggests that inclusion in the Poisons Schedules is not necessary, or not the most appropriate means of controlling the risk to public health, have been considered at various times.

Inclusion in Appendix B indicates that a decision has been taken not to include substances anywhe in the Schedules, either for a specific purpose, or generally. It is an inclusive, but not an exhaustive list (that is, there may be substances not included in the Schedules, and not included in Appendix E which may be hazardous or non-hazardous, but have not been considered in relation to the need for scheduling).

Substances may be included in Appendix B because they have intrinsically low toxicity, or where other factors suggest that the potential public health risk would be minimal. Factors which are considered when determining an Appendix B entry include:

- the toxicology profile was adequately characterised and not consistent with inclusion in ar
 of the Schedules;
- the use, purpose or product presentation minimised any hazard to the public such as to not require scheduling; or
- the public access was limited such that scheduling was inappropriate or unnecessary.

The list of substances included in Appendix B was developed from scheduling files and historical records. For transparency, where the reason for entry and/or purpose or use for the substance was apparent in the consideration, this has been included in the columns "Reason for Entry" and "Area Use".

Inclusion in Appendix B will not prevent reconsideration of the scheduling of a substance where adverse information becomes available about the Appendix B entry for that substance.

Applications are considered for scheduling. Applications for inclusion in Appendix B will not be accepted.

x C (blank)

Appendix C is intentionally blank.

x D (Additional controls on possession or supply of poisons included in Schedule 4 or 8)

Appendix D lists poisons included in Schedule 4 or 8 where additional specified controls apply on possession or supply.

x E (First aid instructions for poisons)

Under poisons legislation, scheduled substances and their preparations are required to be labelled with appropriate directions for first aid attention in case of poisoning. It is the responsibility of the manufacturer, packer and supplier of a drug or poison to ensure that the first aid instructions includ on the label of a poison are appropriate for a specific product. Standard statements have been prepared as a guide for health authorities and manufacturers in drafting suitable first aid directions for this purpose. Standard statements specified in Appendix E may be varied provided that the inte is not changed.

The directions listed for any particular substance may require modification to take into account combination of that substance with other substances, both toxic and non-toxic, in a formulation, as well as the physical form and presentation of the product. Any such modification should be concise and readily understood.

The First Aid Instructions include action to be taken in case of eye contamination from substances recognised as causing direct poisoning via the eye, causing severe eye damage or requiring prolonged flushing to free the absorbed substance from the eye tissue. However, it is recognised th many other substances or preparations will require a statement of varying nature depending on the detailed formulation. While the necessity to flush the eyes in case of accident will be so self-evider as not to justify label space in many instances, a statement such as "If in eyes rinse well with water may be appropriate.

x F (Warning statements and general safety directions for poisons)

It is the responsibility of the manufacturer, packer and supplier of a drug or poison to ensure that the purchaser or user of a product is given sufficient information to be able to use it correctly and safel

Under poisons legislation, scheduled substances, which may be harmful to the user, must be labelled with appropriate warning statements and/or safety directions. The selection of warning statements and safety directions will depend on the formulation of the product, and the use for which it is sold or supplied. Warning statements and safety directions have been prepared as a guide for this purpose.

The wording of warning statements and safety directions specified in Appendix F may be varied provided that the intent is not changed. Additional statements also may be added to ensure that the user of a product is sufficiently advised of its harmful nature and how to avoid any deleterious effects.

x G (Dilute preparations)

Appendix G lists concentration cut-offs for specified substances, below which the requirements of this instrument do not apply.

x H (Schedule 3 medicines permitted to be advertised)

Appendix H lists medicines included in Schedule 3 that are permitted to be advertised to the public

x I (blank)

Appendix I is intentionally blank.

x J (Conditions for availability and use of certain poisons included in Schedule 7)

All poisons included in Appendix J are not to be available except to authorised or licensed persons

The use of a poison may be restricted for a particular purpose. Controls recommended for the Schedule 7 poisons included in Appendix J may be implemented through poisons controls or other State or Territory legislation.

x K (Human medicines required to be labelled with a sedation warning)

Medicines for human use that contain a poison included in Appendix K are required to be labelled with a warning regarding their sedation potential.

x L (Requirements for dispensing labels for medicines)

Appendix L sets out the requirements for labels attached to medicines at the time of dispensing.

x M (blank)

Appendix M is intentionally blank and is reserved for future use.

Information Centre telephone numbers for first aid instructions, warning statements and general safety directions for poisons

Companies should use the Poisons Information Centre telephone number(s) (Australia 13 11 26; New Zealand 0800 764 766) appropriate to the country(ies) of sale for the product.

Companies wishing to use a poisons information centre telephone number other than the national telephone numbers for Australia and New Zealand must meet the following criteria:

- 1. the poisons information service whose number is used must be attended by adequately trained st for 24 hour emergency poisons information; and
- 2. calls must be logged and submitted for incorporation into the official collection of poisoning dat

-Preliminary and interpretation

- (1) This instrument is the *Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023*.
- (2) This instrument may also be cited as the Standard for the Uniform Scheduling of Medicines and Poisons No. 40.

Note:

This instrument is the *current Poisons Standard* for the purposes of the Act until a document prepared in substitution for it (see sections 52A and 52D of the Act).

encement

(1) Each provision of this instrument specified in column 1 of the table commences, or is taken to have commenced, in accordance with column 2 of the table. Any other statement in column 2 has effect according to its terms.

| Commencement information | | |
|---------------------------------|--------------|--------------|
| Column 1 | Column 2 | Column 3 |
| Provisions | Commencement | Date/Details |
| 1. The whole of this instrument | 1 June 2023. | 1 June 2023 |

Note:

This table relates only to the provisions of this instrument as originally made. It will not be amended to deal with any later amendments of this instrument.

(2) Any information in column 3 of the table is not part of this instrument. Information material be inserted in this column, or information in it may be edited, in any published version of this instrument.

ity

This instrument is made under paragraph 52D(2)(b) of the Therapeutic Goods Act 1989

and transitional provisions

Repeal

(1) The *Therapeutic Goods (Poisons Standard—February 2023) Instrument 2023* is repealed.

Saving—things done under the repealed instrument

- (2) If:
 - (a) a thing was done for a particular purpose under the *Therapeutic Goods (Poisons Standard—February 2023) Instrument 2023* as in force immediately before that instrument was repealed; and
 - (b) the thing could be done for that purpose under this instrument; the thing has effect for the purposes of this instrument as if it had been done for that purpose under this instrument.
- (3) Without limiting subsection (2), a reference in that subsection to a thing being done includes a reference to an approval, authorisation, certificate, exemption, requirement other instrument being given, made, granted or issued.

's guide and Index

- (1) The Reader's guide is not part of this instrument.
- (2) The Index is not part of this instrument.

ions

Note 1: The following expressions used in this instrument are defined in the Act:

- (a) current Poisons Standard;
- (b) poison;
- (c) Register;
- (d) Secretary;
- (e) supply;
- (f) therapeutic goods.

Note 2: The definition of *poison* in the Act is as follows:

poison means an ingredient, compound, material or preparation which, or the use of which, n cause death, illness or injury and includes any ingredient, compound, material or preparation referred to in a schedule to the current Poisons Standard.

In this instrument:

Act means the Therapeutic Goods Act 1989.

agricultural chemical means:

- (a) a substance that is represented, imported, manufactured, supplied or used as a means of directly or indirectly:
 - (i) destroying, stupefying, repelling, inhibiting the feeding of, or preventing infestation by or attacks of, any pest in relation to a plant, a place or a thing or
 - (ii) destroying a plant; or
 - (iii) modifying the physiology of a plant or pest so as to alter its natural development, productivity, quality or reproductive capacity; or
 - (iv) modifying an effect of another agricultural chemical; or
 - (v) attracting a pest for the purpose of destroying it; or
- (b) an active ingredient included in a product declared by regulation under the *Agricultural and Veterinary Chemicals Code Act 1994* to be an agricultural chemical product;

but does not include a veterinary chemical.

agricultural chemical product has the same meaning as in the Agricultural and Veterinary Chemicals Code set out in the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994.

animal means any animal (other than a human being), whether vertebrate or not, and whether a food producing species or not, and includes mammals, birds, bees, reptiles, amphibians, fish, crustaceans and molluscs.

animal feed premix means a concentrated preparation, containing one or more poison for mixing with food ingredients to produce a bulk feed for a group of animals (including fish or birds), but does not include a preparation for mixing with an individual animal's food.

appropriate authority: each of the following is an appropriate authority:

- (a) each person who is the head of the body (however described) in a State or Territor that is responsible for the administration of matters relating to health in that Stat or Territory;
- (b) the Deputy Secretary of the Department with responsibility for the part of the Department known as the Therapeutic Goods Administration, or their delegate;
- (c) the Chief Executive Officer of the Australian Pesticides and Veterinary Medicines Authority, or their delegate.

approved name means:

(a) for a poison that is for human therapeutic use—the name for the poison in the Australian Approved Names List within the meaning of the *Therapeutic Goods*

Regulations 1990; or

- (b) for a poison that is for animal or agricultural use—the name approved for use by the Australian Pesticides and Veterinary Medicines Authority under the Agricultural and Veterinary Chemicals Code set out in the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994; or
- (c) for any other poison—the name for the poison mentioned in the first-occurring of the following paragraphs that applies to the poison:
 - (i) the name used for the poison in this instrument;
 - (ii) the name recommended by Standards Australia as the common name for the poison;
 - (iii) the English name given to the poison by the International Organization for Standardization;
 - (iv) the name given to the poison by the British Standards Institution;
 - (v) the English name given to the poison by the European Committee for Standardization (CEN);
 - (vi) the international non-proprietary name recommended for the poison by the World Health Organization;
 - (vii) the International Nomenclature Cosmetic Ingredient name for the poison list in the *International Cosmetic Ingredient Dictionary & Handbook* published by the Personal Care Products Council of America;
 - (viii) the accepted scientific name or the name descriptive of the true nature and origin of the poison.

Australian Dangerous Goods Code means the Australian Code for the Transport of Dangerous Goods by Road & Rail, published by the National Transport Commission, existing from time to time.

Note: The Australian Dangerous Goods Code could in 2022 be viewed on the Commission's websit (www.ntc.gov.au).

authorised prescriber means any of the following:

- (a) a dental practitioner;
- (b) a medical practitioner;
- (c) a veterinarian;
- (d) a person for whom an authorisation, given for the purposes of this paragraph by a appropriate authority, is in effect.

blood means whole blood extracted from human donors.

blood components means therapeutic components that have been manufactured from blood (including red cells, white cells, stem cells, platelets and plasma), except for

products derived through fractionation of plasma.

child-resistant closure means:

- (a) a closure that complies with the requirements for a child-resistant closure in Australian Standard AS 1928-2007, *Child-resistant packaging Requirements and testing procedures for reclosable packages (ISO 8317:2015, MOD)*; or
- (b) a closure that complies with the requirements for child-resistant closures specified in *Therapeutic Goods Order No. 95 Child-resistant packaging requirements fo medicines 2017* (TGO 95); or
- (c) a closure that is taken to comply with the requirements mentioned in paragraph (bunder *Therapeutic Goods (Standard for Nicotine Vaping Products) (TGO 110)*Order 2021; or
- (d) in the case of a can fitted with a press-on lid, a lid of the design known as "double tight" or "triple tight".

Note: See also the definition of *non-access packaging*.

child-resistant packaging means packaging that:

- (a) complies with the requirements of Australian Standard AS 1928-2007, *Child resistant packaging Requirements and testing procedures for reclosable packages (ISO 8317:2015, MOD)*; or
- (b) is reclosable and complies with the requirements of at least one of the following:
 - (i) the International Organization for Standardization Standard ISO 8317:2015, Child-resistant packaging—Requirements and testing procedures for reclosable packages;
 - (ii) the British Standards Institution Standard BS EN ISO 8317:2004, Child-resistant packaging—Requirements and testing procedures for reclosable packages;
 - (iii) the Canadian Standards Association Standard CSA Z76.1-06, *Reclosable Child-Resistant Packages*;
 - (iv) the United States Code of Federal Regulations, Title 16, Section 1700.15, Poison prevention packaging standards and Section 1700.20, Testing procedure for special packaging, as in force from time to time; or
- (c) a closure that complies with the requirements for child-resistant packaging specifin *Therapeutic Goods Order No. 95 Child-resistant packaging requirements fo medicines 2017* (TGO 95); or
- (d) a closure that is taken to comply with the requirements mentioned in paragraph (c under *Therapeutic Goods (Standard for Nicotine Vaping Products) (TGO 110)*Order 2021; or
- (e) is in the form of blister or strip packaging:
 - (i) in which a unit of use is individually protected until the time of release; and

(ii) that complies with section 3 (Requirements for non-reclosable packages) of Australian Standard AS 1928-2001, *Child-resistant packages*.

Note: See also the definition of *non-access packaging*.

compounded in relation to a substance means combined with one or more other therapeutically active substances in such a way that it cannot be separated from them simple dissolution or other simple physical means.

cosmetic means a substance or preparation intended for placement in contact with any external part of the human body, including:

- (a) the mucous membranes of the oral cavity; and
- (b) the teeth;

with a view to:

- (c) altering the odours of the body; or
- (d) changing its appearance; or
- (e) cleansing it; or
- (f) maintaining it in good condition; or
- (g) perfuming it; or
- (h) protecting it.

debitterised neem seed oil means highly purified oil from the neem seed containing only fatty acids and glycerides of fatty acids.

dental practitioner means a person who is registered, in a State or internal Territory, a a dental practitioner (other than a dental therapist, dental hygienist, dental prosthetist oral health therapist).

dermal use means application to the skin primarily for localised effect.

designated solvent means the following:

- (a) acetone;
- (b) dimethylformamide;
- (c) N-(N-dodecyl)-2-pyrrolidone;
- (d) hydrocarbons, liquid;
- (e) methanol when included in Schedule 5;
- (f) methyl ethyl ketone;
- (g) methyl isoamyl ketone;
- (h) methyl isobutyl ketone;
- (i) N-methyl-2-pyrrolidone;
- (j) N-(N-octyl)-2-pyrrolidone;

- (k) phenyl methyl ketone;
- (l) styrene;
- (m) tetrachloroethylene;
- (n) 1,1,1-trichloroethane.

dispensing label, for a substance for therapeutic use, means the label attached to the immediate container of the substance at the time of dispensing.

Note: See section 40 and Appendix L.

distributor means a person who imports or supplies a poison.

divided preparation means a preparation manufactured and packed as discrete pre-measured dosage units prior to supply, and includes tablets, capsules, cachets, sing dose powders or single dose sachets of powders or granules.

dosage unit means an individual dose of a poison for therapeutic use and includes a tablet, capsule, cachet, single dose powder or single dose sachet of powders or granule

drug means a poison intended for human or animal therapeutic use.

essential oils means:

- (a) products obtained from natural raw materials by distillation with water or steam c from the epicarp of citrus fruits by a mechanical process, or by dry distillation; c
- (b) oils of equivalent composition to products mentioned in paragraph (a) that are derived through synthetic means; or
- (c) prepared mixtures of oils of equivalent composition to products mentioned in paragraph (a) that comprise a mixture of synthetic and natural components.

external in relation to the use of a poison means application in the ears, eyes or nose of to a body surface other than in the mouth, rectum, vagina, urethra or other body orific

first group paint: see section 67.

free formaldehyde includes all hydrated and non-hydrated formaldehyde present in aqueous solution, including methylene glycol and formaldehyde released from formaldehyde donors.

graphic material means the material which is to be deposited on another material by a graphic instrument during writing, drawing or marking and includes cores of pencils, school pastels or crayons, blackboard chalks, finger or showcard colours, poster paint and watercolour blocks.

hand sanitiser preparation means an antimicrobial skin care product that:

- (a) consists of, contains or generates one or more antimicrobial active substances; and
- (b) is represented in any way to be, or is likely to be taken to be (whether because of the way in which it is presented or for any other reason):
 - (i) for use on hands when soap and water are not available; and
 - (ii) applied to the hands without rinsing off; and
 - (iii) intended to destroy, deter, render harmless, prevent the action of, or otherwise exert a controlling effect on any microbes on the skin.

hawking means to supply (including peddle or distribute or cause to be distributed) in public place.

height in relation to letters used for words, expressions or statements on labels means the height of capital letters or lower case letters having an ascender or a descender.

hemp seed oil means the oil obtained by cold expression from the ripened fruits (seed of Cannabis sativa.

immediate container includes all forms of containers in which a poison is directly packed but does not include any such container intended for consumption or any immediate wrapper.

immediate wrapper means metal foil, plastic foil, waxed paper, or any other such material not intended for consumption, when used as the first wrapper for a dosage un or dressing.

internal use means administration:

- (a) orally, except for topical effect in the mouth; or
- (b) for absorption and the production of a systemic effect:
 - (i) by way of a body orifice other than the mouth; or
 - (ii) parenterally, other than by application to unbroken skin.

label:

- (a) means a written statement on a container of a poison; and
- (b) in relation to therapeutic goods, includes a display of printed information about the product:
 - (i) on, or attached to, the goods; or
 - (ii) on, or attached to, a container or primary pack in which the goods are supplied; or
 - (iii) supplied with such a container or pack.

main label, for a container of poison, means:

- (a) the part of the label that is most likely to be displayed, presented, shown, or examined under ordinary or customary conditions of display; and
- (b) if there are 2 or more labels:
 - (i) the label or the part of the label where the product name is more or most conspicuously shown; or
 - (ii) if the product name is equally more or most conspicuously displayed on more than one of those labels—each of the labels on which the product name is equally more or most conspicuously displayed.

manufacturer of a poison means a person who manufactures, produces, or packs a poison.

marker dyes or pigments means any product that is added to a liquid used in agricultural or veterinary chemicals to identify or distinguish treated from untreated objects, land or organisms by temporarily imparting colour on the relevant object, land or organism through, for example, spot- or boom-spraying.

measure pack means a sealed container which contains a measured quantity of poisor for use on one occasion as a pesticide or domestic product and one or more of which i enclosed in a primary pack.

medical practitioner means a person who is registered, in a State or internal Territory, as a medical practitioner.

medicine means any poison for therapeutic use.

midwife means a person who is registered, in a State or internal Territory, as a midwif

non-access packaging, for a product that is not intended for human therapeutic use, means packaging that complies with the requirements of AS 4710-2001, *Packages for chemicals not intended for access or contact with their contents by humans*.

Note: See also the definitions of *child-resistant closure* and *child-resistant packaging*.

non-volatile content in relation to a paint or tinter means that portion of a paint or tint determined to be the non-volatile content by Method 301.1 of Australian Standard AS 1580-301.1-2005, Paints and related materials – Methods of test – Non-volatile conte by mass.

nurse means a person who is registered, in a State or internal Territory, as a nurse.

oromucosal use means administration to the oral mucosa, specifically the oral cavity and/or the pharynx.

paint includes any substance used or intended to be used for application as a colouring or protective coating to any surface but does not include graphic material or paints for therapeutic use.

pesticide means any substance or mixture of substances used or intended to be used:

- (a) for preventing, destroying, repelling, attracting, inhibiting or controlling any insects, rodents, birds, nematodes, bacteria, fungi, weeds or other forms of plant animal life or viruses, which are pests; or
- (b) as a plant regulator, promoter, defoliant or desiccant for food storage, household, industrial, commercial, agricultural and non-agricultural application, but does not include veterinary drugs, stock medicines, stock feeds, stock feed additives, drug for human use, food additives or fertilisers.

pharmacist means a person who is registered, in a State or internal Territory, as a pharmacist.

primary pack, in relation to a poison, means the pack in which the poison and its immediate container or immediate wrapper or measure pack are presented for supply.

product sample means a packed poison supplied directly to a consumer:

- (a) free of charge or for a nominal charge; and
- (b) as a mechanism to promote the supply of the product; and
- (c) in the form of:
 - (i) a small pack produced specifically for the purposes of promotion; or
 - (ii) a normal commercial pack that in other circumstances could be purchased by the consumer.

public place means any place where members of the public are lawfully entitled, invit or permitted to be present in their capacity as members of the public.

Note:

Examples of a public place include a street, road, footway, court, alley or thoroughfare that the public may use in any residential premises or to get from door to door, place to place or house to house.

required advisory statements for medicine labels means the Therapeutic Goods (Medicines Advisory Statements) Specification 2021.

restricted flow insert means a restriction:

- (a) that is fitted or moulded in the neck of a container; and
- (b) that cannot readily be removed from the container by manual force; and
- (c) that limits the delivery of the contents of the container to drops each of which is n more than 200 microlitres.

second group paint: see section 68.

selected container means:

- (a) an injection vial having a nominal capacity of 10 ml or less; or
- (b) a single use syringe; or
- (c) any other container for substances for the rapeutic use having a nominal capacity of 10 ml or less.

solid includes powder.

substance has the same meaning as in Part 6-3 of the Act.

- Note 1: In general terms, that definition covers an ingredient, compound, material or preparation whi or the use of which, may cause death, illness or injury to persons or animals.
- Note 2: See also section 7.

therapeutic use means use in or in connection with:

- (a) preventing, diagnosing, curing or alleviating a disease, ailment, defect or injury ir human beings or animals; or
- (b) influencing, inhibiting or modifying a physiological process in human beings or animals; or
- (c) testing the susceptibility of human beings or animals to a disease or ailment; or
- (d) influencing, controlling or preventing conception in human beings or animals; or
- (e) testing for pregnancy in human beings or animals; or
- (f) the replacement or modification of parts of the anatomy in human beings or animals.

tinter means any pigment or admixture of pigment with other substances, in powder, semi-solid or liquid form, sold or supplied for the purpose of adding to paint in order change the colour of the paint.

topical use means application of a poison for the purpose of producing a localised efferon the surface of the organ or within the tissue to which it is applied.

toy means an object or number of objects manufactured, designed, labelled or markets as a plaything for a child or children up to the age of 14 years.

transdermal use means application to the skin primarily for systemic effect.

veterinarian means a person who is registered under the law of a State or Territory as veterinarian, a veterinary practitioner or a veterinary surgeon.

veterinary chemical means:

- (a) a substance that is represented as being suitable for, or is manufactured, supplied used for, administration or application to an animal by any means, or consumpti by an animal, as a way of directly or indirectly:
 - (i) preventing, diagnosing, curing or alleviating a disease or condition in the animal or an infestation of the animal by a pest; or
 - (ii) curing or alleviating an injury suffered by the animal; or
 - (iii) modifying the physiology of the animal:
 - (A) so as to alter its natural development, productivity, quality or reproductive capacity; or
 - (B) so as to make it more manageable; or
 - (iv) modifying the effect of another veterinary chemical; or
- (b) any vitamin, mineral substance, or additive, if, and only if, the vitamin, substance or additive is used for a purpose mentioned in paragraph (a); or
- (c) any active ingredient included in a product declared by regulation under the *Agricultural and Veterinary Chemicals Code Act 1994* to be a veterinary chemic product;

but does not include an agricultural chemical.

veterinary chemical product has the same meaning as in the Agricultural and Veterina Chemicals Code set out in the Schedule to the Agricultural and Veterinary Chemicals Code Act 1994.

ices to substances

In this instrument, unless the contrary intention appears, a reference to a substance includes the following:

- (a) that substance prepared from natural sources or artificially;
- (b) if the substance is a plant (other than a plant included in Schedule 8 or 9)—that plant or any part of that plant when packed or prepared for therapeutic use;
- (c) every salt, active principle or derivative of the substance, including esters and ethers, and every salt of such an active principle or derivative;
- (d) every alkaloid of the substance and every salt of such an alkaloid;
- (e) every stereoisomer of the substance and every salt of such a stereoisomer;
- (f) every recombinant form of the substance;
- (g) a preparation or admixture containing any proportion of the substance.

Note: Part 2 (controls on substances) does not apply in relation to certain substances (see section 11

ices to concentration, strength or quantity of substances

In this instrument, for a reference to a concentration, strength or quantity of a substance

- (a) if the substance is present as a salt, active principle or derivative (including an est or ether), the concentration, strength or quantity is calculated as the equivalent amount of the substance; and
- (b) the expression "1%" means:
 - (i) in the case of a liquid preparation, 1 g of the substance per 100 mL of the preparation; or
 - (ii) in the case of a solid, semi-solid or pressurised spray aerosol preparation, 1 § of the substance per 100 g of the preparation; and
 - (iii) any expression of greater or lesser percentages shall have a corresponding meaning; and
- (c) in the case of codeine, such concentration, strength or quantity is calculated as anhydrous codeine.

ices to boiling or distillation temperatures

In this instrument, a reference to a boiling or distillation temperature means that temperature at an atmospheric pressure of 101.325 kPa (760 mm of mercury).

ences to standards

A reference in this instrument to an Australian standard, an international standard or a standard of a foreign country is a reference to that standard as it exists from time to time.

-Controls on substances

1—Preliminary

eation of Part 2

This Part applies to a substance or preparation included in a schedule to this instrument other than the following:

- (a) a preparation or product included in the table in clause 1 of Appendix A;
- (b) a substance included in the table in clause 3 of Appendix B when used in an area, sub-area or sub-sub-area of use specified in the table in relation to that substance
- (c) a substance included in the table in clause 1 of Appendix G at a concentration not exceeding the concentration specified in that table in relation to that substance;
- (d) any other substance included in Schedules 1 to 6, at a concentration not exceeding 10 mg per litre or 10 mg per kilogram, unless that substance is also included in Schedule 7 or 8;
- (e) any substance present as an impurity in a pesticide, at a concentration at or below the maximum content for that substance, specified for the pesticide in the *Agricultural and Veterinary Chemicals Code (Agricultural Active Constituents) Standards 2022*, published by the Australian Pesticides and Veterinary Medicine Authority, as existing from time to time.

Note: For paragraph (e), the *Agricultural and Veterinary Chemicals Code (Agricultural Active Constituents) Standards 2022* is a legislative instrument that could in 2023 be accessed at www.legislation.gov.au.

rations containing poisons included in different schedules

- (1) If a preparation contains 2 or more poisons, the provisions relating to each of the schedules in which those poisons are included apply to the preparation.
- (2) However, if it is not possible to comply both with a provision relating to one of those schedules and with a provision relating to another of those schedules, the provision relating to the more restrictive schedule applies, unless a contrary intention is indicate in the schedules or relevant State or Territory legislation.
- (3) The Schedules listed in order of greatest to least restrictiveness are 9, 10, 8, 4, 7, 3, 2, 6, 5.

Note: Schedule 1 is not currently in use.

2—Labels

ion A—General

al requirements

- (1) A poison must not be supplied unless it is labelled in accordance with this Division.
- (2) Any word, expression or statement required by this instrument to be written on a label container must be written:
 - (a) on the outside face of the label or container; and
 - (b) in English; and
 - (c) in durable characters; and
 - (d) in a colour or colours to provide a distinct contrast to the background colour; and
 - (e) in letters at least 1.5 mm in height.
- (3) Paragraph (2)(e) does not apply to a word, expression or statement on a container which has a capacity of 20 ml or less, or on the label of such a container if:
 - (a) an appropriate authority approves the use of smaller letters; and
 - (b) the letters are at least 1 mm in height.
- (4) The label must be printed on, or securely attached to:
 - (a) the outside of the immediate container; and
 - (b) if the immediate container is enclosed in a primary pack—the outside of that primary pack.

diate wrapper

If a poison is enclosed in an immediate wrapper:

- (a) the poison must be contained in a primary pack labelled in accordance with sectic 15; and
- (b) the immediate wrapper must be conspicuously labelled with:
 - (i) the name of the manufacturer or distributor or the brand name or trade name used exclusively by the manufacturer or distributor for that poison; and
 - (ii) the approved name of the poison; and
 - (iii) a statement of the quantity, proportion or strength of the poison in accordance with section 34.

ion B—Primary packs and immediate containers

ry packs and immediate containers

This Subdivision sets out how the primary pack and immediate container of a poison must be labelled.

words

- (1) The signal word or words for the poison, as shown in the following table, must be written:
 - (a) on the first line or lines of the main label; and
 - (b) in bold-face sans serif capital letters of uniform thickness; and
 - (c) subject to subsection (3), in letters at least half the height of the largest letter or numeral on the label; and
 - (d) with nothing else other than the following written on the same line or lines:
 - (i) if the poison is included in Schedule 5—a class label as specified in the Australian Dangerous Goods Code or a statement of the principal hazard o the poison;
 - (ii) if the poison is not included in Schedule 5—a class label as specified in the Australian Dangerous Goods Code.

| Signal word or words for poisons | | | |
|----------------------------------|---|---|------------------------------|
| Item | For a poison included in the following schedule | that is to be used for the following purpose | the signal word or words are |
| 1 | Schedule 2 | for any purpose | PHARMACY MEDICINE |
| 2 | Schedule 3 | for any purpose | PHARMACIST ONLY MEDICINE |
| 3 | Schedule 4 | for human use | PRESCRIPTION ONLY MEDICINE |
| 4 | Schedule 4 | for animal use | PRESCRIPTION ANIMAL REMEDY |
| 5 | Schedule 5 | for any purpose | CAUTION |
| 6 | Schedule 6 | for any purpose | POISON |
| 7 | Schedule 7 | for any purpose | DANGEROUS POISON |
| 8 | Schedule 8 | for any purpose | CONTROLLED DRUG |

- (2) For the purposes of paragraph (1)(c), the largest letter or numeral does not include:
 - (a) a single letter or numeral which is larger than other lettering on the label; or
 - (b) an affix forming part of the trade name for the poison; or

- (c) in the case of a poison for the rapeutic use—numerals used to distinguish the strength of a preparation from the strengths of other preparations of the same poison.
- (3) For the purposes of paragraph (1)(c), the letters need not be larger than:
 - (a) 6 mm on labels for packages having a nominal capacity of 2 L or less; or
 - (b) 15 mm on labels for packages having a nominal capacity of more than 2 L.

onary statement—possession without authority illegal

If the poison is included in Schedule 8, the cautionary statement:

POSSESSION WITHOUT AUTHORITY ILLEGAL

must be written:

- (a) on a separate line or lines immediately below the signal words required by section 16; and
- (b) in bold-face sans serif capital letters of uniform thickness; and
- (c) in letters at least four-tenths the height of the letters used for the signal words; and
- (d) with no other statement written on the same line or lines.

onary statement—keep out of reach of children

The cautionary statement:

KEEP OUT OF REACH OF CHILDREN

must be written:

- (a) on a separate line or lines:
 - (i) immediately below the signal word or words required by section 16; or
 - (ii) if the cautionary statement "POSSESSION WITHOUT AUTHORITY ILLEGAL" is required by section 17—immediately below that statement; and
- (b) in bold-face sans serif capital letters of uniform thickness; and
- (c) in letters at least four-tenths the height of the letters used for the signal word or words; and
- (d) with nothing, other than a class label as specified in the Australian Dangerous Goods Code, written on the same line or lines.

onary statement—fire and explosion hazard

(1) If the poison is a dry chlorinating compound containing more than 10% of available chlorine, the cautionary statement:

FIRE AND EXPLOSION HAZARD

must be written:

- (a) on a separate line or lines immediately below the cautionary statement "KEEP OU OF REACH OF CHILDREN" as required by section 18; and
- (b) in bold-face sans serif capital letters of uniform thickness; and
- (c) in letters at least four-tenths the height of the letters used for the signal word or words; and
- (d) with nothing, other than a class label as specified in the Australian Dangerous Goods Code, written on the same line or lines.
- (2) This section does not apply to a preparation certified by a relevant State or Territory authority as not being a Dangerous Good of Class 5, Division 5.1: Oxidising substanc as specified in the Australian Dangerous Goods Code.

onary statement—burns skin and throat

If the poison is an alkaline salt in a dishwashing machine product, the cautionary statement:

BURNS SKIN AND THROAT

must be written:

- (a) on a separate line or lines immediately below the cautionary statement "KEEP OU OF REACH OF CHILDREN" as required by section 18; and
- (b) in bold-face sans serif capital letters of uniform thickness; and
- (c) in letters at least four-tenths the height of the letters used for the signal word; and
- (d) with nothing, other than a class label as specified in the Australian Dangerous Goods Code, written on the same line or lines of the main label.

onary statements for aqueous solution of paraquat

If the poison is an aqueous solution of paraquat, the cautionary statements:

CAN KILL IF SWALLOWED DO NOT PUT IN DRINK BOTTLES KEEP LOCKED UP

must be written:

- (a) on separate lines immediately below the cautionary statement "KEEP OUT OF REACH OF CHILDREN" as required by section 18; and
- (b) in bold-face sans serif capital letters of uniform thickness; and

- (c) in letters at least four-tenths the height of the letters used for the signal words; and
- (d) with nothing, other than a class label as specified in the Australian Dangerous Goods Code, written on the same lines of the main label.

onary statement—read safety directions

(1) If safety directions are required on the label by section 29, the following cautionary statement:

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

or the following cautionary statement:

READ SAFETY DIRECTIONS

must be written:

- (a) on a separate line or lines:
 - (i) immediately below the cautionary statement "KEEP OUT OF REACH OF CHILDREN" as required by section 18; or
 - (ii) if one or more other cautionary statements is required to be on the line immediately below "KEEP OUT OF REACH OF CHILDREN", immediately below that statement or those statements; and
- (b) in bold-face sans serif capital letters of uniform thickness; and
- (c) in letters at least four-tenths the height of the letters used for the signal word or words; and
- (d) with nothing, other than a class label as specified in the Australian Dangerous Goods Code, written on the same line or lines.
- (2) This section does not apply to a medicine for human use that is labelled in accordance with the required advisory statements for medicine labels.

onary statement—flammable

If the poison meets the criteria for a "flammable liquid" in the Australian Dangerous Goods Code, the cautionary statement:

FLAMMABLE

must be written on the main label in bold-face sans serif capital letters of uniform thickness, unless already present in accordance with the requirements of the Australia Dangerous Goods Code.

onary statement—for animal treatment only

If the poison is only for the treatment of animals, the cautionary statement:

FOR ANIMAL TREATMENT ONLY

must be written on the main label in bold-face sans serif capital letters of uniform thickness.

onary statement—do not swallow

If the poison is included in Schedule 5 and is intended for any purpose other than interior pesticidal use, the cautionary statement:

DO NOT SWALLOW

must be written in sans serif capital letters on the main label or as part of the direction for use.

wed name and quantity, proportion or strength

- (1) The approved name of the poison and a statement of the quantity, proportion or strengt of the poison in accordance with section 34 must be:
 - (a) if the poison is for human therapeutic use—written on the main label in accordance with the standards for the goods specified in orders made under subsection 10(1 of the Act; or
 - (b) if the poison is not for human therapeutic use—written in bold-face sans serif capital letters on the main label, unless:
 - (i) a list of approved names is required; and
 - (ii) it is impractical to include the list on the main label; and
 - (iii) it is included on another part of the label in accordance with an authorisation given by an appropriate authority.
- (2) If the poison is included in Schedule 5 and is referred to in column 1 of an item of the following table, the appropriate name in column 2 of that item may be used as the approved name.

| Appropriate names for poisons | | | |
|-------------------------------|---|-------------------------------------|--|
| Item | Column 1 Poison | Column 2 Appropriate name | |
| 1 | Alkaline salts | Alkaline salts | |
| 2 | Amines for use as curing agents for epoxy resins (unless separately specified in the Schedules) | Aliphatic amines or aromatic amines | |

| Appropriate names for poisons | | | |
|---|-------------------------------|---------------------------------|--|
| ItemColumn 1Column 2PoisonAppropriate n | | Column 2 Appropriate name | |
| 3 | Epoxy resins, liquid | Liquid epoxy resins | |
| 4 | Hydrocarbons, liquid | Liquid hydrocarbons | |
| 5 | Quaternary ammonium compounds | Quaternary ammonium compound(s) | |

- (3) If a poison contains a mixture of designated solvents in excess of 25% of the total volume of the poison but the proportion of one or more individual designated solvents in the mixture is equal to or less than 25%, the approved names of those solvents may be expressed as follows:
 - (a) where the designated solvent is a liquid hydrocarbon—as "liquid hydrocarbons";
 - (b) where the designated solvent is a ketone—as "ketones";
 - (c) in any other case—as "solvents" or "other solvents".

nent—an anticholinesterase compound

(1) If the poison is an organophosphorus compound or carbamate for pesticidal use or for the treatment of animals, the following expression:

AN ANTICHOLINESTERASE COMPOUND

must be written immediately below the approved name or the list of declared contents on the label.

- (2) This section does not apply to:
 - (a) dazomet, mancozeb, metiram, propineb, thiram, tri-allate, zineb or ziram; or
 - (b) an organophosphorus compound or carbamate contained in impregnated plastic resin strips, medallions or granules; or
 - (c) an organophosphorus compound or carbamate contained in a pressurised spray pa for household use.

ions for use

If the poison is prepared, packed or sold for a specific purpose, it must be labelled with clear and adequate directions for use, unless:

- (a) it is a medicine for human use that is labelled in accordance with:
 - (i) Therapeutic Goods Order No. 91 Standard for labels of prescription and related medicines; or
 - (ii) Therapeutic Goods Order No. 92 Standard for labels of non-prescription medicines; or

- (b) it is in an agricultural or veterinary chemical product labelled in compliance with the Agricultural and Veterinary Chemicals Code Act 1994; or
- (c) it is included in Schedule 4 or 8; or
- (d) all of the following apply:
 - (i) it is impractical to include such directions on the label;
 - (ii) the primary pack and the immediate container are labelled with the statemen "DIRECTIONS FOR USE: See package insert";
 - (iii) an appropriate authority has authorised the directions for use to be written or package insert instead of the label;
 - (iv) the insert is enclosed in the primary pack.

directions

(1) If the poison is included in the table in clause 4 of Appendix F, it must be labelled with each safety direction required for the poison by that clause, grouped together as a distinct section of the label and prefaced by the words:

SAFETY DIRECTIONS

written in bold-face capital letters.

- (2) This section does not apply to the following:
 - (a) a poison that:
 - (i) is a medicine for human use; and
 - (ii) is labelled in accordance with the required advisory statements for medicine labels;
 - (b) a poison that:
 - (i) is an agricultural chemical or a veterinary chemical; and
 - (ii) is a registered chemical product within the meaning of the Agricultural and Veterinary Chemicals Code set out in the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*.

ing statements

- (1) If the poison is included in the table in clause 4 of Appendix F, it must be labelled with each warning statement required for the poison by that clause, grouped together:
 - (a) if safety directions are included on the label—immediately after the words "SAFETY DIRECTIONS"; or
 - (b) if there are no safety directions—immediately preceding the directions for use.
- (2) This section does not apply to the following:

- (a) a poison that:
 - (i) is a medicine for human use; and
 - (ii) is labelled in accordance with the required advisory statements for medicine labels;
- (b) a poison that:
 - (i) is an agricultural chemical or a veterinary chemical; and
 - (ii) is a registered chemical product within the meaning of the Agricultural and Veterinary Chemicals Code set out in the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*.

nid

- (1) If the poison is included in the table in clause 3 of Appendix E, it must be labelled with each statement required for the poison by clause 3 of Appendix E:
 - (a) grouped together and prefaced by the following words:

FIRST AID

written in bold-face capital letters; or

- (b) if a primary pack contains 2 or more immediate containers of poisons each requiring different first aid instructions:
 - (i) written on each immediate container as specified in paragraph (a); and
 - (ii) replaced on the primary pack with the statement:

FIRST AID: See inner packs.

- (2) This section does not apply to the following:
 - (a) a poison that:
 - (i) is for human internal use; and
 - (ii) is included in Schedule 3, 4 or 8;
 - (b) a poison that:
 - (i) is a medicine for human use; and
 - (ii) is labelled in accordance with the required advisory statements for medicine labels;
 - (c) a poison that:
 - (i) is an agricultural chemical or a veterinary chemical; and
 - (ii) is a registered chemical product within the meaning of the Agricultural and Veterinary Chemicals Code set out in the Schedule to the *Agricultural and Veterinary Chemicals Code Act 1994*.

and address of manufacturer or distributor

- (1) The poison must be labelled with the name and address of its manufacturer or distribut The address:
 - (a) must be a physical address in Australia; and
 - (b) must not be a post office, cable, telegraphic or code address.
- (2) However, if the manufacturer or distributor is a company incorporated under the law o State or Territory, or a firm registered under a law of a State or Territory dealing with business names, the name and address may be:
 - (a) the registered name of the corporation or firm, or its branch or division; and
 - (b) the city or town in which a registered office of the company or firm is situated.

ing statements and sedation warnings for certain medicines for human use

Warning statements for certain medicines

- (1) A dispensed medicine for human use containing a poison included in column 1 of the table in clause 2 of Appendix L must be clearly labelled with each warning statement required for the poison by that clause.
 - Sedation warning for certain medicines
- (2) A dispensed medicine for human use containing a poison included in Appendix K mus be clearly labelled with a warning statement set out in item 39, 40 or 90 of the table ir clause 1 of Appendix F.

ion C—Statements of quantity, proportion or strength

nents of quantity, proportion or strength

- (1) The statement of the quantity, proportion or strength of a poison must be expressed in the most appropriate of the following forms:
 - (a) if the poison is for human therapeutic use—the manner required by the standards for the goods specified in orders made under subsection 10(1) of the Act;
 - (b) if the poison is for a purpose or purposes other than human therapeutic use—as follows:
 - (i) if the poison is in a pressurised spray aerosol preparation—as the mass of the poison per stated mass of the preparation;
 - (ii) if the poison is a liquid in a liquid preparation—as the mass or volume of the poison per stated volume of the preparation;

- (iii) if the poison is a liquid in a solid or semi-solid preparation—as the mass or volume of the poison per stated mass of the preparation;
- (iv) if the poison is a solid or semi-solid in a liquid preparation—as the mass of t poison per stated volume of the preparation;
- (v) if the poison is a solid or semi-solid in a solid or semi-solid preparation—as the mass of the poison per stated mass of the preparation;
- (vi) if the poison is a gas in a liquid preparation—as the mass of the poison per stated volume of the preparation;
- (vii) if the poison is a gas in a solid or semi-solid preparation—as the mass of the poison per stated mass of the preparation;
- (viii) if the poison is a gas in a gaseous preparation—as the mass of the poison per stated mass of the preparation;
- (c) if the poison is a solution of a mineral acid, the proportion of the acid (un-neutralised by any bases present in the preparation) in a preparation may be expressed as the un-neutralised mass of the acid per stated mass of the preparation;
- (d) if the poison is an inorganic pigment, the proportion may be expressed as a percentage of the metal present using one of the following expressions as appropriate:
 - (i) "contains not more than 10 per cent of (insert name of the metal)";
 - (ii) "contains not more than 30 per cent of (insert name of the metal)";
 - (iii) "contains more than 30 per cent of (insert name of the metal)";
- (e) if the poison is included in a paint, other than a paint for therapeutic or cosmetic use, the proportion may be expressed as a range provided that the limits of the range do not differ by more than 5% of the product;
- (f) if the poison is a lead-based pigment included in automotive paint, the proportion may be expressed as the maximum content of the lead that may be present in the non-volatile content of the paint;
- (g) if a preparation contains more than one derivative of a poison, the quantity or proportion of the poison may be expressed as the equivalent quantity or proportion of one of the derivatives present which it would contain if all of the derivatives were that derivative.
- (2) In paragraph (1)(g):

derivative includes alkaloid.

Note: For requirements to state the quantity, proportion or strength of a poison, see subparagraph 14(b)(iii), section 26 and sub-subparagraphs 35(b)(ii)(B) and 36(1)(b)(ii)(A) and (2)(b)(iii)(B)

ion D—Exemptions from labelling requirements

ed containers and measure packs

The requirements of Subdivision B do not apply to an immediate container of poison the is a measure pack or a selected container (other than an ampoule, a pre-filled syringe of an injection vial to which subsections 36(1) or (2) applies) if:

- (a) the poison is therapeutic goods and is labelled in accordance with the standards for the goods specified in orders made under subsection 10(1) of the Act; or
- (b) the immediate container is:
 - (i) packed in a primary pack labelled in accordance with Subdivision B; and
 - (ii) labelled with:
 - (A) the signal word or words for the poison as shown in the table in subsection 16(1); and
 - (B) the approved name of the poison and the quantity, proportion or strength of the poison in accordance with section 34; and
 - (C) the name of the manufacturer or distributor or the brand name or trad name used exclusively by the manufacturer or distributor for the poison; and
 - (D) if the poison is only for the treatment of animals—the cautionary statement:

FOR ANIMAL TREATMENT ONLY

written in sans serif capital letters.

ules, pre-filled syringes and injection vials

- (1) The requirements of Subdivision B do not apply to a selected container of poison or ar ampoule of poison (other than an ampoule to which subsection (2) applies) when:
 - (a) the poison is therapeutic goods and is labelled in accordance with the standards for the goods specified in orders made under subsection 10(1) of the Act; or
 - (b) the selected container or ampoule is:
 - (i) packed in a primary pack labelled in accordance with Subdivision B; and
 - (ii) labelled with:
 - (A) the approved name of the poison and the quantity, proportion or strength of the poison in accordance with section 34; and
 - (B) the name of the manufacturer or distributor or the brand name or trad name used exclusively by the manufacturer or distributor for the poison; and

(C) if the poison is only for the treatment of animals—the cautionary statement:

FOR ANIMAL TREATMENT ONLY

written in sans serif capital letters.

- (2) The requirements of Subdivision B do not apply to a selected container of poison that a plastic ampoule that is continuous with a strip of the same material and opens as it is detached from the strip when:
 - (a) the poison is therapeutic goods and is labelled in accordance with the standards for the goods specified in orders made under subsection 10(1) of the Act; or
 - (b) the poison is not therapeutic goods and all of the following apply:
 - (i) the ampoule is packed in a primary pack labelled in accordance with Subdivision B:
 - (ii) the strip is labelled in accordance with this section;
 - (iii) the ampoule is labelled with:
 - (A) the approved name of the poison or the trade name of the poison; and
 - (B) the quantity, proportion or strength of the poison in accordance with section 34.

port containers and wrappings

The labelling requirements of this instrument do not apply to a transparent cover, or to any wrapper, hamper, packing case, crate or other cover used solely for the purposes of transport or delivery.

nsary, industrial, laboratory and manufacturing poisons

The labelling requirements of this instrument do not apply to a poison that:

- (a) is packed and sold solely for dispensary, industrial, laboratory or manufacturing purposes; and
- (b) is labelled in accordance with requirements under applicable jurisdictional work health and safety laws, as in force from time to time.

ptions from label requirements in certain circumstances

(1) A requirement specified in Subdivision B or section 35 or 37 does not apply to a poiso if an appropriate authority has granted a labelling exemption under this subsection in relation to that requirement for the poison.

- (2) A labelling exemption granted by an appropriate authority under subsection (1) remain in force:
 - (a) if the exemption relates to a product that is indicated for the treatment or preventi of the coronavirus known as COVID-19:
 - (i) for the period specified in the exemption; or
 - (ii) if no period is specified—until revoked by the appropriate authority; or
 - (b) in any other case:
 - (i) for the period, specified in the exemption, that is 12 months or less from the date of commencement of the exemption; or
 - (ii) if no period is specified—12 months from the date of commencement of the exemption.
- (3) For the avoidance of doubt, this section does not apply to an authorisation given under subparagraph 28(d)(iii).

nsed medicines

Unless otherwise specified in relevant State or Territory legislation and subject to section 33, the labelling requirements of this instrument do not apply to a medicine that:

- (a) is:
 - (i) supplied by an authorised prescriber; or
 - (ii) supplied on and in accordance with a prescription written by an authorised prescriber; or
 - (iii) prepared and supplied by a pharmacist for an individual patient; and
- (b) is labelled in accordance with the requirements of clause 1 of Appendix L.

ylinders

The requirements of paragraph 16(1)(d) and paragraphs 18(d) and 22(1)(d) do not appl to a cylinder containing a poison that is a compressed gas.

The requirements of Subdivision B do not apply to:

- (a) a paint (other than a paint for therapeutic or cosmetic use) that contains only poisons included in Schedule 5; or
- (b) a first group paint or second group paint that is labelled with:
 - (i) the word "WARNING", written in bold-face sans serif capital letters, the height of which is not less than 5 mm, on the first line of the main label wino other words written on that line; and

- (ii) the expression "KEEP OUT OF REACH OF CHILDREN", written in bold-face sans serif capital letters, the height of which is not less than 2.5 mm, on a separate line immediately below the word "WARNING"; and
- (iii) the appropriate warnings required for the paint by clause 4 of Appendix F, written immediately below the expression "KEEP OUT OF REACH OF CHILDREN"; and
- (iv) the name and proportion of the first group or second group poisons it contain provided that where the substance is a metal or metal salt the proportion is expressed as the metallic element present "calculated on the non-volatile content" or "in the dried film" of the paint; or
- (c) a tinter which contains only poisons included in Schedule 5; or
- (d) a tinter that contains a poison mentioned in a table in section 67 or 68, if:
 - (i) the tinter is labelled with the name and proportion of the poison; and
 - (ii) if the poison is a metal or metal salt—the proportion is expressed as the metallic element present as "calculated on the non-volatile content" or "in the dried film".

hor and naphthalene

The labelling requirements of paragraph 13(2)(d) and Subdivision B do not apply to a device that contains camphor or naphthalene in block, ball, disc, pellet or flake form i the device:

- (a) complies with section 52; and
- (b) is sold or supplied in a primary pack labelled in accordance with section 13 and Subdivision B.

ion E—Prohibitions

oitions

- (1) A label used in connection with a poison must not include:
 - (a) any reference to this instrument, or any comment on, reference to, or explanation any expression required by this instrument that directly or by implication contradicts, qualifies or modifies such expression; or
 - (b) any expression or device suggesting or implying that the poison is safe, harmless, non-toxic, non-poisonous, or is recommended or approved by a government or government authority unless required by legislation; or
 - (c) any expression or device which is false or misleading in any particular concerning the safety of the poison or any of its ingredients; or
 - (d) any trade name or description that:

- (i) represents any single constituent of a compound preparation; or
- (ii) misrepresents the composition or any property or quality of the poison; or
- (iii) gives any false or misleading indication of origin or place of manufacture of the poison.
- (2) A label must not be attached to the immediate container or primary pack used in connection with any poison in such a manner as to obscure any of the ribs or any expression required by this instrument to be written or embossed on the container or pack.

3—Containers

'al requirements

A poison must not be supplied unless the requirements of this Division for the immedia container for the poison are met.

iners for poisons other than poisons included in Schedule 5

- (1) If a poison, other than a poison included in Schedule 5, is supplied in a container with nominal capacity of 2 L or less, the container must comply with Australian Standard A 2216-1997, Packaging for poisonous substances.
- (2) Despite subsection (1), a poison included in Schedule 6 that is an essential oil may be packed in an amber glass container which does not comply with the tactile identificati requirements of Australian Standard AS 2216-1997, *Packaging for poisonous substances*, if:
 - (a) other safety factors are not diminished; and
 - (b) the container has a restricted flow insert and a child-resistant closure.
- (3) If a poison, other than a poison included in Schedule 5, is supplied in a container with nominal capacity of more than 2 L:
 - (a) the container must comply with subsection 1.4 (General Requirements) of Australian Standard AS 2216-1997, *Packaging for poisonous substances*; and
 - (b) the word "POISON" must be embossed, or indelibly written in a colour in distinc contrast to the background colour, on the side or shoulder of the container, in sar serif capital letters the height of which is at least one thirty-second part of the length, height or width of the container, whichever is the greatest.

iners for poisons included in Schedule 5

- (1) The container in which a poison included in Schedule 5 is supplied must:
 - (a) comply with the container requirements of subsection 46(1) or (3); or
 - (b) comply with subsection (2).
- (2) A container complies with this subsection if:
 - (a) it is readily distinguishable from a container in which food (including a condimen or drink is sold; and
 - (b) it complies with subsection 1.4 (General Requirements) of Australian Standard A 2216-1997, *Packaging for poisonous substances*, excluding paragraph 1.4.3; and

- (c) it is securely closed and, except when containing a preparation for use on one occasion only, is capable of being re-closed to prevent spillage of its contents; as
- (d) the expression "POISON", "NOT TO BE TAKEN" or "NOT TO BE USED AS A FOOD CONTAINER" is:
 - (i) embossed or indelibly written on the container; or
 - (ii) printed on a label that complies with subsection (3) that is attached to the container.
- (3) For the purposes of subparagraph (2)(d)(ii), the label must be a permanent adhesive lal designed to adhere to a substrate without lifting and which cannot be removed withou damaging either the label or the substrate.
- (4) Despite subsection (1), the following poisons included in Schedule 5:
 - (a) methylated spirit(s);
 - (b) liquid hydrocarbons when packed as kerosene, lamp oil, mineral turpentine, thinners, reducers, white petroleum spirit or dry cleaning fluid;
 - (c) petrol;
 - (d) toluene;
 - (e) xylene;

must not be supplied in a bottle or jar having a nominal capacity of 2 L or less, unless the immediate container complies with the container requirements of subsection 46(1)

ved containers

Despite subsections 46(1) and (3) and section 47, a poison may be packed in a containe that does not comply with the tactile identification requirements of AS2216-1997 (*Packaging for poisonous substances*) or the requirements of paragraph 46(3)(b) or 47(2)(d) if:

- (a) other safety factors are not diminished; and
- (b) the container is for a specific purpose; and
- (c) an appropriate authority has approved the use of the container for that purpose.

-resistant closures

- (1) If a poison specified in column 1 of an item of the following table is supplied in a container having a nominal capacity specified in column 2 of the item, it must be clos with a child-resistant closure that:
 - (a) is appropriate for the container and the poison; and
 - (b) will retain its child-resistant properties for the expected life of the poison.

| Item | Column 1 Poison | Column 2 Nominal capacity of container |
|------|---|--|
| 1 | Alkaline salts included in Schedule 5, when packed and labelled as dishwashing machine tablets | All sizes |
| 2 | Alkaline salts included in Schedule 5, when packed and labelled as dishwashing machine liquids, solids or gels | 5 L/kg or less |
| 3 | Alkaline salts included in Schedule 5, when packed and labelled as a food additive | 2.5 L or less |
| 4 | Anise oil when included in Schedule 5 | 200 mL or less |
| 5 | Basil oil when included in Schedule 5 | 200 mL or less |
| 6 | Bay oil when included in Schedule 6 | 200 mL or less |
| 7 | Cajuput oil when included in Schedule 6 | 200 mL or less |
| 8 | Cassia oil when included in Schedule 5 | 200 mL or less |
| 9 | Cineole when included in Schedule 6 | 2 L or less |
| 10 | Cinnamon bark oil when included in Schedule 5 | 200 mL or less |
| 11 | Cinnamon leaf oil when included in Schedule 6 | 200 mL or less |
| 12 | Clove oil when included in Schedule 6 | 200 mL or less |
| 13 | CYCLOSILAZANES, DI-ME, ME HYDROGEN, POLYMERS WITH DI-ME, ME HYDROGEN SILAZANES, REACTION PRODUCTS WITH 3-(TRIETHOXYSILYL)-1-PROPANAMINE (CAS 475645-84-2) when included in Schedule 6, when presented in a wipe | All sizes |
| 14 | Essential oils when included in Schedule 6 because of their natural camphor component | 200 mL or less |
| 15 | Ethylene glycol when included in Schedule 6 | 5 L or less |
| 16 | Ethylene glycol when included in Schedule 5 in preparations containing more than 50% of ethylene glycol | 5 L or less |
| 17 | Eucalyptus oil when included in Schedule 6 | 2 L or less |
| 18 | Eugenol when included in Schedule 6 | 200 mL or less |
| 19 | Fennel oil when included in Schedule 5 | 200 mL or less |
| 20 | Hydrocarbons, liquid, when packed as kerosene, lamp oil, mineral turpentine, thinners, reducers, white petroleum spirit or dry cleaning fluid | 5 L or less |
| 21 | Hydrochloric acid when included in Schedule 6 | 5 L or less |

| Poison | Poisons that must be closed with a child-resistant closure | | |
|--------|--|--|--|
| Item | Column 1 Poison | Column 2 Nominal capacity of container | |
| 22 | Leptospermum scoparium oil (manuka oil) when included in Schedule 6 | 200 mL or less | |
| 23 | Marjoram oil when included in Schedule 5 | 200 mL or less | |
| 24 | Melaleuca oil (tea-tree oil) when included in Schedule 6 | 200 mL or less | |
| 25 | Methylated spirit excluding preparations or admixtures | 5 L or less | |
| 26 | Methyl salicylate and preparations containing more than 50% of methyl salicylate | 200 mL or less | |
| 27 | Nicotine in liquid preparations when included in Schedule 4. | All sizes | |
| 28 | Nutmeg oil when included in Schedule 5 | 200 mL or less | |
| 29 | Oil of turpentine | 5 L or less | |
| 30 | Paracetamol included in Schedule 4, when packed and labelled for the treatment of animals | All sizes | |
| 31 | Pennyroyal oil when included in Schedule 6 | 200 mL or less | |
| 32 | Potassium hydroxide as such | 2.5 L or less | |
| 33 | Potassium hydroxide in oven, hot plate or drain cleaners when included in Schedule 6 except when in pressurised spray packs | 5 L or less | |
| 34 | D -Pulegone when included in Schedule 6 | 200 mL or less | |
| 35 | Sage oil (Dalmatian) when included in Schedule 6 | 200 mL or less | |
| 36 | Sodium hydroxide as such | 2.5 L or less | |
| 37 | Sodium hydroxide in oven, hot plate or drain cleaners when included in Schedule 6 except when in pressurised spray packs | 5 L or less | |
| 38 | Thujone when included in Schedule 6 | 200 mL or less | |
| 39 | Thyme oil when included in Schedule 5 | 200 mL or less | |

(2) This section does not apply to a poison included in therapeutic goods that are packaged in accordance with the standards for the goods specified in orders made under subsection 10(1) of the Act.

is included in Schedule 8

(1) If a poison included in Schedule 8 is supplied, it must be packaged in such a way that i primary pack is so sealed that, when the seal is broken, it is readily distinguishable from

other sealed primary packs.

- (2) This paragraph does not apply to the supply of a poison included in Schedule 8:
 - (a) by an authorised prescriber or other authorised supplier; or
 - (b) by a pharmacist on the prescription of an authorised prescriber; or
 - (c) by a pharmacist employed at a hospital, on the written requisition of:
 - (i) a medical practitioner or dental practitioner; or
 - (ii) the nurse or midwife in charge of the ward in which the poison is to be used stored; or
 - (d) by a nurse or midwife on the direction in writing of an authorised prescriber.

ptions

- (1) Subsections 46(1) and (3) and section 47 do not apply to the immediate container of a poison prepared, packed and sold:
 - (a) for human internal or animal internal use; or
 - (b) as a solid or semi-solid preparation for human external or animal external use; or
 - (c) as a paint, other than a paint for therapeutic or cosmetic use; or
 - (d) in containers having a nominal capacity of 15 mL or less; or
 - (e) for use in automatic photographic or photocopy processing machines if the container is specifically designed to fit into the machines; or
 - (f) solely for dispensary, industrial, laboratory or manufacturing purposes.
- (2) Section 49 does not apply to a poison prepared, packed and sold solely for dispensary, industrial, laboratory or manufacturing purposes.
- (3) The tactile identification or embossing required by subsections 46(1) and (3) and section 47 or Australian Standard AS 2216-1997, *Packaging for poisonous substances*, do not apply to a container that is an aerosol container, a collapsible tube, or a measure pack which is a flexible sachet.

hor and naphthalene

- (1) The container requirements of subsection 46(1) do not apply to a device that contains only camphor or naphthalene in block, ball, disc, pellet or flake form for domestic use if the device:
 - (a) in normal use, prevents removal or ingestion of its contents; and
 - (b) is incapable of reacting with the poison; and
 - (c) is sufficiently strong to withstand the ordinary risks of handling, storage or transport; and

- (d) has the word "POISON" and the approved name of the poison embossed or indelibly printed on it.
- (2) Camphor or naphthalene must not be supplied in ball, block, disc, pellet or flake form for domestic use unless the balls, blocks, discs, pellets or flakes are enclosed in a devi which prevents removal or ingestion of its contents.

oitions—use of containers for poisons

- (1) A poison must not be supplied in a container that is embossed or indelibly marked with the name of another poison.
- (2) A container that complies with subsection 46(1) or (3) or section 47 must not be used t supply a poison for internal use.
- (3) A container that complies with subsection 46(1) or (3) or section 47 must not be used t supply food (including a condiment) or drink.
- (4) A poison must not be supplied in a container that is not readily distinguishable from a container in which food (including a condiment) or drink is sold.

4—Storage

al storage requirements

Poisons included in Schedule 2

(1) A poison included in Schedule 2 that is stored at premises for supply to the public mus be stored in such a way that public access to advice from a pharmacist is available if required.

Poisons included in Schedules 3 and 4

(2) A poison included in Schedule 3 or 4 that is stored at premises for supply to the public must be stored in a part of the premises to which the public does not have access.

Poisons included in Schedule 6

(3) A poison included in Schedule 6 that is stored at premises for supply by way of retail sale must be stored in such a way as to prevent access by children.

Poisons included in Schedule 7

- (4) A poison included in Schedule 7 that is stored at premises for supply by retail sale mus be stored in an area of the premises, and in a manner, that allows physical access only by the following:
 - (a) the owner of the retail establishment;
 - (b) an employee of the owner;
 - (c) a person who is legally permitted to purchase the poison and is under the supervision of the owner or an employee of the owner.

5—Disposal

al disposal requirements

A poison included in Schedule 5, 6 or 7 must not be disposed of in any place or mannel that constitutes or is likely to constitute a risk to public health or safety.

Note: Controls on the disposal of poisons included in Schedules 2, 3, 4 and 8 are dealt with in State

and Territory legislation.

6—Record keeping

al record-keeping requirements

- (1) If a poison included in Schedule 7 is supplied, a record of the following must be kept:
 - (a) the name and address of the supplier and of the purchaser;
 - (b) the date of the order and supply;
 - (c) the approved name or trade name of the poison;
 - (d) the quantity supplied or sold;
 - (e) if an authorisation is required for purchase of the poison under the law of the jurisdiction in which the purchaser purchases the poison—proof that the purchase has the required authorisation.
- (2) The records mentioned in subsection (1) must be kept for at least 5 years.

Note: Controls on record keeping for the supply of poisons included in Schedules 2, 3, 4 and 8 are dealt with in State and Territory legislation.

7—Advertising

al advertising requirements

Poisons included in Schedule 3, 4 and 8

- (1) A reference to a poison included in:
 - (a) Schedule 3, unless included in Appendix H; or
 - (b) Schedule 4; or
 - (c) Schedule 8;

must not be included in any advertisement except in genuine professional or trade journals or other publications intended for circulation only within the medical, nursing veterinary, dental or pharmaceutical professions or the wholesale drug industry.

Poisons included in Schedules 9 and 10

(2) A reference to a poison included in Schedule 9 or Schedule 10 must not be included in any advertisement.

Note: Schedule 10 includes poisons previously listed in Appendix C.

8—Supply, prescribing, possession or use

is included in Schedule 2

- (1) A poison included in Schedule 2 must not be supplied by a person other than:
 - (a) a person who:
 - (i) is a pharmacist (or an assistant under the direction of a pharmacist) or a medical practitioner, dental practitioner or veterinarian; and
 - (ii) is acting in the lawful practice of the person's profession; or
 - (b) a person who is licensed to supply the poison under the law of the jurisdiction fro which the person will supply the poison.
- (2) A person is not eligible to be granted a licence to supply a poison included in Schedule unless:
 - (a) the person is carrying on the business of supplying goods by retail sale; and
 - (b) the premises from which the poison will be supplied is more than 25 km by the shortest practicable route from the nearest pharmacy; and
 - (c) if required by the law of the jurisdiction from which the person will supply the poison—the person produces evidence that the person is a fit and proper person be so licensed.
- (3) Subsection (1) does not apply to the supply of a poison included in Schedule 2 by way wholesale dealing to:
 - (a) a pharmacist, medical practitioner, dental practitioner or veterinarian; or
 - (b) another person who is licensed or otherwise authorised, under the law of the jurisdiction from which the person supplies the poison, to possess or supply the poison.

is included in Schedule 3

- (1) A poison included in Schedule 3 must not be supplied by a person other than a person who:
 - (a) is a pharmacist, medical practitioner, dental practitioner or veterinarian; and
 - (b) is acting in the lawful practice of the person's profession.
- (2) The following requirements apply if a poison included in Schedule 3 is supplied:
 - (a) adequate instructions for use, either written or verbal, must be provided at the tim of supply;
 - (b) the container of the poison must be labelled with:

- (i) the name of the supplier or the name of the pharmacy (as applicable); and
- (ii) the address from which it was supplied;
- (c) if required by the law of the jurisdiction from which the supplier supplies the pois—a record of the transaction must be made in a prescription book or other approved recording system.
- (3) This section does not apply to the supply of a poison included in Schedule 3 by way of wholesale dealing to:
 - (a) a pharmacist, medical practitioner, dental practitioner or veterinarian; or
 - (b) another person who is licensed or otherwise authorised, under the law of the jurisdiction from which the person supplies the poison, to possess or supply the poison.

is included in Schedule 4

- (1) A poison included in Schedule 4 must not be supplied by a person other than:
 - (a) a person who:
 - (i) is a medical practitioner, dental practitioner or veterinarian; and
 - (ii) is acting in the lawful practice of the person's profession; or
 - (b) a pharmacist dispensing a legal prescription for the poison; or
 - (c) a pharmacist supplying the poison without a prescription as permitted by subsection (2).
- (2) A poison included in Schedule 4 may be supplied to a person (the *patient*) by a pharmacist without a prescription if:
 - (a) the poison is not excepted from this provision by the law of the jurisdiction from which the pharmacist supplies the poison; and
 - (b) the patient is under medical treatment with the poison and continuation of medication is essential; and
 - (c) the quantity supplied does not exceed 3 days' medication; and
 - (d) the pharmacist is satisfied that an emergency exists.
- (3) Subsection (1) does not apply to the supply of a poison included in Schedule 4 by way wholesale dealing to:
 - (a) a pharmacist, medical practitioner, dental practitioner or veterinarian; or
 - (b) another person who is licensed or otherwise authorised, under the law of the jurisdiction from which the person supplies the poison, to possess or supply the poison.

is included in Schedules 5 and 6

- (1) A product sample containing a poison included in Schedule 5 or 6 must not be supplied in any manner unless the recipient has the opportunity to refuse at the time of supply.
- (2) A product sample containing a poison included in Schedule 5 or 6 must not be supplied in an unsolicited manner (for example by post or by attaching the sample to another product).
- (3) A product sample containing a poison included in Schedule 5 or 6 must not be supplied in a manner that does not promote disposal in accordance with Division 5.

is included in Schedule 7

Possession or use for domestic or domestic garden purposes prohibited

(1) A poison included in Schedule 7 must not be possessed or used for domestic or domest garden purposes.

Supply for domestic or domestic garden purposes prohibited

(2) A poison included in Schedule 7 must not be supplied for domestic or domestic garden purposes.

Supply of liquid preparations containing paraquat

(3) A poison included in Schedule 7 that is a liquid preparation containing paraquat must r be supplied unless it is coloured blue or green and contains sufficient stenching agent produce an offensive smell.

Supply if authorisation required by appropriate authority

(4) A poison included in Schedule 7 for which an authorisation to purchase, possess or use required by the appropriate authority must not be supplied unless the purchaser produces the required authorisation.

Product samples prohibited

(5) A product sample containing a poison included in Schedule 7 must not be supplied.

Supply of poisons included in Appendix J

(6) A poison included in Schedule 7 that is included in the table in clause 1 of Appendix J may be supplied only in accordance with that clause.

is included in Schedule 10

A poison included in Schedule 10 must not be possessed, supplied or used for a purpos indicated in relation to that poison in Schedule 10.

Note: Schedule 10 includes poisons previously listed in Appendix C.

is included in Schedule 4 or 8 and Appendix D

(1) This section applies to a poison included in Schedule 4 or 8.

Supply or prescribing

- (2) A poison included in a table in clause 1, 2, 3, 4, 6 or 7 of Appendix D must not be supplied, other than by way of wholesale dealing, or prescribed, except in accordance with the clause that contains the table.
- (3) A poison referred to in clause 8 or 10 of Appendix D must not be supplied, other than I way of wholesale dealing, or prescribed, except in accordance with clause 8 or 10 (as applicable) of Appendix D.

Possession

(4) A poison included in the table in clause 5 of Appendix D must not be possessed by a person without authority under the law of the jurisdiction in which the possession occurs.

Storage

(5) A poison included in the table in clause 9 of Appendix D must be stored in a locked container to prevent unauthorised access.

ing

A poison included in Schedule 7 must not be supplied by way of hawking.

Note: Controls on supply by way of hawking of poisons included in Schedules 2, 3, 4 and 8 are dea with in State and Territory legislation.

9—Paints and tinters

Note: Paints and tinters are poisons that were previously listed in Appendix I.

al requirements

- (1) A first group paint must not be manufactured, supplied or used for application to:
 - (a) a roof or any surface to be used for the collection or storage of potable water; or
 - (b) furniture; or
 - (c) any fence, wall, post, gate or building (interior or exterior) other than a building the is used exclusively for industrial purposes or mining or as an oil terminal; or
 - (d) any premises used for the manufacture, processing, preparation, packing or servir of products intended for human or animal consumption.
- (2) An anti-fouling or anti-corrosive paint containing more than 0.1% lead (the proportion lead for the purposes of this section is calculated as a percentage of the element preser in the non-volatile content of the paint) must not be manufactured, supplied or used.
- (3) A paint (other than an anti-fouling or anti-corrosive paint) or tinter containing more that 0.009% lead (calculated as a percentage of the element present in the non-volatile content of the paint) must not be manufactured, supplied or used.
- (4) A paint for application to toys must not be manufactured, supplied or used unless it complies with the specification for coating materials contained in Australian/New Zealand Standard AS/NZS ISO 8124.3:2012, Safety of toys Part 3: Migration of certa elements (ISO 8124-03:2010, MOD), published jointly by, or on behalf of, Standards Australia and Standards New Zealand.
- (5) A paint or tinter containing a pesticide other than a fungicide, algaecide, bactericide or antifouling agent must not be manufactured, supplied or used.

tion of first group paint

A paint containing a substance mentioned in column 1 of an item in the following table the proportion (calculated as a percentage of the element present in the non-volatile content of the paint) specified in column 2 of the item is a *first group paint*.

| First g | First group paints | | |
|---------|---|------------------------|--|
| Item | Column 1 Substance | Column 2 Proportion | |
| 1 | ANTIMONY or antimony compounds other than antimony titanate pigments | more than 5% | |
| 2 | BARIUM salts except barium sulfate or barium metaborate | more than 5% | |
| 3 | CADMIUM or cadmium compounds | more than 0.1% | |
| 4 | CHROMIUM as chromates of ammonia, barium, potassium sodium, strontium or zinc | more than 5% | |
| 5 | SELENIUM or selenium compounds | more than 0.1% | |

tion of second group paint

A paint containing a substance mentioned in column 1 of an item in the following table the proportion specified in column 2 of the item is a *second group paint*.

| Second | Second group paints | | |
|--------|---|-------------------------|--|
| Item | Column 1 Substance | Column 2 Proportion | |
| 1 | DICHLOROMETHANE (methylene chloride) | more than 5% by weight | |
| 2 | ETHYLENE GLYCOL MONOALKYL ETHERS and their acetates | more than 10% by volume | |
| 3 | HEXYLOXYETHANOL | more than 10% by volume | |
| 4 | TOLUENE | more than 50% by volume | |
| 5 | XYLENE | more than 50% by volume | |

ule 1—Blank

Note: Schedule 1 is intentionally blank.

ule 2—Pharmacy medicines

Note: See section 16, subsection 54(1) and section 58.

ACETIC ACID (excluding its salts and derivatives) and preparations containing more than 80% of acetic acid (CH₃COOH) for therapeutic use.

ACETYLCYSTEINE in preparations for oral use **except** when labelled with a recommended daily dose of 1 g or less of acetylcysteine.

ACONITUM spp. for therapeutic use in adults:

- (a) in preparations for oral use in packs each containing 0.2 mg or less of total alkaloids **except** in packs containing 0.02 mg or less of total alkaloids; or
- (b) in preparations for dermal use containing 0.02% or less of total alkaloids, in packs each containing 0.2 mg or less of total alkaloids **except** in packs containing 0.02 mg or less of total alkaloids.

ALIMEMAZINE when combined with one or more other therapeutically active substances in solic oral preparations when:

- (a) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
- (b) in a day-night pack containing alimemazine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

ALOXIPRIN.

AMOROLFINE in preparations for topical use **except** in preparations for the treatment of tinea pedis.

ANTAZOLINE in eye drops.

ASPIRIN **except** when:

- (a) included in Schedule 4, 5 or 6; or
- (b) in individually wrapped powders or sachets of granules each containing 650 mg or less of aspirin as the only therapeutically active constituent other than when combined with an effervescent agent, that are:

- (i) enclosed in a primary pack that contains 12 or less individually wrapped powders o sachets of granules; and
- (ii) compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in tablets or capsules containing aspirin as the only therapeutically active constituent oth than when combined with an effervescent agent, that are:

either

- (A) packed in blister or strip packing; or
- (B) in a container with a child-resistant closure; and
- (ii) either:
 - (A) in a primary pack that contains not more than 25 tablets or capsules, each containing 325 mg or less of aspirin; or
 - (B) in a primary pack that contains not more than 16 tablets or capsules, each containing 500 mg or less of aspirin; or
 - (C) in a primary pack that contains not more than 100 tablets or capsules, each containing 100 mg or less of aspirin, and that is labelled for the prevention of cardiovascular disease or for the inhibition of platelet aggregation; and
- (iii) compliant with the requirements of the required advisory statements for medicine labels.

ATROPA BELLADONNA (belladonna):

- (a) for external use in preparations containing 0.03% or less of total solanaceous alkaloids;
- (b) for oral use:
 - (i) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
 - (ii) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosage unit, when labelled with a recommended daily dose of 1.2 mg or less of tot solanaceous alkaloids.

ATROPINE (excluding atropine methonitrate) for oral use:

(a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or

(b) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids.

AZELAIC ACID in dermal preparations.

AZELASTINE:

- (a) in preparations for nasal use; or
- (b) in topical eye preparations containing 0.05% or less of azelastine.
- BECLOMETASONE in aqueous nasal sprays delivering 50 micrograms or less of beclometasone I actuation when the maximum recommended daily dose is no greater than 400 micrograms at when packed in a primary pack containing 200 actuations or less, for the prophylaxis or treatment of allergic rhinitis for up to 6 months in adults and children 12 years of age and ov

BENZOCAINE in preparations for topical use other than eye drops:

- (a) containing 10% or less of total local anaesthetic substances, **except** in dermal preparation containing 2% or less of total local anaesthetic substances; or
- (b) in divided preparations containing 200 mg or less of total local anaesthetic substances per dosage unit, **except** in lozenges containing 30 mg or less of total local anaesthetic substances per dosage unit.
- BENZOYL PEROXIDE in preparations for human external therapeutic use containing 10% or less of benzoyl peroxide **except** in preparations containing 5% or less of benzoyl peroxide.

BENZYDAMINE in preparations for topical use, **except**:

- (a) in preparations for dermal use; or
- (b) in divided topical oral preparations containing 3 mg or less of benzydamine; or
- (c) in undivided topical oral preparations containing 0.3% or less of benzydamine in a prima pack containing not more than 50 mL.

BEPHENIUM SALTS.

BIFONAZOLE in preparations for dermal use **except**:

- (a) in preparations containing 1% or less of bifonazole for the treatment of the scalp; or
- (b) in preparations for the treatment of tinea pedis.

BRIMONIDINE in ophthalmic preparations for adult use containing not more than 0.025% of brimonidine.

BROMHEXINE.

BROMPHENIRAMINE when combined with one or more other therapeutically active substances oral preparations when:

- (a) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
- (b) in a day-night pack containing brompheniramine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

BUDESONIDE in aqueous nasal sprays delivering 64 micrograms or less of budesonide per actuation when the maximum recommended daily dose is no greater than 400 micrograms, f the prophylaxis or treatment of allergic rhinitis for up to 6 months in adults and children 12 years of age and over.

CARBETAPENTANE except in preparations containing 0.5% or less of carbetapentane.

CARBOCISTEINE.

CETIRIZINE in preparations for oral use **except** in divided preparations for the treatment of seasonal allergic rhinitis in adults and children 6 years of age and over when:

- (a) in a primary pack containing not more than 10 days' supply; and
- (b) labelled with a recommended daily dose not exceeding 10 mg of cetirizine.

CHLOPHEDIANOL.

CHLORBUTANOL for human use in topical preparations containing 5% or less of chlorbutanol **except** in preparations containing 0.5% or less of chlorbutanol.

CHLOROFORM in preparations for therapeutic use **except**:

- (a) when included in Schedule 4; or
- (b) in preparations containing 0.5% or less of chloroform.

CHLORPHENAMINE when combined with one or more other therapeutically active substances ir oral preparations when:

- (a) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
- (b) in a day-night pack containing chlorphenamine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

CICLOPIROX:

- (a) in preparations for dermal use containing 2% or less of ciclopirox **except** in preparations for the treatment of tinea pedis; or
- (b) in preparations for application to the nails containing 8% or less of ciclopirox.
- CINCHOCAINE in preparations for topical use other than eye drops, containing 0.5% or less of to local anaesthetic substances.

CINNAMEDRINE.

- CLOTRIMAZOLE for human use in dermal preparations and for application to the nails **except** in preparations for the treatment of tinea pedis.
- CREOSOTE derived from wood other than beechwood for human therapeutic use, **except** in preparations containing 10% or less of creosote derived from wood other than beechwood.

DATURA spp. for oral use:

- (a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids, or
- (b) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids;

except when separately specified in these Schedules.

DATURA STRAMONIUM (stramonium) for oral use when:

- (a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
- (b) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids;

except for smoking or burning.

DATURA TATULA (stramonium) for oral use:

- (a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
- (b) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids;

except for smoking or burning.

DELPHINIUM STAPHISAGRIA **except** in preparations containing 0.2% or less of Delphinium staphisagria.

DESLORATADINE in preparations for oral use.

DEXCHLORPHENAMINE when combined with one or more other therapeutically active substances in oral preparations when:

- (a) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
- (b) in a day-night pack containing dexchlorphenamine in the bed-time dose where the day a night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

DEXTROMETHORPHAN (excluding its stereoisomers) when supplied in a pack containing 600 r or less of dextromethorphan and with a recommended daily dose of 120 mg or less of dextromethorphan.

DIBROMOPROPAMIDINE for ophthalmic use.

DICLOFENAC when:

- (a) in divided preparations for oral use containing 12.5 mg or less of diclofenac per dosage unit in a pack containing 20 or less dosage units and labelled with a recommended daily dose of 75 mg or less of diclofenac; or
- (b) in preparations for dermal use containing 4% or less of diclofenac **except** in preparations for dermal use containing 2% or less of diclofenac or for the treatment of solar keratosis or
- (c) in transdermal preparations for topical use containing 140 mg or less of diclofenac.

DIMENHYDRINATE in primary packs of 10 doses or less for the prevention or treatment of motion sickness, **except** in preparations for the treatment of children under 2 years of age. DIPHENHYDRAMINE in oral preparations:

- (a) in a primary pack containing 10 dosage units or less for the prevention or treatment of motion sickness; or
- (b) when combined with one or more other therapeutically active substances when:
 - (i) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
 - (ii) in a day-night pack containing diphenhydramine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

DOXYLAMINE when combined with one or more other therapeutically active substances in oral preparations when:

- (a) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
- (b) in a day-night pack containing doxylamine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

DUBOISIA LEICHHARDTII for oral use:

- (a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
- (b) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids.

DUBOISIA MYOPOROIDES for oral use:

- (a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
- (b) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids.

ECONAZOLE for human use in dermal preparations **except** in preparations for the treatment of tinea pedis.

ESOMEPRAZOLE in oral preparations containing 20 mg or less per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply.

ETAFEDRINE.

ETHER for therapeutic use **except**:

- (a) when included in Schedule 4; or
- (b) in preparations containing 10% or less of ether.

ETHYLMORPHINE when:

- (a) compounded with one or more other therapeutically active substances:
 - (i) in divided preparations containing 10 mg or less of ethylmorphine per dosage unit;
 - (ii) in undivided preparations containing 0.25% or less of ethylmorphine; and
- (b) labelled with a recommended dose not exceeding 15 mg of ethylmorphine.

ETOFENAMATE in preparations for external use.

FAMOTIDINE when sold in the manufacturer's original pack containing not more than 14 days' supply.

FELBINAC in preparations for external use.

FEXOFENADINE in preparations for oral use **except** in divided preparations:

- (a) for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when:
 - (i) in a primary pack containing 20 dosage units or less and not more than 10 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 120 mg of fexofenadine; or
- (b) for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when:
 - (i) in a primary pack containing 10 dosage units or less and not more than 10 days' supply; and

- (ii) labelled with a recommended daily dose not exceeding 180 mg of fexofenadine; or
- (c) for the treatment of seasonal allergic rhinitis and children 6 years of age and over when:
 - (i) in a primary pack containing 20 dosage units or less and not more than 10 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 60 mg of fexofenadine.

ORIDES for human use:

- (a) in preparations for ingestion containing 0.5 mg or less of fluoride ion per dosage unit; or
- (b) in liquid preparations for topical use containing 1000 mg/kg or less of fluoride ion, in a container with a child-resistant closure:
 - (i) for therapeutic use when compliant with the requirements of the required advisory statements for medicine labels **except** in preparations containing 220 mg/kg or less of fluoride ion, in packs containing not more than 120 mg total fluoride when fitted with a child-resistant closure and compliant with the requirements of required advisory statements for medicine labels; or
 - (ii) for non-therapeutic use when labelled with warnings to the following effect:
 - (A) Do not swallow; and
 - (B) Do not use [this product/insert name of product] in children 6 years of age or less;
 - **except** in preparations containing 220 mg/kg or less of fluoride ion, in packs containing not more than 120 mg total fluoride, when fitted with a child-resistant closure and labelled with warnings to the following effect:
 - (C) Do not swallow; and
 - (D) Do not use [this product/insert name of product] in children 6 years of age or less;

except in preparations containing 15 mg/kg or less of fluoride ion or preparations for supply registered dental professionals or by approval of an appropriate authority.

FLURBIPROFEN in preparations for topical oral use when:

- (a) in divided preparations containing 10 mg or less of flurbiprofen per dosage unit **except** when:
 - (i) in a primary pack containing not more than 16 dosage units; and
 - (ii) labelled only for the treatment of adults and children over 12 years; or
- (b) in undivided preparations containing either:

- (i) 0.25% or less of flurbiprofen per dose; or
- (ii) 10 mg or less of flurbiprofen per dose;

except when:

- (iii) in a primary pack containing not more than 15 mL; and
- (iv) labelled only for the treatment of adults 18 years and over.
- FLUTICASONE PROPIONATE (excluding derivatives) in aqueous nasal sprays delivering 50 micrograms or less of fluticasone per actuation when the maximum recommended daily dose is no greater than 400 micrograms, for the prophylaxis or treatment of allergic rhinitis for up 6 months in adults and children 12 years of age and over.

FOLIC ACID for human therapeutic use **except**:

- (a) when included in Schedule 4; or
- (b) in preparations containing 500 micrograms or less of folic acid per recommended daily dose.

FOLINIC ACID for human therapeutic use **except**:

- (a) when included in Schedule 4; or
- (b) in preparations containing 500 micrograms or less of folinic acid per recommended daily dose.

FORMALDEHYDE (excluding its derivatives) for human therapeutic use **except**:

- (a) in oral hygiene preparations containing 0.1% or less of free formaldehyde; or
- (b) in other preparations containing 0.2% or less of free formaldehyde.

GELSEMIUM SEMPERVIRENS.

GLUTARAL for human therapeutic use.

- GUAIFENESIN in a modified release dosage form of 1200 mg or less of guaifenesin with a recommended daily dose of 2400 mg or less when not labelled for the treatment of children under 12 years of age.
- HEXACHLOROPHENE in preparations for human use containing 3% or less of hexachlorophene **except**:
 - (a) in preparations for use on infants, as specified in Schedule 4; or

- (b) in preparations for cosmetic use, as specified in Schedule 6; or
- (c) in other preparations containing 0.75% or less of hexachlorophene.
- HYDROCORTISONE and HYDROCORTISONE ACETATE, but excluding other salts and derivatives, in preparations for human therapeutic use:
 - (a) for dermal use in preparations containing 0.5% or less of hydrocortisone, in packs containing 30 g or less of such preparations, containing no other therapeutically active constituent other than an antifungal substance; or
 - (b) for dermal use in preparations containing 1% or less of hydrocortisone, in packs containing 15 g or less of such preparations, containing an antifungal substance and no other therapeutically active constituent:
 - (i) for the treatment of tinea (tinea pedis, tinea cruris, tinea corporis) and other fungal skin infections; and
 - (ii) not labelled for the treatment of children under 12 years of age; or
 - (c) for rectal use in preparations containing 0.5% or less of hydrocortisone, when combined with a local anaesthetic substance but no other therapeutically active constituent **except** unscheduled astringents:
 - (i) in undivided preparations in packs of 35 g or less; or
 - (ii) in packs containing 12 or less suppositories.
- HYDROQUINONE (excluding monobenzone and alkyl ethers of hydroquinone included in Schedule 4) in preparations for human external therapeutic or cosmetic use containing 2% or less of hydroquinone **except**:
 - (a) in hair preparations containing 0.3% or less of hydroquinone; or
 - (b) in cosmetic nail preparations containing 0.02% or less of hydroquinone.

HYOSCINE:

- (a) for transdermal use in preparations containing 2 mg or less of total solanaceous alkaloids per dosage unit; or
- (b) for oral use:
 - (i) in undivided preparations containing 0.03% or less of total solanaceous alkaloids, when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
 - (ii) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids.

solanaceous alkaloids.

HYOSCINE BUTYLBROMIDE as the only therapeutically active substance, in divided preparatic for oral use, containing 20 mg or less of hyoscine butylbromide per dosage unit in a pack containing 200 mg or less of hyoscine butylbromide.

HYOSCYAMINE:

- (a) for external use in preparations containing 0.03% or less of total solanaceous alkaloids;
- (b) for oral use:
 - (i) in undivided preparations containing 0.03% or less of total solanaceous alkaloids, when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
 - (ii) in divided preparations containing 0.3 mg or less of total solanaceous alkaloids per dosage unit when labelled with a recommended daily dose of 1.2 mg or less total solanaceous alkaloids.

HYOSCYAMUS NIGER for oral use:

- (a) in undivided preparations containing 0.03% or less of total solanaceous alkaloids when labelled with a dose of 0.3 mg or less of total solanaceous alkaloids and a recommended daily dose of 1.2 mg or less of total solanaceous alkaloids; or
- (b) in divided preparations containing 0.3 mg of total solanaceous alkaloids or less per dosa unit when labelled with a recommended daily dose of 1.2 mg or less of total solanaceou alkaloids;

except in a pack containing 0.03 mg or less of total solanaceous alkaloids.

IBUPROFEN in preparations for oral use that are labelled with a recommended daily dose of 1200 mg or less of ibuprofen, when:

- (a) in liquid preparations that are sold in the manufacturer's original pack containing 8 g or less of ibuprofen; or
- (b) in divided immediate release preparations:
 - (i) each containing 400 mg or less of ibuprofen in a primary pack containing not more than 12 dosage units; and
 - (ii) that are labelled not for the treatment of children under 12 years; or

in divided preparations, each containing 200 mg or less of ibuprofen, in packs of not more than 100 dosage units **except** when

- (i) ibuprofen is the only therapeutically active constituent, other than phenylephrine or when combined with an effervescent agent; and
- (ii) packed in blister or strip packaging or in a container with a child-resistant closure; and
- (iii) in a primary pack containing not more than 25 dosage units; and
- (iv) compliant with the requirements of the required advisory statements for medicine labels; and
- (v) not labelled for the treatment of children 6 years or under; and
- (vi) if combined with phenylephrine—not labelled for the treatment of children under 1 years.

INDANAZOLINE.

INDOMETACIN in preparations for external use containing 1% or less of indometacin.

IODINE:

- (a) in preparations for human internal therapeutic use containing 300 micrograms or more o iodine per recommended daily dose; or
- (b) in preparations for human external therapeutic use containing more than 2.5% of availab iodine (excluding salts, derivatives or iodophors);

except in oral preparations for use in prophylaxis and treatment in the event of radioactive iodine exposure under an emergency plan approved by an appropriate authority.

IPRATROPIUM in preparations for nasal use.

- IRON COMPOUNDS (excluding iron oxides when present as an excipient, in divided preparations containing 10 mg or less of total iron oxides per dosage unit or in undivided preparations containing 1% or less of total iron oxides) for human internal use **except**:
 - (a) when included in Schedule 4; or
 - (b) when labelled with a recommended daily dose of 24 mg or less of iron:
 - (i) in undivided preparations supplied in packs each containing 750 mg or less of iron;
 - (ii) in divided preparations:
 - (A) containing more than 5 mg of iron per dosage unit in packs each containing 750 mg or less of iron; or
 - (B) containing 5 mg or less of iron per dosage unit.

ISOCONAZOLE for human use in dermal preparations.

ISOPROPAMIDE in preparations for dermal use containing 2% or less of isopropamide.

KETOCONAZOLE in preparations for dermal use **except**:

- (a) in preparations containing 1% or less of ketoconazole for the treatment of the scalp; or
- (b) in preparations for the treatment of tinea pedis.

KETOTIFEN for ophthalmic use in preparations containing 0.025% or less of ketotifen.

LANSOPRAZOLE in oral preparations 15 mg or less of lansoprazole per dosage unit for the relief heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 7 days' supply.

LEVOCABASTINE in topical eye or nasal preparations.

LEVOCETIRIZINE in preparations for oral use **except** in divided preparations for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when:

- (a) in a primary pack containing not more than 5 days' supply; and
- (b) labelled with a recommended daily dose not exceeding 5 mg of levocetirizine.

LIDOCAINE in preparations for topical use other than eye drops:

- (a) containing 10% or less of total local anaesthetic substances, except:
 - (i) in dermal preparations containing 2% or less of total local anaesthetic substances; c
 - (ii) in aqueous sprays for oromucosal use containing 0.6% or less of total local anaesthetic substances; or
- (b) in divided preparations containing 200 mg or less of total local anaesthetic substances, **except** in lozenges containing 30 mg or less of total local anaesthetic substances per dosage unit.

LINDANE in preparations for human external therapeutic use containing 2% or less of lindane.

LITHIUM in preparations for dermal use containing 1% or less of lithium except:

- (a) when present as an excipient at 0.25% or less of lithium; or
- (b) in preparations containing 0.01% or less of lithium.

LOBELIA INFLATA except for smoking or burning.

LOBELINE except in preparations for smoking or burning.

LODOXAMIDE in preparations for ophthalmic use.

LOPERAMIDE in divided preparations for oral use in packs of 20 dosage units or less **except** in preparations containing 2 mg or less of loperamide per dosage unit, in a primary pack containing 8 dosage units or less.

LORATADINE in preparations for oral use **except** in divided preparations for the treatment of seasonal allergic rhinitis when:

- (a) in a primary pack containing 10 dosage units or less when labelled for adults and childre 6 years and over; and
- (b) labelled with a recommended daily dose not exceeding 10 mg of loratadine.

MACROGOLS in preparations for oral use as a liquid concentrate for laxative use.

MEBENDAZOLE for human therapeutic use.

MECLOZINE in primary packs containing 12 or less tablets or capsules of meclozine for the prevention or treatment of motion sickness, **except** in preparations for the treatment of children under 2 years of age.

MEFENAMIC ACID in divided preparations for oral use in packs of 30 or less dosage units for the treatment of dysmenorrhoea.

MEPYRAMINE for dermal use.

MERCUROCHROME in preparations for external use containing 2% or less of mercurochrome **except** when included in Schedule 6.

MERCURY for external use in preparations containing 0.5% or less of mercury.

METHOXAMINE in preparations for external use **except** in preparations containing 1% or less of methoxamine.

METHOXYPHENAMINE.

METHYLEPHEDRINE.

MICONAZOLE for human use in dermal preparations and for application to the nails **except** in preparations for the treatment of tinea pedis.

MINOXIDIL in preparations for dermal use containing 5% or less of minoxidil.

MOMETASONE in aqueous nasal sprays delivering 50 micrograms or less of mometasone per actuation when the maximum recommended daily dose is no greater than 200 micrograms for the prophylaxis or treatment of allergic rhinitis for up to six months in adults and children 12 years of age and over.

NAPHAZOLINE.

NAPROXEN in divided preparations containing 250 mg or less of naproxen per dosage unit in pac of 30 or less dosage units.

NICLOSAMIDE for human therapeutic use.

NIZATIDINE when sold in the manufacturer's original pack containing not more than 14 days' supply.

NOSCAPINE.

NYSTATIN in dermal preparations.

OMEPRAZOLE in oral preparations containing 20 mg or less of omeprazole per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 7 days' supply.

OXETACAINE (oxethazaine) in preparations for internal use.

OXICONAZOLE for dermal use **except** in preparations for the treatment of tinea pedis.

OXYMETAZOLINE.

OXYQUINOLINE and its non-halogenated derivatives for human therapeutic use, **except** in preparations for external use containing 1% or less of such substances.

PAPAVERINE **except** when included in Schedule 4.

PANTOPRAZOLE in oral preparations containing 20 mg or less of pantoprazole per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 7 days' supply.

PARACETAMOL for therapeutic use:

- (a) in liquid preparations for oral use containing a maximum of 10 g of paracetamol per container; or
- (b) when combined with ibuprofen in preparations for oral use when labelled with a recommended daily dose of 1200 mg or less of ibuprofen in divided doses in a primary pack containing no more than 12 dosage units per pack; or
- (c) in tablets or capsules enclosed in a primary pack containing not more than 100 tablets or capsules; or
- (d) in tablets or capsules enclosed in a primary pack containing more than 100 tablets or capsules intended only as a bulk medicine pack and labelled "For dispensing only" and "This pack is not to be supplied to a patient"; or
- (e) in individually wrapped powders or sachets of granules enclosed in a primary pack containing not more than 50 wrapped powders or sachets of granules; or
- (f) in individually wrapped powders or sachets of granules enclosed in a primary pack containing more than 50 wrapped powders or sachets of granules intended only as a bul medicine pack and labelled "For dispensing only" and "This pack is not to be supplied a patient"; or
- (g) in other preparations except:
 - (i) when included in Schedule 3 or 4; or
 - (ii) in individually wrapped powders or sachets of granules each containing 1000 mg o less of paracetamol as the only therapeutically active constituent (other than caffeir phenylephrine and/or guaifenesin or when combined with effervescent agents) who
 - (A) enclosed in a primary pack that contains not more than 10 such powders or sachets of granules;
 - (B) compliant with the requirements of the required advisory statements for medici labels;
 - (C) not labelled for the treatment of children 6 years of age or less; and
 - (D) not labelled for the treatment of children under 12 years of age when combined with caffeine, phenylephrine and/or guaifenesin; or
 - (iii) in tablets or capsules each containing 500 mg or less of paracetamol as the only therapeutically active constituent (other than caffeine, phenylephrine and/or guaifenesin or when combined with effervescent agents) when:
 - (A) packed in blister or strip packaging or in a container with a child-resistant closure;
 - (B) in a primary pack containing not more than 20 tablets or capsules;

- (C) compliant with the requirements of the required advisory statements for medici labels;
- (D) not labelled for the treatment of children 6 years of age or less; and
- (E) not labelled for the treatment of children under 12 years of age when combined with caffeine, phenylephrine and/or guaifenesin.

PARAFORMALDEHYDE (excluding its derivatives) for human therapeutic use **except**:

- (a) in oral hygiene preparations containing 0.1% or less of free formaldehyde; or
- (b) in other preparations containing 0.2% or less of free formaldehyde.

PHEDRAZINE.

PHENAZONE for human external use.

PHENIRAMINE:

- (a) in eye drops; or
- (b) when combined with one or more other therapeutically active substances in oral preparations when:
 - (i) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
 - (ii) in a day-night pack containing pheniramine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

PHENOL, or any homologue boiling below 220°C, for human therapeutic use except:

- (a) when included in Schedule 4; or
- (b) in preparations for external use containing 1% or less of phenol and in preparations for external use containing 3% or less of cresols and xylenols and other homologues of phenol.

PHENYLEPHRINE except:

- (a) when included in Schedule 4; or
- (b) in oral preparations containing 50 mg or less of phenylephrine per recommended daily dose in packs containing 250 mg or less of phenylephrine; or
- (c) in topical eye or nasal preparations containing 1% or less of phenylephrine.

PHOLCODINE:

- (a) in liquid preparations containing 0.5% or less of pholodine and with a recommended do not exceeding 25 mg of pholodine; or
- (b) when compounded with one or more other therapeutically active substances in divided preparations containing 10 mg or less of pholocodine per dosage unit and with a recommended dose not exceeding 25 mg of pholocodine.

PIPERAZINE for human therapeutic use.

- PODOPHYLLOTOXIN in preparations containing 0.5% or less of podophyllotoxin for human use for the treatment of warts other than anogenital warts.
- PODOPHYLLUM EMODI (podophyllin) in preparations containing 10% or less of podophyllin for human use for the treatment of warts other than anogenital warts.
- PODOPHYLLUM PELTATUM (podophyllin) in preparations containing 10% or less of podophyll for human use for the treatment of warts other than anogenital warts.
- POTASSIUM CHLORATE for therapeutic use **except** in preparations containing 10% or less of potassium chlorate.
- PRILOCAINE in preparations for dermal use containing 10% or less of total local anaesthetic substances.
- PROCYCLIDINE in preparations containing 5% or less of procyclidine for dermal use.

PROMETHAZINE in oral preparations:

- (a) in a primary pack containing 10 dosage units or less for the prevention or treatment of motion sickness; or
- (b) when combined with one or more other therapeutically active substances when:
 - (i) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
 - (ii) in a day-night pack containing promethazine in the bed-time dose where the day an night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

PROPAMIDINE for ophthalmic use.

PYRANTEL for human therapeutic use.

- PYRETHRINS, naturally occurring, being pyrethrolone, cinerolone or jasmolone esters of chrysanthemic or pyrethric acids, for human therapeutic use in preparations containing more than 10% of such substances.
- PYRITHIONE ZINC for human therapeutic use, **except** in preparations for the treatment of the sca containing 2% or less of pyrithione zinc when compliant with the requirements of the requirements for medicine labels.
- RABEPRAZOLE in oral preparations containing 10 mg or less of rabeprazole per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 7 days' supply.
- RANITIDINE in preparations supplied in the manufacturer's original pack containing not more that 14 days' supply **except**:
 - (a) in divided preparations for oral use containing 150 mg or less of ranitidine per dosage ur in the manufacturer's original pack containing not more than 14 dosage units; or
 - (b) in divided preparations for oral use containing 300 mg or less of ranitidine per dosage un in the manufacturer's original pack containing not more than 7 dosage units.

SALICYLAMIDE **except** when included in Schedule 4.

SELENIUM in preparations for human therapeutic use **except**:

- (a) for topical use containing 3.5% or less of selenium sulfide;
- (b) when included in Schedule 4; or
- (c) for oral use with a recommended daily dose of 150 micrograms or less.

SILVER for therapeutic use **except**:

- (a) in solutions for human oral use containing 0.3% or less of silver when compliant with th requirements of the required advisory statements for medicine labels; or
- (b) in other preparations containing 1% or less of silver.

SODIUM CROMOGLYCATE in preparations for nasal or ophthalmic use.

SODIUM NITRITE for therapeutic use (excluding when present as an excipient).

SQUILL except in preparations containing 1% or less of squill.

SULCONAZOLE in preparations for dermal use.

TERBINAFINE for dermal use **except** in preparations for the treatment of tinea pedis.

TETRACAINE in preparations for topical use other than eye drops, containing 10% or less of total local anaesthetic substances **except** in dermal preparations containing 2% or less of total loc anaesthetic substances.

TETRACHLOROETHYLENE for human therapeutic use.

TETRYZOLINE.

THIABENDAZOLE for human therapeutic use.

TIOCONAZOLE in preparations for dermal use **except** in preparations for the treatment of tinea pedis.

TRAMAZOLINE.

TRIAMCINOLONE in aqueous nasal sprays delivering 55 micrograms or less of triamcinolone pe actuation when the maximum recommended daily dose is no greater than 220 micrograms, f prophylaxis or treatment of allergic rhinitis for up to 6 months in adults and children 12 year of age and over.

TRIPROLIDINE when combined with one or more other therapeutically active substances in oral preparations when:

- (a) at least one of the other therapeutically active substances is a sympathomimetic decongestant; or
- (b) in a day-night pack containing triprolidine in the bed-time dose where the day and night doses are in the same immediate container or immediate wrapper;

except in preparations for the treatment of children under 2 years of age.

TUAMINOHEPTANE.

TYMAZOLINE.

XYLOMETAZOLINE.

ZINC CHLORIDE for human dermal use **except** in preparations containing 5% or less of zinc chloride.

ule 3—Pharmacist only medicines

Note: See sections 16 and 31, subsections 54(2) and 57(1) and section 59.

- ADAPALENE in topical preparations containing 0.1% or less of adapalene for the treatment of acr vulgaris in adults and in children over 12 years of age.
- ADRENALINE in preparations containing 1% or less of adrenaline **except** in preparations containing 0.02% or less of adrenaline unless packed and labelled for injection.
- ALCLOMETASONE as the only therapeutically active substance in preparations for dermal use containing 0.05% or less of alclometasone in packs containing 30 g or less of the preparation

ALIMEMAZINE:

- (a) in solid oral preparations except when included in Schedule 2; or
- (b) in liquid oral preparations containing 10 mg or less of alimemazine per 5 mL; **except** in preparations for the treatment of children under 2 years of age.
- AMINOPHYLLINE in liquid oral preparations containing 2% or less of aminophylline.
- AMYL NITRITE when in preparations for human therapeutic use and packaged in containers with child-resistant closures.
- ASTODRIMER SODIUM except in a condom lubricant.
- AZATADINE in oral preparations.
- BILASTINE in divided oral preparations containing 20 mg or less of bilastine for the treatment of adults and adolescents 12 years of age and older.
- BROMPHENIRAMINE in oral preparations except:
 - (a) when included in Schedule 2; or
 - (b) for the treatment of children under 2 years of age.
- BUCLIZINE in oral preparations.
- BUTOCONAZOLE in preparations for vaginal use.
- CANNABIDIOL in oral, oromucosal and sublingual preparations included in the Register when:

- (a) the cannabidiol is either plant derived or, when synthetic, only contains the (-)-CBD enantiomer; and
- (b) the cannabidiol comprises 98% or more of the total cannabinoid content of the preparation; and
- (c) any cannabinoids, other than cannabidiol, must be only those naturally found in cannabis and comprise 2% or less of the total cannabinoid content of the preparation and of whic tetrahydrocannabinol (THC) can only comprise 1% of the total cannabinoid content; an
- (d) the maximum recommended daily dose is 150 mg or less of cannabidiol; and
- (e) packed in blister or strip packaging or in a container fitted with a child-resistant closure; and
- (f) in packs containing not more than 30 days' supply; and
- (g) for persons aged 18 years and over.

CHLORAMPHENICOL for ophthalmic use only.

CHLORBUTANOL in preparations for human use **except**:

- (a) when included in Schedule 2; or
- (b) in preparations containing 0.5% or less of chlorbutanol.

CHLORPHENAMINE in oral preparations except:

- (a) when included in Schedule 2; or
- (b) for the treatment of children under 2 years of age.

CICLOPIROX in preparations for dermal use and for application to the nails **except**:

- (a) when included in Schedule 2; or
- (b) in preparations for the treatment of tinea pedis.

CIMETIDINE in a primary pack containing not more than 14 days' supply.

CLEMASTINE in preparations for oral use.

CLOBETASONE (clobetasone-17-butyrate) as the only therapeutically active substance in preparations for dermal use containing 0.05% or less of clobetasone in packs containing $30\ g$ or less of the preparation.

CLOTRIMAZOLE in preparations for vaginal use.

CYCLIZINE in divided preparations for oral use in primary packs containing 6 dosage units or les

CYPROHEPTADINE in oral preparations.

DEXCHLORPHENAMINE in oral preparations except:

- (a) when included in Schedule 2; or
- (b) for the treatment of children under 2 years of age.

DICLOFENAC in divided preparations for oral use containing 25 mg or less of diclofenac per dosage unit in a pack containing 30 or less dosage units **except** when included in Schedule 2

DIHYDROCODEINE when indicated for cough suppression and compounded with one or more other therapeutically active substances:

- (a) in divided preparations containing 10 mg or less of dihydrocodeine per dosage unit and with a recommended dose not exceeding 15 mg of dihydrocodeine; or
- (b) in undivided preparations containing 0.25% or less of dihydrocodeine with a recommended dose not exceeding 15 mg of dihydrocodeine.

DIIODOHYDROXYQUINOLINE (iodoquinol) for vaginal use.

DIMENHYDRINATE in oral preparations except when included in Schedule 2.

DIMETHINDENE in oral preparations.

DIPHENHYDRAMINE in oral preparations except:

- (a) when included in Schedule 2; or
- (b) for the treatment of children under 2 years of age.

DIPHENOXYLATE in packs of 8 or less dosage units, each dosage unit containing 2.5 mg or less diphenoxylate and a quantity of atropine sulfate equivalent to at least 1% of the dose of diphenoxylate.

DITHRANOL for therapeutic use.

DOXYLAMINE in oral preparations **except**:

- (a) when included in Schedule 2; or
- (b) for the treatment of children under 2 years of age.

ECONAZOLE in preparations for vaginal use.

ELETRIPTAN for oral use in tablets containing 40 mg or less per tablet and when in a pack containing not more than 2 dosage units for the acute relief of migraine in patients who have stable, well-established pattern of symptoms.

ERYTHRITYL TETRANITRATE for therapeutic use.

FAMCICLOVIR for oral use, in divided preparations containing a total dose of 1500 mg or less of famciclovir for the treatment of herpes labialis (cold sores).

FLAVOXATE.

FLUCONAZOLE in single-dose oral preparations containing 150 mg or less of fluconazole for the treatment of vaginal candidiasis.

FLUORIDES for human topical use:

- (a) in liquid preparations containing 5500 mg/kg or less of fluoride ion, in a container with a child-resistant closure **except** when included in or expressly excluded from Schedule 2; or
- (b) in non-liquid preparations containing 5500 mg/kg or less of fluoride ion except:
 - (i) in preparations for therapeutic use containing 1500 mg/kg or less of fluoride ion an when containing more than 1000 mg/kg fluoride ion, compliant with the requirements of the required advisory statements for medicine labels; or
 - (ii) in preparations for non-therapeutic use containing 1500 mg/kg or less of fluoride ic and, when containing more than 1000 mg/kg fluoride ion, labelled with warnings t the following effect:
 - (A) Do not swallow; and
 - (B) Do not use [this product/name of product] in children six years of age or less; c
 - (iii) in preparations for supply to registered dental professionals or by approval of an appropriate authority.

GLUCAGON.

GLYCERYL TRINITRATE:

- (a) in preparations for oral use; or
- (b) in preparations for rectal use.

GLYCOPYRRONIUM except when included in Schedule 4.

- HYDROCORTISONE and HYDROCORTISONE ACETATE, but excluding other salts and derivatives, in preparations for human therapeutic use containing 1% or less of hydrocortisone:
 - (a) for dermal use, in packs containing 30 g or less of such preparations, containing no other therapeutically active constituent other than an antifungal substance; or
 - (b) for dermal use, in packs containing 2 g or less of such preparations, containing no other therapeutically active constituent other than aciclovir (5% w/w or less) in adults and adolescents (12 years of age and older); or
 - (c) for rectal use when combined with a local anaesthetic substance but no other therapeutically active constituent **except** unscheduled astringents:
 - (i) in undivided preparations, in packs of 35 g or less; or
 - (ii) in packs containing 12 or less suppositories;

except when included in Schedule 2.

HYOSCINE BUTYLBROMIDE in undivided preparations for oral use with a recommended single dose not exceeding 20 mg of hyoscine butylbromide in a pack containing 100 mg or less of hyoscine butylbromide when labelled for adults and children 6 years and over.

IBUPROFEN when:

- (a) either:
 - (i) in divided preparations, each containing 400 mg or less of ibuprofen, in a primary pack containing not more than 50 dosage units; or
 - (ii) in a modified release dosage form, each containing 600 mg of ibuprofen, in a prima pack containing not more than 32 dosage units; and
- (b) labelled:
 - (i) with a recommended daily dose of 1200 mg or less of ibuprofen; and
 - (ii) not for the treatment of children under 12 years;

except when:

- (c) included in Schedule 2; or
- (d) in preparations for oral use that are labelled with a recommended daily dose of 1200 mg less of ibuprofen in divided preparations, each containing 200 mg or less of ibuprofen, a pack containing not more than 100 dosage units when:
 - (i) ibuprofen is the only therapeutically active constitutent, other than phenylephrine o when combined with an effervescent agent; and

- (ii) packed in a blister or strip packaging or in a container with a child-resistant closure and
- (iii) in a primary pack containing not more than 25 dosage units; and
- (iv) compliant with the requirements of the required advisory statements for medicine labels; and
- (v) not labelled for the treatment of children 6 years or under; and
- (vi) when combined with phenylephrine—not labelled for the treatment of children und 12 years.

INOSITOL NICOTINATE.

ISOCONAZOLE in preparations for vaginal use.

- ISOSORBIDE DINITRATE in oral preparations containing 10 mg or less of isosorbide dinitrate pe dosage unit.
- KETOPROFEN in divided preparations for oral use containing 25 mg or less of ketoprofen per dosage unit in a pack containing 30 or less dosage units.
- LANSOPRAZOLE in oral preparations containing 15 mg or less of lansoprazole per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply **except** when included in Schedule 2.
- LEVONORGESTREL for emergency post-coital contraception.
- MACROGOLS in preparations for oral use for bowel cleansing prior to diagnostic, medical or surgical procedures.
- MAGNESIUM SULFATE for human therapeutic use in divided oral preparations **except** when containing 1.5 g or less of magnesium sulfate per recommended daily dose.
- MALATHION in preparations for human external use **except** in preparations containing 2% or less of malathion.
- MANNITYL HEXANITRATE for therapeutic use.

MELATONIN in:

(a) modified release tablets containing 2 mg or less of melatonin for monotherapy for the short-term treatment of primary insomnia characterised by poor quality of sleep for adu aged 55 or over, in packs containing not more than 30 tablets; or

(b) immediate release preparations containing 5 mg or less of melatonin for the treatment of jet lag in adults 18 years and over, in a primary pack containing no more than 10 dosage units.

MEPYRAMINE in oral preparations.

METHDILAZINE in oral preparations.

METOCLOPRAMIDE when combined with paracetamol in divided preparations, packed and labelled only for the treatment of nausea associated with migraine, in packs containing not more than 10 dosage units.

MICONAZOLE for human use in topical preparations:

- (a) for the treatment of oral candidiasis; or
- (b) for vaginal use.

MOMETASONE as the only therapeutically active substance in preparations for dermal use containing 0.1% or less of mometasone in packs containing 15 g or less.

NALOXONE when used for the treatment of opioid overdose.

NAPROXEN in a modified release dosage form of 600 mg or less of naproxen per dosage unit in packs of 16 or less dosage units when labelled not for the treatment of children under 12 yea of age.

NICOTINIC ACID for human therapeutic use in divided preparations containing 250 mg or less of nicotinic acid per dosage unit **except**:

- (a) in preparations containing 100 mg or less of nicotinic acid per dosage unit; or
- (b) nicotinamide.

NICOTINYL ALCOHOL **except** in preparations containing 100 mg or less of nicotinyl alcohol pedosage unit.

NYSTATIN in preparations for topical use **except** when included in Schedule 2.

OMEPRAZOLE in oral preparations containing 20 mg or less of omeprazole per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply **except** when included in Schedule 2.

ORLISTAT in oral preparations for weight-control purposes containing 120 mg or less of orlistat p dosage unit.

OXICONAZOLE in preparations for vaginal use.

PANTOPRAZOLE in oral preparations containing 20 mg or less of pantoprazole per dosage unit for the relief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply **except** when included in Schedule 2.

PARACETAMOL:

- (a) when combined with ibuprofen in a primary pack containing 30 dosage units or less **except** when included in Schedule 2; or
- (b) in modified release tablets or capsules containing 665 mg or less paracetamol enclosed i a primary pack containing not more than 100 tablets or capsules; or
- (c) in modified release tablets or capsules containing 665 mg or less paracetamol enclosed in primary pack containing more than 100 tablets or capsules intended only as a bulk medicine and labelled "For dispensing only" and "This pack is not to be supplied to a patient"; or
- (d) in liquid preparations for oral use **except** when in Schedule 2.

PHENIRAMINE in oral preparations except:

- (a) when included in Schedule 2; or
- (b) for the treatment of children under 2 years of age.
- PODOPHYLLOTOXIN in preparations containing 1% or less of podophyllotoxin for human use for the treatment of warts other than anogenital warts **except** when included in Schedule 2.
- PODOPHYLLUM EMODI (podophyllin) in preparations containing 20% or less of podophyllin for human use for the treatment of warts other than anogenital warts **except** when included in Schedule 2.
- PODOPHYLLUM PELTATUM (podophyllin) in preparations containing 20% or less of podophyll for human use for the treatment of warts other than anogenital warts **except** when included i Schedule 2.
- PROCHLORPERAZINE in divided preparations for oral use in packs containing not more than 10 dosage units for the treatment of nausea associated with migraine.

PROMETHAZINE in oral preparations except:

- (a) when included in Schedule 2; or
- (b) in preparations for the treatment of children under 2 years of age.
- PSEUDOEPHEDRINE (other than preparations for stimulant, appetite suppression or weight-cont purposes) when supplied in a primary pack:
 - (a) in liquid preparations containing 800 mg or less of pseudoephedrine hydrochloride (or it equivalent); or
 - (b) in other preparations containing 720 mg or less of pseudoephedrine hydrochloride (or its equivalent).
- RABEPRAZOLE in oral preparations containing 10 mg or less of rabeprazole per dosage unit for trelief of heartburn and other symptoms of gastro-oesophageal reflux disease, in packs containing not more than 14 days' supply **except** when included in Schedule 2.
- RIZATRIPTAN when in divided oral preparations containing 5 mg or less per dosage unit and whe sold in a pack containing not more than 2 dosage units for the acute relief of migraine in patients who have a stable, well-established pattern of migraine symptoms.
- SALBUTAMOL as the only therapeutically active substance:
 - (a) in metered aerosols delivering 100 micrograms or less of salbutamol per metered dose; c
 - (b) in dry powders for inhalation delivering 200 micrograms or less of salbutamol per dose; and
 - where supply is limited:
 - (c) for the relief of bronchospasm in patients with asthma or chronic obstructive pulmonary disease, and for acute prophylaxis against exercise-induced asthma and other stimuli known to induce bronchospasm; or
 - (d) for the treatment of a person with a record of previous supply from a pharmacy; or
 - (e) to persons authorised under a law of a State or Territory to use or supply salbutamol in the practice of their profession; or
 - (f) for use in institutional first aid; and
 - where paragraph (c) or (d) applies—supply is limited to one primary pack of salbutamol per person being treated.
- SALICYLIC ACID in preparations for dermal use **except** in preparations containing 40% or less o salicylic acid.
- SANTONIN.

- SODIUM PHOSPHATE in preparations for oral use for bowel cleansing prior to diagnostic medica and surgical procedures.
- SODIUM PICOSULFATE in preparations for oral use for bowel cleansing prior to diagnostic medical or surgical procedures.
- SULFACETAMIDE in preparations for ophthalmic use containing 10% or less of sulfacetamide.
- SUMATRIPTAN when in divided oral preparations containing 50 mg or less per dosage unit and when sold in a pack containing not more than 2 dosage units for the acute relief of migraine patients who have a stable, well-established pattern of symptoms.

TERBUTALINE as the only therapeutically active substance:

- (a) in metered aerosols delivering 250 micrograms or less of terbutaline per metered dose; o
- (b) in dry powders for inhalation delivering 500 micrograms or less of terbutaline per dose.

THEOPHYLLINE in liquid oral preparations containing 2% or less of theophylline.

TIOCONAZOLE in preparations for vaginal use.

TRIAMCINOLONE for buccal use in preparations containing 0.1% or less of triamcinolone in a pack of 5 g or less.

TRIPROLIDINE in oral preparations **except**:

- (a) when included in Schedule 2; or
- (b) for the treatment of children under 2 years of age.

ULIPRISTAL for emergency post-coital contraception.

- VITAMIN D for human internal therapeutic use in preparations containing 175 micrograms or less vitamin D per recommended single weekly dose **except** in preparations containing 25 micrograms or less of vitamin D per recommended daily dose.
- ZOLMITRIPTAN when in divided oral preparations containing 2.5 mg or less per dosage unit and when sold in a pack containing not more than 2 dosage units for the acute relief of migraine patients who have a stable, well-established pattern of symptoms.

ule 4—Prescription only medicines and prescription animal remedies

| Note 1: See sections 16, 28, 31 and 49, subsections 54(2) and 57(1) and section 60. |
|--|
| Note 2: Substances marked # are listed in Appendix D. |
| ABACAVIR. |
| ABATACEPT. |
| ABIRATERONE ACETATE. |
| ABCIXIMAB. |
| ABEMACICLIB. |
| ACALABRUTINIB. |
| ACAMPROSATE CALCIUM. |
| ACARBOSE. |
| ACEBUTOLOL. |
| ACEPROMAZINE. |
| ACETANILIDE and alkyl acetanilides (excluding when present as an excipient) for human therapeutic use. |
| ACETARSOL. |
| ACETAZOLAMIDE. |
| ACETOHEXAMIDE. |
| ACETYL ISOVALERYLTYLOSIN. |
| ACETYLCARBROMAL. |
| ACETYL CHOLINE |

ACETYLCYSTEINE except:

- (a) when included in Schedule 2; or
- (b) in preparations for oral use when labelled with a recommended daily dose of 1 g or less acetylcysteine.

ACETYLDIGITOXIN.

ACETYLMETHYLDIMETHYLOXIMIDOPHENYLHYDRAZINE.

ACETYLSTROPHANTHIDIN.

ACICLOVIR **except** in preparations containing 5% or less of aciclovir for the treatment of herpes labialis in packs containing 10 g or less.

ACIPIMOX.

ACITRETIN.

ACLIDINIUM BROMIDE.

ACOKANTHERA OUABAIO.

ACOKANTHERA SCHIMPERI.

ACONITUM spp. except:

- (a) when included in Schedule 2; or
- (b) in preparations for oral use in adults in packs containing 0.02 mg or less of total alkaloid or
- (c) in preparations for dermal use in adults containing 0.02% or less of total alkaloids in pac containing 0.02 mg or less of total alkaloids.

ACRIVASTINE.

ADALIMUMAB.

ADAPALENE **except** when included in Schedule 3.

ADEFOVIR.

ADENOSINE for human therapeutic use in preparations for injection.

ADIPHENINE.

ADONIS VERNALIS.

ADRAFINIL.

ADRENALINE except:

- (a) when included in Schedule 3; or
- (b) in preparations containing 0.02% or less of adrenaline unless packed and labelled for injection.

ADRENOCORTICAL HORMONES except when separately specified in these Schedules.

AFAMELANOTIDE.

AFATINIB DIMALEATE.

AFLIBERCEPT.

AGALSIDASE.

AGLEPRISTONE.

AGOMELATINE.

ALANYLGLUTAMINE.

ALATROFLOXACIN MESILATE.

ALBENDAZOLE except:

- (a) when included in Schedule 5 or 6; or
- (b) in intraruminal implants each containing 3.85 g or less of albendazole for the treatment animals.

ALCLOFENAC.

ALCLOMETASONE except when included in Schedule 3.

ALCURONIUM.

ALDESLEUKIN.

ALDOSTERONE. ALECTINIB. # ALEFACEPT. ALEMTUZUMAB. ALENDRONIC ACID. ALFACALCIDOL. ALFUZOSIN. ALGLUCERASE. ALGLUCOSIDASE. ALIMEMAZINE except when included in Schedule 2 or 3. ALIROCUMAB. ALISKIREN. ALKYL NITRITES **except** when separately specified in these schedules. ALLERGENS for therapeutic use. ALLOPURINOL. ALLYLESTRENOL. ALOGLIPTIN. ALOSETRON. ALPELISIB. ALPHA1-PROTEINASE INHIBITOR (HUMAN). ALPHADOLONE. ALPHAXALONE.

| ALPRENOLOL. |
|--|
| ALPROSTADIL. |
| ALSEROXYLON. |
| ALTEPLASE. |
| ALTRENOGEST. |
| ALTRETAMINE (hexamethylmelamine). |
| AMANTADINE. |
| AMBENONIUM CHLORIDE. |
| # AMBRISENTAN. |
| AMBUCETAMIDE. |
| AMBUTONIUM BROMIDE. |
| AMCINONIDE. |
| AMIFAMPRIDINE. |
| AMIFOSTINE. |
| AMIKACIN. |
| AMILORIDE. |
| AMINOCAPROIC ACID. |
| AMINOGLUTETHIMIDE. |
| 5-AMINOLEVULINIC ACID. |
| AMINOMETRADINE. |
| AMINOPHENAZONE (amidopyrine) and derivatives for the treatment of animals. |

AMINOPHYLLINE **except** when included in Schedule 3.

9/11/23, 2:14 PM AMINOPTERIN. 4-AMINOPYRIDINE for therapeutic use. AMINOREX. AMINOSALICYLIC ACID. AMIODARONE. AMIPHENAZOLE. AMISOMETRADINE. AMISULPRIDE. AMITRIPTYLINE. AMLODIPINE. AMMI VISNAGA. AMMONIUM BROMIDE for therapeutic use. AMOBARBITAL when packed and labelled for injection. AMODIAQUINE. AMOROLFINE except: (a) when included in Schedule 2; or (b) in preparations for the treatment of tinea pedis. AMOXAPINE. AMOXICILLIN. AMPHOMYCIN.

AMPHOTERICIN B.

AMPICILLIN.

AMPRENAVIR. AMRINONE. AMSACRINE. AMYL NITRITE except when included in Schedule 3. AMYLOCAINE. # ANABOLIC STEROIDAL AGENTS. ANAGRELIDE. ANAKINRA. ANASTROZOLE. ANCESTIM. ANCROD and its immunoglobulin antidote. ANDEXANET ALFA. ANECORTAVE. # ANDROGENIC STEROIDAL AGENTS. #ANDROISOXAZOLE. # ANDROSTANOLONE. # ANDROSTENEDIOL. # ANDROSTENEDIONE. ANGIOTENSIN AMIDE. ANIDULAFUNGIN. ANIRACETAM.

ANISTREPLASE.

ANTAZOLINE except when included in Schedule 2.

ANTIBIOTIC SUBSTANCES except:

- (a) when separately specified in these Schedules; or
- (b) nisin.

ANTIGENS for human therapeutic use **except** when separately specified in this Schedule.

ANTIHISTAMINES except:

- (a) when included in Schedule 2 or 3; or
- (b) when separately specified in this Schedule.

ANTIMONY for therapeutic use **except** when separately specified in these Schedules.

ANTISERA (immunosera) for human use by injection **except** when separately specified in these Schedules.

AOD-9604 (CAS No. 221231-10-3).

APALUTAMIDE.

APIXABAN.

APOCYNUM spp.

APOMORPHINE.

APRACLONIDINE.

APRAMYCIN.

APREMILAST.

APREPITANT.

APROTININ.

ARBUTIN (BETA) in oral preparations **except** herbal preparations containing 500 mg or less beta-arbutin per recommended daily dose.

ARECOLINE.

| ARIPIPRAZOLE. | |
|---|--|
| ARMODAFINIL. | |
| ARSENIC for human therapeutic use except when separately specified in these Schedules. | |
| ARTEMETHER. | |
| ARTICAINE. | |
| ASCIMINIB. | |
| ASENAPINE. | |
| ASFOTASE ALFA. | |
| ASPARAGINASE. | |
| ASPIRIN when: (a) combined with caffeine, paracetamol or salicylamide; or (b) combined with any derivative of the substances mentioned in paragraph (a); or (c) for injection. | |
| ASTEMIZOLE. | |
| ASUNAPREVIR. | |
| # ATAMESTANE. | |
| ATAZANAVIR. | |
| ATENOLOL. | |
| ATEZOLIZUMAB. | |
| ATIPAMEZOLE. | |
| ATOMOXETINE. | |
| ATORVASTATIN. | |

9/11/23, 2:14 PM ATOSIBAN. ATOVAQUONE. ATRACURIUM BESILATE. ATROPA BELLADONNA (belladonna) except when included in Schedule 2. ATROPINE except when included in Schedule 2. ATROPINE METHONITRATE. AURANOFIN. AUROTHIOMALATE SODIUM. AVACOPAN. AVATROMBOPAG. AVELUMAB. AVILAMYCIN except: (a) in animal feed premixes containing 15% or less of avilamycin activity; or (b) in animal feeds containing 50 mg/kg or less of avilamycin activity. AVIPTADIL. AXITINIB. AVOPARCIN. AZACITIDINE. AZACYCLONOL. AZAPERONE. AZAPROPAZONE.

https://www.legislation.gov.au/Details/F2023L00617

AZARIBINE.

AZATADINE **except** when included in Schedule 3.

AZATHIOPRINE.

AZELAIC ACID except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 1% or less of azelaic acid for non-human use.

AZELASTINE **except** when included in Schedule 2.

AZITHROMYCIN.

AZLOCILLIN.

AZTREONAM.

BACAMPICILLIN.

BACITRACIN.

BACLOFEN.

BALOXAVIR MARBOXIL.

BALSALAZIDE.

BAMBERMYCIN (flavophospholipol) except:

- (a) when included in Schedule 6; or
- (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substance

BAMBUTEROL.

BAMETHAN.

BAMIPINE.

BARBITURATES except when separately specified in these Schedules.

BARICITINIB.

BASILIXIMAB.

| В | AZEDOXIFENE. |
|---|--|
| В | ECAPLERMIN. |
| В | ECLAMIDE. |
| В | ECLOMETASONE except when included in Schedule 2. |
| В | ELATACEPT. |
| В | ELIMUMAB. |
| В | ELUMOSUDIL. |
| В | ELZUTIFAN. |
| В | EMEGRIDE. |
| В | ENACTYZINE. |
| В | ENAZEPRIL. |
| В | ENDAMUSTINE. |
| В | ENDROFLUAZIDE. |
| В | ENETHAMINE PENICILLIN. |
| В | ENORYLATE. |
| В | ENOXAPROFEN. |
| В | ENPERIDOL. |
| В | ENRALIZUMAB. |
| В | ENSERAZIDE. |
| В | ENZATHINE PENICILLIN. |
| В | ENZILONIUM. |
| | |

BENZOCAINE except:

- (a) when included in Schedule 2; or
- (b) in dermal preparations containing 2% or less of total local anaesthetic substances; or
- (c) in lozenges containing 30 mg or less of total local anaesthetic substances per dosage unit

BENZODIAZEPINE derivatives **except** when separately specified in these Schedules.

BENZOYL PEROXIDE in preparations for human therapeutic use **except**:

- (a) when included in Schedule 2; or
- (b) in preparations for external use containing 5% or less of benzoyl peroxide.

BENZPHETAMINE.

BENZTHIAZIDE.

BENZATROPINE.

BENZYDAMINE except:

- (a) when included in Schedule 2; or
- (b) in preparations for dermal use; or
- (c) in divided topical oral preparations containing 3 mg or less of benzydamine; or
- (d) in undivided topical oral preparations containing 0.3% or less of benzydamine in a primary pack containing not more than 50 mL.

BENZYLPENICILLIN.

BEPRIDIL.

BERACTANT.

BESIFLOXACIN.

BETAHISTINE.

BETAMETHASONE.

BETAXOLOL.

BETHANECHOL CHLORIDE.

BETHANIDINE.

| BEVACIZUMAB. |
|---|
| BEVANTOLOL. |
| # BEXAROTENE. |
| BEZAFIBRATE. |
| BEZLOTOXUMAB. |
| BICALUTAMIDE. |
| BICTEGRAVIR. |
| BIFONAZOLE except: |
| (a) when included in Schedule 2; or |
| (b) in preparations for dermal use containing 1% or less of bifonazole for the treatment of the scalp; or |
| (c) in preparations for dermal use for the treatment of tinea pedis. |
| BILASTINE except when included in Schedule 3. |
| BIMATOPROST. |
| BINIMETINIB. |
| BIPERIDEN. |
| BISMUTH COMPOUNDS for cosmetic use, except: |
| (a) bismuth citrate when incorporated in hair colourant preparations in concentrations of 0.5 per or less; or |
| |

(b) bismuth oxychloride.

BISMUTH COMPOUNDS for human therapeutic use, **except** bismuth formic iodide or bismuth subiodide in dusting powders containing 3% or less of bismuth.

BISOPROLOL.

9/11/23, 2:14 PM BIVALIRUDIN. BLEOMYCIN. BLINATUMOMAB. BOCEPREVIR. # BOLANDIOL. # BOLASTERONE. # BOLAZINE. # BOLDENONE (dehydrotestosterone). # BOLENOL.

BORON, including boric acid and borax, for human therapeutic use **except**:

- (a) in preparations for internal use containing 6 mg or less of boron per recommended daily dose; or
- (b) in preparations for dermal use containing 0.35% or less of boron, which are not for paediatric or antifungal use; or
- (c) when present as an excipient.

BORTEZOMIB.

BOLMANTALATE.

BOSENTAN.

BOSUTINIB.

BOTULINUM TOXINS for human use **except** when separately specified in these Schedules.

BRENTUXIMAB VEDOTIN.

BRETYLIUM TOSILATE.

BREXPIPRAZOLE.

BRIGATINIB. BRIMONIDINE except when included in Schedule 2. BRINZOLAMIDE. BRIVARACETAM. # BROMAZEPAM. BROMIDES, inorganic, for therapeutic use **except** when separately specified in these Schedules. BROMOCRIPTINE. BROMOFORM for therapeutic use. BROMPHENIRAMINE except when included in Schedule 2 or 3. BROMVALETONE. BRUGMANSIA spp. BUCLIZINE **except** when included in Schedule 3. BUDESONIDE except when included in Schedule 2. BUFEXAMAC. BUMETANIDE. BUPHENINE. BUPIVACAINE except when included in Schedule 5. BUPROPION. BUSERELIN. BUSPIRONE.

BUSULPHAN.

BUTACAINE.

BUTAMBEN **except** in dermal preparations containing 2% or less of total local anaesthetic substances.

BUTOCONAZOLE **except** when included in Schedule 3.

BUTRACONAZOLE.

BUTYLCHLORAL HYDRATE.

BUTYL NITRITE.

CABAZITAXEL.

CABERGOLINE.

CABOTEGRAVIR.

CABOZANTINIB.

CADMIUM COMPOUNDS for human therapeutic use.

CAFFEINE for internal therapeutic use **except**:

- (a) in divided preparations when labelled with a maximum recommended daily dose of no greater than 600 mg of total caffeine; or
- (b) in undivided preparations with a concentration of less than 5% of caffeine and when labelled with a maximum recommended daily dose of no greater than 600 mg of total caffeine.

CALCIFEDIOL for human internal therapeutic use **except** in preparations containing 10 microgram or less of calcifediol per recommended daily dose.

CALCIPOTRIOL.

CALCITONIN.

CALCITONIN SALMON.

CALCITRIOL.

CALCIUM CARBIMIDE for therapeutic use.

CALCIUM HYDROXYLAPATITE in preparations for injection or implantation:

- (a) for tissue augmentation; or
- (b) for cosmetic use.

CALCIUM POLYSTYRENE SULPHONATE.

CALOTROPIS GIGANTEA.

CALOTROPIS PROCERA.

CALUSTERONE.

CAMPHORATED OIL for therapeutic use.

CAMPHOTAMIDE.

CANAGLIFLOZIN.

CANAKINUMAB.

CANDESARTAN CILEXETIL.

CANDICIDIN.

CANINE TICK ANTI-SERUM.

CANNABIDIOL in preparations for therapeutic use or analytical and scientific research where:

- (a) cannabidiol comprises 98% or more of the total cannabinoid content of the preparation; and
- (b) any cannabinoids, other than cannabidiol, must be only those naturally found in cannabi and comprise 2% or less of the total cannabinoid content of the preparation;

except when:

- (c) included in Schedule 3; or
- (d) in hemp seed oil at a concentration of 75 mg/kg or less.

CANTHARIDIN.

CAPECITABINE.

CAPREOMYCIN.

| CAPTODIAME. |
|---|
| CAPTOPRIL. |
| CAPURIDE. |
| CARAMIPHEN. |
| CARBACHOL. |
| CARBAMAZEPINE. |
| CARBARYL for human therapeutic use. |
| CARBAZOCHROME. |
| CARBENICILLIN. |
| CARBENOXOLONE for internal use. |
| CARBETOCIN. |
| CARBIDOPA. |
| CARBIMAZOLE. |
| CARBOCROMEN. |
| CARBOPLATIN. |
| CARBOPROST. |
| CARBROMAL. |
| CARBUTAMIDE. |
| CARBUTEROL. |
| CARFILZOMIB. |
| CARGLUMIC ACID (N-carbamoyl-L-glutamic acid). |
| CARINDACILLIN. |

CARIPRAZINE. CARISOPRODOL. CARMUSTINE. CARNIDAZOLE. CARPROFEN. CARVEDILOL. CASIRIVIMAB. CASPOFUNGIN. CATHINE.

CATUMAXOMAB.

CEDAZURIDINE.

CEFACETRILE.

CEFACLOR.

CEFADROXIL.

CEFALEXIN.

CEFALORIDINE.

CEFALOTIN.

CEFAMANDOLE.

CEFAPIRIN.

CEFAZOLIN.

CEFEPIME.

CEFETAMET.

| CEFIXIME. |
|-------------------------------|
| CEFODIZIME. |
| CEFONICID. |
| CEFOPERAZONE. |
| CEFOTAXIME. |
| CEFOTETAN. |
| CEFOTIAM. |
| CEFOVECIN for veterinary use. |
| CEFOXITIN. |
| CEFPIROME. |
| CEFPODOXIME. |
| CEFQUINOME. |
| CEFTAROLINE FOSAMIL. |
| CEFSULODIN. |
| CEFTAZIDIME. |
| CEFTIBUTEN. |
| CEFTIOFUR. |
| CEFTRIAXONE. |
| CEFUROXIME. |
| CELECOXIB. |
| CELIPROLOL. |
| CENEGERMIN. |

CEPHAELIS ACUMINATA (ipecacuanha) **except** in preparations containing 0.2% or less of emetine.

CEPHAELIS IPECACUANHA except in preparations containing 0.2% or less of emetine.

CEPHALONIUM.

CEPHRADINE.

CERITINIB.

CERIVASTATIN.

CERLIPONASE ALFA.

CERTOLIZUMAB PEGOL.

CERULETIDE.

CETIRIZINE except

- (a) when included in Schedule 2; or
- (b) in divided preparations for oral use for the treatment of seasonal allergic rhinitis in adult and children 6 years of age and over when:
 - (i) in a primary pack containing not more than 10 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 10 mg of cetirizine.

CETRORELIX.

CETUXIMAB.

CHENODEOXYCHOLIC ACID.

CHLORAL FORMAMIDE.

CHLORAL HYDRATE **except** in preparations for topical use containing 2% or less of chloral hydrate.

CHLORALOSE except when included in Schedule 6.

CHLORAMBUCIL.

Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023 CHLORAMPHENICOL except when included in Schedule 3. # CHLORANDROSTENOLONE. CHLORAZANIL. CHLORCYCLIZINE. # CHLORDIAZEPOXIDE. CHLORMERODRIN. CHLORMETHIAZOLE. CHLORMEZANONE. CHLOROFORM for use in anaesthesia. #4-CHLOROMETHANDIENONE. 2-(4-CHLOROPHENYL)-(1,2,4)TRIAZOLO[5,1-A]ISOQUINOLINE. CHLOROQUINE. CHLOROTHIAZIDE. CHLOROTRIANISENE. # CHLOROXYDIENONE. CHLORPHENAMINE except when included in Schedule 2 or 3. CHLORPHENTERMINE. CHLORPROMAZINE. CHLORPROPAMIDE. CHLORPROTHIXENE.

https://www.legislation.gov.au/Details/F2023L00617

CHLORTALIDONE.

CHLORQUINALDOL for human topical use.

| CHLORTETRACYCLINE except when included in Schedule 5. |
|---|
| CHLORZOXAZONE. |
| CHOLERA VACCINE. |
| CHOLIC ACID. |
| CHYMOPAPAIN for human therapeutic use. |
| CICLACILLIN. |
| CICLESONIDE. |
| CICLOPIROX except: (a) when included in Schedule 2 or 3; or (b) in preparations for the treatment of tinea pedis. |
| CICLOSPORIN. |
| CIDOFOVIR. |
| CILASTATIN. |
| CILAZAPRIL. |
| CILGAVIMAB. |
| CILOSTAZOL. |
| CIMETIDINE except when included in Schedule 3. |
| CIMICOXIB. |
| CINACALCET. |
| CINCHOCAINE except when included in Schedule 2. |
| CINNARIZINE. |
| CINOXACIN. |

CIPROFLOXACIN. CISAPRIDE. CISATRACURIUM BESILATE. CISPLATIN. CITALOPRAM. # CJC-1295 (CAS No. 863288-34-0). CLADRIBINE. CLANOBUTIN. CLARITHROMYCIN. CLAVULANIC ACID. CLEMASTINE except when included in Schedule 3. CLEMIZOLE. CLENBUTEROL. CLEVIDIPINE. CLIDINIUM BROMIDE. CLINDAMYCIN. CLIOQUINOL and other halogenated derivatives of oxyquinoline for human topical use except when separately specified in this Schedule. CLOBAZAM. CLOBETASOL. CLOBETASONE (clobetasone-17-butyrate) except when included in Schedule 3. CLOCORTOLONE.

| CLODRONIC ACID (includes sodium clodronate). |
|---|
| CLOFARABINE. |
| CLOFAZIMINE. |
| CLOFENAMIDE. |
| CLOFIBRATE. |
| # CLOMIFENE. |
| CLOMIPRAMINE. |
| CLOMOCYCLINE. |
| # CLONAZEPAM. |
| CLONIDINE. |
| CLOPAMIDE. |
| CLOPIDOGREL. |
| CLOPROSTENOL. |
| # CLORAZEPATE. |
| CLOREXOLONE. |
| CLORPRENALINE. |
| # CLOSTEBOL (4-chlorotestosterone). |
| CLOTRIMAZOLE except : (a) when included in Schedule 2, 3 or 6; or (b) in preparations for dermal use for the treatment of tinea pedis. |
| CLOXACILLIN. |
| # CLOZAPINE. |

COBALT for human therapeutic use **except** as dicobalt edetate in preparations for the treatment of cyanide poisoning.

COBICISTAT.

COBIMETINIB.

CODEINE when compounded with one or more other therapeutically active substances:

- (a) in divided preparations containing 30 mg or less of codeine per dosage unit; or
- (b) in undivided preparations containing 1% or less of codeine.

CO-DERGOCRINE.

COLCHICINE.

COLCHICUM AUTUMNALE.

COLESTIPOL.

COLESTYRAMINE for human therapeutic use.

COLFOSCERIL PALMITATE for human therapeutic use.

COLISTIN.

COLLAGEN in preparations for injection or implantation:

- (a) for tissue augmentation; or
- (b) for cosmetic use.

COLLAGENASE CLOSTRIDIUM HISTOLYTICUM.

COLURACETAM.

CONVALLARIA KEISKI.

CONVALLARIA MAJALIS.

COPPER COMPOUNDS for human use **except**:

(a) when separately specified in these Schedules; or

| (b) | in preparations | for human | internal u | ise containii | ng 5 mg or | · less of | copper per | recommend |
|-----|-----------------|-----------|------------|---------------|------------|-----------|------------|-----------|
| | daily dose; or | | | | | | | |

(c) in other preparations containing 5% or less of copper compounds.

| # CORIFOLLITROPIN ALFA. |
|--|
| CORONILLA spp. |
| CORTICOSTERONE. |
| CORTICOTROPHIN. |
| CORTISONE. |
| CO-TRIMOXAZOLE. |
| COUMARIN for therapeutic use (excluding when present as an excipient). |
| CRISABOROLE. |
| CRIZOTINIB. |
| CROFELEMER. |
| CUPRIMYXIN. |
| CURARE. |
| CYCLANDELATE. |
| CYCLIZINE except when included in Schedule 3. |
| CYCLOBENZAPRINE. |
| # CYCLOFENIL. |
| CYCLOHEXIMIDE. |
| CYCLOPENTHIAZIDE. |
| CYCLOPENTOLATE. |

| CYCLOPHOSPHAMIDE. |
|---|
| CYCLOPROPANE for therapeutic use. |
| CYCLOSERINE. |
| CYCLOTHIAZIDE. |
| CYCRIMINE. |
| CYMARIN. |
| CYPROHEPTADINE except when included in Schedule 3. |
| CYPROTERONE. |
| CYTARABINE. |
| DABRAFENIB MESILATE. |
| DABIGATRAN. |
| DACARBAZINE. |
| DACLATASVIR. |
| DACLIZUMAB. |
| DACTINOMYCIN. |
| DALFOPRISTIN. |
| DALTEPARIN (includes dalteparin sodium). |
| DANAPAROID (includes danaparoid sodium). |
| # DANAZOL. |
| DANTHRON for human use. |
| DANTROLENE. |

DAPAGLIFLOZIN.

DAPOXETINE.

| DAPSONE. |
|---|
| DAPTOMYCIN. |
| DARATUMUMAB. |
| # DARBEPOETIN. |
| DARIFENACIN. |
| DAROLUTAMIDE. |
| DARUNAVIR. |
| DATURA spp. except: |
| (a) when included in Schedule 2; or |
| (b) when separately specified in this Schedule. |
| DASABUVIR. |
| DASATINIB. |
| DATURA STRAMONIUM (stramonium) except: |
| (a) when included in Schedule 2; or |
| (b) for smoking or burning. |
| DATURA TATULA (stramonium) except: |
| (a) when included in Schedule 2; or |
| (b) for smoking or burning. |
| DAUNORUBICIN. |
| DEANOL for therapeutic use. |
| DEBRISOQUINE. |
| DECAMETHONIUM. |

| DECITABINE. |
|--|
| DEFERASIROX. |
| DEFERIPRONE. |
| DEFIBROTIDE. |
| DEFLAZACORT. |
| DEGARELIX. |
| # DEHYDROCHLOROMETHYLTESTOSTERONE. |
| DEHYDROCORTICOSTERONE. |
| DELAVIRDINE MESILATE. |
| DEMBREXINE except when included in Schedule 5. |
| DEMECARIUM. |
| DEMECLOCYCLINE. |
| DENGUE VACCINE. |
| DENOSUMAB. |
| DEOXYCHOLIC ACID. |
| DEOXYCORTONE. |
| DEOXYRIBONUCLEASE except: |
| (a) when separately specified in this Schedule; or |
| (b) for external use. |
| DERACOXIB. |
| DERMATOPHAGOIDES PTERONYSSINUS AND DERMATOPHAGOIDES FARINAE EXTRACT. |

DESFERRIOXAMINE.

https://www.legislation.gov.au/Details/F2023L00617

DESFLURANE. DESIPRAMINE. DESIRUDIN. DESLANOSIDE. DESLORATADINE **except** when included in Schedule 2. DESLORELIN. DESMOPRESSIN (D.D.A.V.P.). DESOGESTREL. DESONIDE. DESOXYMETHASONE. DESVENLAFAXINE. DETOMIDINE. DEUCRAVACITINIB. DEUTETRABENAZINE. DEXAMETHASONE. DEXCHLORPHENAMINE **except** when included in Schedule 2 or 3. DEXFENFLURAMINE. DEXMEDETOMIDINE. DEXTROMETHORPHAN (excluding its stereoisomers) except when included in Schedule 2. # DEXTROPROPOXYPHENE:

- (a) in divided preparations containing 135 mg of dextropropoxyphene or less per dosage unior
- (b) liquid preparations containing 2.5% or less of dextropropoxyphene.

| DEXTRORPHAN (excluding its stereoisomers). |
|---|
| DIAMTHAZOLE. |
| DIAVERIDINE. |
| # DIAZEPAM. |
| DIAZOXIDE. |
| DIBENZEPIN. |
| DIBOTERMIN. |
| DIBROMOPROPAMIDINE for therapeutic use except when included in Schedule 2. |
| DICHLORALPHENAZONE. |
| DICHLOROPHEN for human therapeutic use. |
| DICHLORPHENAMIDE. |
| DICLOFENAC except: |
| (a) when included in Schedule 2 or 3; or |
| (b) in preparations for dermal use unless: |
| (i) for the treatment of solar keratosis; or |
| (ii) containing more than 4% of diclofenac. |
| DICLOXACILLIN. |
| DICYCLOMINE. |
| DIDANOSINE. |
| DIENESTROL. |
| DIENOGEST. |
| DIETHAZINE. |

DIETHYLCARBAMAZINE for human therapeutic use.

DIETHYLPROPION.

DIFELIKEFALIN.

DIFENOXIN in preparations containing, per dosage unit, 0.5 mg or less of difenoxin and a quantit of atropine sulfate equivalent to at least 5% of the dose of difenoxin.

DIFLORASONE.

DIFLOXACIN.

DIFLUCORTOLONE.

DIFLUNISAL.

DIGITALIS LANATA.

DIGITALIS PURPUREA.

DIGITOXIN.

DIGOXIN.

DIGOXIN-SPECIFIC ANTIBODY FRAGMENT F (Ab).

DIHYDRALAZINE.

DIHYDROCODEINE when compounded with one or more other therapeutically active substances

- (a) in divided preparations containing not more than 100 mg of dihydrocodeine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5% of dihydrocodeine **except** when included in Schedule 3.

DIHYDROERGOTOXINE.

DIHYDROLONE.

DIHYDROSTREPTOMYCIN.

DIHYDROTACHYSTEROL.

DIIODOHYDROXYQUINOLINE (iodoquinol) except:

- (a) when included in Schedule 3; or
- (b) for human internal use.

DIISOPROPYLAMINE DICHLOROACETATE.

DILTIAZEM.

DIMENHYDRINATE **except** when included in Schedule 2 or 3.

DIMERCAPROL.

DIMETHANDROSTANOLONE.

DIMETHAZINE.

DIMETHINDENE **except** when included in Schedule 3.

DIMETHOTHIAZINE.

DIMETHOXANATE.

DIMETHYL FUMARATE.

DIMETHYL SULFOXIDE (excluding dimethyl sulfone) for therapeutic use **except**:

- (a) when included in Schedule 6; or
- (b) in in vitro test kits; or
- (c) when used as a flavour component in compliance with the current Therapeutic Goods (Permissible Ingredients) determination for listed medicines.

DIMETRIDAZOLE.

DIMIRACETAM.

2,4-DINITROCHLOROBENZENE for therapeutic use.

DINITROCRESOLS for therapeutic use **except** when separately specified in these Schedules.

DINITRONAPHTHOLS for therapeutic use **except** when separately specified in these Schedules.

DINITROPHENOLS for therapeutic use. DINITROTHYMOLS for therapeutic use **except** when separately specified in these Schedules. # DINOPROST. # DINOPROSTONE. DIPERODON. DIPHEMANIL except in preparations for dermal use. DIPHENHYDRAMINE except when included in Schedule 2 or 3. DIPHENIDOL. DIPHENOXYLATE in preparations containing, per dosage unit, 2.5 mg or less of diphenoxylate a a quantity of atropine sulfate equivalent to at least 1% of the dose of diphenoxylate except when included in Schedule 3. DIPHENYLPYRALINE. DIPHTHERIA TOXOID. DIPIVEFRIN. DIPYRIDAMOLE. DIRITHROMYCIN. DIRLOTAPIDE. DIROXIMEL FUMARATE. DISOPHENOL. DISOPYRAMIDE. DISTIGMINE.

DISULFIRAM for therapeutic use.

DISULPHAMIDE.

| DITHIAZANINE except when included in Schedule 6. | |
|---|--|
| DITIOCARB. | |
| DOBUTAMINE. | |
| DOCETAXEL. | |
| DOFETILIDE. | |
| DOLASETRON. | |
| DOLUTEGRAVIR. | |
| DOMPERIDONE. | |
| DONEPEZIL. | |
| DOPAMINE. | |
| DOPEXAMINE. | |
| DORAVIRINE. | |
| DORIPENEM. | |
| DORNASE. | |
| DORZOLAMIDE. | |
| DOSULEPIN. | |
| DOXANTRAZOLE. | |
| DOXAPRAM. | |
| DOXAZOSIN. | |
| DOXEPIN. | |
| DOXORUBICIN. | |
| | |

DOXYCYCLINE.

| DOXYLAMINE except when included in Schedule 2 or 3. |
|--|
| DRONEDARONE. |
| DROPERIDOL. |
| DROSPIRENONE. |
| # DROSTANOLONE. |
| DROTRECOGIN. |
| DUBOISIA LEICHHARDTII except when included in Schedule 2. |
| DUBOISIA MYOPOROIDES except when included in Schedule 2. |
| DULAGLUTIDE. |
| DULOXETINE. |
| DUPILUMAB. |
| DURVALUMAB. |
| DUTASTERIDE. |
| DYDROGESTERONE. |
| ECONAZOLE except: (a) when included in Schedule 2, 3 or 6; or |
| (b) in preparations for dermal use for the treatment of tinea pedis. |
| ECOTHIOPATE (includes ecothiopate iodide). |
| ECTYLUREA. |
| ECULIZUMAB. |
| EDARAVONE. |
| EDETIC ACID for human therapeutic use except : |


(a) in preparations containing 0.25% or less of edetic acid; or
(b) as dicobalt edetate in preparations for the treatment of cyanide poisoning; or
(c) in contact lens preparations.

OXUDINE.

EDOXUDINE. EDROPHONIUM. EFALIZUMAB. EFAVIRENZ. EFLORNITHINE. ELBASVIR. ELETRIPTAN except when included in Schedule 3. ELEXACAFTOR. ELOSULFASE ALFA. ELOTUZUMAB. ELTENAC. ELTROMBOPAG. ELUXADOLINE. ELVITEGRAVIR. EMEPRONIUM. EMETINE **except** in preparations containing 0.2% or less of emetine. EMPAGLIFLOZIN.

EMTRICITABINE.

ENALAPRIL.



EPITIOSTANOL.

| El | PLERENONE. |
|----|---|
| # | EPOETINS. |
| El | POPROSTENOL. |
| El | PROSARTAN. |
| El | PTIFIBATIDE. |
| El | RENUMAB. |
| El | RGOMETRINE. |
| El | RGOT. |
| El | RGOTAMINE. |
| El | RGOTOXINE. |
| El | RIBULIN MESILATE. |
| El | RLOTINIB. |
| El | RTAPENEM. |
| El | RTUGLIFLOZIN. |
| El | RYSIMUM spp. |
| El | RYTHROMYCIN. |
| # | ERYTHROPOIETIN. |
| # | ERYTHROPOIETINS except when separately specified in these Schedules. |
| E | SCITALOPRAM. |
| E | SLICARBAZEPINE ACETATE. |
| E | SMOLOL. |

ESOMEPRAZOLE except when included in Schedule 2.

| /23 | 2:14 PM ESTETROL MONOHYDRATE. | Therapeutic Goods (Poisons Standard—June 2023) Instrument 202 |
|-----|--|---|
| | ESTRADIOL except when included in Schedule 5. | |
| | ESTRIOL. | |
| | ESTRAMUSTINE. | |
| | ESTROGENS except when separately specified in these Schedu | iles. |
| | ESTRONE. | |
| | ESTROPIPATE (piperazine estrone sulfate). | |
| | ETACRYNIC ACID. | |
| | ETANERCEPT. | |
| | ETHAMBUTOL. | |
| | ETHAMIVAN. | |
| | ETHCHLORVYNOL. | |
| | ETHER for use in anaesthesia. | |
| | ETHINAMATE. | |
| | ETHINYLESTRADIOL. | |
| | ETHIONAMIDE. | |
| | # ETHISTERONE. | |
| | ETHOGLUCID. | |
| | ETHOHEPTAZINE. | |
| | ETHOPROPAZINE. | |
| | ETHOSUXIMIDE. | |

ETHOTOIN.

ETHOXZOLAMIDE.

ETHYL CHLORIDE for human therapeutic use.

ETHYLDIENOLONE.

ETHYLMORPHINE when compounded with one or more other therapeutically active substances:

- (a) in divided preparations containing not more than 100 mg of ethylmorphine per dosage unit; or
- (b) in undivided preparations with a concentration of not more than 2.5% of ethylmorphine; **except** when included in Schedule 2.

ETHYLESTRENOL.

ETIDOCAINE.

ETIDRONIC ACID (includes etidronate disodium):

- (a) for internal use; or
- (b) in topical preparations **except** in preparations containing 1% or less of etidronic acid.

ETILEFRIN.

ETIPROSTON.

ETODOLAC.

ETOFENAMATE except when included in Schedule 2.

ETONOGESTREL.

ETOPOSIDE.

ETORICOXIB.

ETRAVIRINE.

ETRETINATE.

ETYNODIOL.

| EVEROLIMUS. |
|---|
| EXEMESTANE. |
| EXENATIDE. |
| EZETIMIBE. |
| FAMCICLOVIR except when included in Schedule 3. |
| FAMOTIDINE except when included in Schedule 2. |
| FARICIMAB. |
| FASORACETAM. |
| FEBUXOSTAT. |
| FELBINAC except when included in Schedule 2. |
| FELODIPINE. |
| FELYPRESSIN. |
| FENBUFEN. |
| FENCAMFAMIN. |
| FENCLOFENAC. |
| FENFLURAMINE. |
| FENOFIBRATE. |
| FENOLDOPAM. |
| FENOPROFEN. |
| FENOTEROL. |
| FENPIPRAMIDE. |

FENPIPRANE.

FENPROPOREX.

FENPROSTALENE.

FERRIC DERISOMALTOSE.

FEXOFENADINE except:

included in Schedule 2; or

- (b) in divided preparations for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when:
 - (i) in a primary pack containing 20 dosage units or less and not more than 10 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 120 mg of fexofenadine; or
- (c) for the treatment of seasonal allergic rhinitis in adults and children 12 years of age and over when:
 - (i) in a primary pack containing 10 dosage units or less and not more than 10 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 180 mg of fexofenadine; or
- (d) for the treatment of seasonal allergic rhinitis and children 6 years of age and over when:
 - (i) in a primary pack containing 20 dosage units or less and not more than 10 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 60 mg of fexofenadine.

FIBRINOLYSIN except for external use.

FIBROBLAST GROWTH FACTORS.

FIDAXOMICIN.

FILGOTINIB.

FILGRASTIM.

FINASTERIDE.

FINERENONE.

FINGOLIMOD.

| FIROCOXIB. |
|--|
| FLECAINIDE. |
| FLEROXACIN. |
| FLOCTAFENINE. |
| FLORFENICOL. |
| FLUANISONE. |
| FLUCLOROLONE. |
| FLUCLOXACILLIN. |
| FLUCONAZOLE except when included in Schedule 3. |
| FLUCYTOSINE. |
| FLUDARABINE. |
| FLUDROCORTISONE. |
| FLUFENAMIC ACID. |
| FLUMAZENIL. |
| FLUMETASONE. |
| FLUMETHIAZIDE. |
| FLUNISOLIDE. |
| FLUNIXIN MEGLUMINE. |
| FLUOCINOLONE. |
| FLUOCINONIDE. |
| FLUOCORTIN. |

FLUOCORTOLONE.

FLUORESCEIN in preparations for injection.

FLUORIDES in preparations for human use **except** when included in or expressly excluded from Schedule 2 or 3.

FLUOROMETHOLONE.

FLUOROURACIL.

FLUOXETINE.

FLUOXYMESTERONE.

FLUPENTIXOL.

FLUPHENAZINE.

FLUPROSTENOL.

FLURALANER in injectable preparations for use in companion animals.

FLURANDRENOLONE.

FLURAZEPAM.

FLURBIPROFEN except when:

- (a) included in Schedule 2; or
- (b) in divided preparations for topical oral use that contain 10 mg or less of flurbiprofen per dosage unit and that are:
 - (i) in a primary pack containing not more than 16 dosage units; and
 - (ii) labelled only for the treatment of adults and children over 12 years; or
- (c) in undivided preparations for topical oral use containing either:
 - 0.25% or less of flurbiprofen per dose; or
 - (ii) 10 mg or less of flurbiprofen per dose; and

that are:

- (iii) in a primary pack containing not more than 15 mL; and
- (iv) labelled only for the treatment of adults 18 years and over.

FLUROXENE for human therapeutic use. FLUSPIRILENE. FLUTAMIDE. FLUTICASONE except when included in Schedule 2. FLUVASTATIN. FLUVOXAMINE. FOLIC ACID in preparations for human use for injection. FOLINIC ACID in preparations for human use for injection. FOLLICLE-STIMULATING HORMONE except when separately specified in this Schedule. # FOLLISTATIN. # FOLLITROPIN ALFA. # FOLLITROPIN BETA. # FOLLITROPIN DELTA. FOMEPIZOLE. FOMIVIRSEN. FONDAPARINUX. # FORMEBOLONE. FORMESTANE. FORMOTEROL FOSAMPRENAVIR. FOSAPREPITANT.

FOSCARNET.

| FOSFESTROL (diethylstilbestrol diphosphate). |
|--|
| FOSFOMYCIN. |
| FOSINOPRIL. |
| FOSNETUPITANT. |
| FOSPHENYTOIN. |
| FOSTEMSAVIR. |
| FOTEMUSTINE. |
| FRAMYCETIN. |
| FULVESTRANT. |
| FURALTADONE. |
| # FURAZABOL. |
| FURAZOLIDONE. |
| FUROSEMIDE (frusemide). |
| FUSIDIC ACID. |
| GABAPENTIN. |
| GALANTAMINE. |
| GALANTHUS spp. |
| GALCANEZUMAB. |
| GALLAMINE. |
| GALSULFASE. |
| GANCICLOVIR. |
| GANIRELIX. |

GATIFLOXACIN. GRAZOPREVIR. GEFITINIB. GEMCITABINE. GEMEPROST. GEMFIBROZIL. GEMIFLOXACIN. GEMTUZUMAB OZOGAMICIN. GENTAMICIN. GESTODENE. GESTONORONE. # GESTRINONE. GHRH INJECTABLE PLASMID. GILTERITINIB. GITALIN. GLATIRAMER ACETATE. GLECAPREVIR. GLIBENCLAMIDE. GLIBORNURIDE. GLICLAZIDE. GLIMEPIRIDE.

GLIPIZIDE.

GLIPTINS except when separately specified in these Schedules. GLISOXEPIDE. GLUTATHIONE for parenteral use. # GLUTETHIMIDE. GLYCERYL TRINITRATE **except** when included in Schedule 3. GLYCOPYRRONIUM in preparations for injection. GLYMIDINE. GnRH VACCINE. GOLIMUMAB. GONADORELIN. GONADOTROPHIC HORMONES except when separately specified in this Schedule. GOSERELIN. GRAMICIDIN. GRANISETRON. GRAPIPRANT. GREPAFLOXACIN. GRISEOFULVIN. # GROWTH HORMONE RELEASING HORMONES* (GHRHs). # GROWTH HORMONE RELEASING PEPTIDES (GHRPs). # GROWTH HORMONE RELEASING PEPTIDE-6 (GHRP-6). # GROWTH HORMONE SECRETAGOGUES* (GHSs).

GUAIFENESIN for human therapeutic use **except**:

- (a) when included in Schedule 2; or
- (b) in oral liquid preparations containing 2% or less of guaifenesin; or

(c) in divided preparations containing 200 mg or less of guaifenesin per dosage unit. GUANABENZ. GUANACLINE. GUANETHIDINE. GUANFACINE. GUANIDINE for therapeutic use. GUSELKUMAB. HACHIMYCIN. HAEMATIN. HAEMOPHILUS INFLUENZAE VACCINE. HALCINONIDE. HALOFANTRINE. HALOFENATE. HALOFUGINONE in preparations containing 0.1% or less of halofuginone for the treatment of animals. HALOPERIDOL. HALOTHANE for therapeutic use. HEMEROCALLIS (Hemerocallis flava). HEPARINS for internal use except when separately specified in this Schedule. HEPATITIS A VACCINE.

HEPATITIS B VACCINE. https://www.legislation.gov.au/Details/F2023L00617

HETACILLIN.

HEXACHLOROPHENE:

- (a) in preparations for use on infants; or
- (b) in other preparations except:
 - (i) when included in Schedule 2 or 6; or
 - (ii) in preparations containing 0.75% or less of hexachlorophene.

HEXAMETHONIUM.

HEXARELIN.

HEXETIDINE for human internal use.

HEXOBENDINE.

HEXOCYCLIUM.

HEXOPRENALINE.

HEXYL AMINOLEVULINATE (AS HYDROCHLORIDE).

HISTAMINE for therapeutic use **except** in preparations containing 0.5% or less of histamine.

HMG-CoA REDUCTASE INHIBITORS (including "statins") **except** when separately specified in these Schedules.

HOMATROPINE.

HUMAN CHORIONIC GONADATROPHIN except in pregnancy test kits.

HUMAN PAPILLOMAVIRUS VACCINE.

HYALURONIC ACID AND ITS POLYMERS in preparations for injection or implantation.

HYDRALAZINE.

HYDRARGAPHEN.

HYDROCHLOROTHIAZIDE.

HYDROCORTISONE:

- (a) for human use **except** when included in Schedule 2 or 3; or
- (b) for the treatment of animals.

HYDROCYANIC ACID for therapeutic use.

HYDROFLUMETHIAZIDE.

HYDROQUINONE (other than its alkyl ethers separately specified in this Schedule) in preparation for human therapeutic or cosmetic use **except**:

- (a) when included in Schedule 2; or
- (b) in hair preparations containing 0.3% or less of hydroquinone; or
- (c) in cosmetic nail preparations containing 0.02% or less of hydroquinone.

HYDROXYCARBAMIDE.

HYDROXYCHLOROQUINE.

HYDROXYEPHEDRINE.

HYDROXYPHENAMATE.

HYDROXYPROGESTERONE.

HYDROXYSTENOZOL.

HYDROXYZINE.

HYGROMYCIN.

HYOSCINE except when included in Schedule 2.

HYOSCYAMINE **except** when included in Schedule 2.

HYOSCINE BUTYLBROMIDE except when included in Schedule 2 or Schedule 3.

HYOSCYAMUS NIGER except:

- (a) when included in Schedule 2; or
- (b) in a pack containing 0.03 mg or less of total solanaceous alkaloids.

HYPOTHALAMIC RELEASING FACTORS except when separately specified in this Schedule.

HYPROMELLOSE in preparations for injection.

IBAFLOXACIN for veterinary use.

IBANDRONIC ACID.

IBOGAINE.

IBRITUMOMAB.

IBRUTINIB.

IBUFENAC.

IBUPROFEN except when:

- (a) included in Schedule 2 or 3; or
- (b) in preparations for dermal use; or
- (c) in preparations for oral use that are labelled with a recommended daily dose of 1200 mg less of ibuprofen in divided preparations, each containing 200 mg or less of ibuprofen, a pack containing not more than 100 dosage units when:
 - (i) ibuprofen is the only therapeutically active constituent, other than phenylephrine when combined with an effervescent agent; and
 - (ii) packed in blister or strip packaging or in a container with a child-resistant closure; and
 - (iii) in a primary pack containing not more than 25 dosage units; and
 - (iv) compliant with the requirements of the required advisory statements for medicine labels; and
 - (v) not labelled for the treatment of children 6 years and under; and
 - (vi) if combined with phenylephrine—not labelled for the treatment of children under 1 years.

IBUTAMOREN.

IBUTEROL.

IBUTILIDE.

| ICATIBANT. |
|--|
| IDARUBICIN. |
| IDARUCIZUMAB. |
| IDEBENONE. |
| IDOXURIDINE except in preparations containing 0.5% or less of idoxuridine for dermal use. |
| IDURSULFASE. |
| IFOSFAMIDE. |
| ILOPROST. |
| IMATINIB. |
| IMDEVIMAB. |
| IMEPITOIN. |
| IMIDAPRIL. |
| IMIGLUCERASE. |
| IMIPENEM. |
| IMIPRAMINE. |
| IMIQUIMOD. |
| IMMUNOGLOBULINS for human parenteral use except when separately specified in these Schedules. |
| INCLISIRAN. |
| INDACATEROL. |
| INDAPAMIDE. |
| INDINAVIR. |

| INDOMETACIN except when included in Schedule 2. | |
|---|--|
| INDOPROFEN. | |
| INDORAMIN. | |
| INFIGRATINIB. | |
| INFLIXIMAB. | |
| INFLUENZA AND CORYZA VACCINES: (a) for parenteral use; or (b) for nasal administration. | |
| INGENOL MEBUTATE. | |
| INOTUZUMAB OZOGAMICIN. | |
| INSULIN DEGLUDEC. | |
| INSULIN GLARGINE. | |
| # INSULIN-LIKE GROWTH FACTOR I. | |
| # INSULIN-LIKE GROWTH FACTORS except when separately specified in this Schedule. | |
| INSULINS. | |
| INTERFERONS. | |
| INTERLEUKINS except when separately specified in these Schedules. | |
| IODOTHIOURACIL. | |
| # IPAMORELIN. | |
| IPILIMUMAB. | |
| IPRATROPIUM except when included in Schedule 2. | |
| IPRIFLAVONE. | |

IPRINDOLE. IPRONIAZID. IRBESARTAN. IRINOTECAN. IRON COMPOUNDS in injectable preparations for human use. ISAVUCONAZOLE. ISOAMINILE. ISOAMYL NITRITE. ISOBUTYL NITRITE. ISOCARBOXAZID. ISOCONAZOLE except when included in Schedule 2, 3 or 6. ISOETARINE. ISOFLURANE for therapeutic use. ISOMETHEPTENE. ISONIAZID. ISOPRENALINE. ISOPRINOSINE. ISOPROPAMIDE except when included in Schedule 2. ISOSORBIDE DINITRATE **except** when included in Schedule 3. ISOSORBIDE MONONITRATE. # ISOTRETINOIN.

ISOXICAM.

ISOXSUPRINE. ISRADIPINE. ITRACONAZOLE. IVABRADINE. IVACAFTOR. **IVERMECTIN:** (a) for human use; or (b) for the treatment of mange in dogs. IVOSIDENIB. IXABEPILONE. IXAZOMIB. IXEKIZUMAB. JAPANESE ENCEPHALITIS VACCINE. KANAMYCIN. KETANSERIN except in topical veterinary preparations containing 0.5% or less of ketanserin. # KETAZOLAM.

KETOCONAZOLE except:

- (a) when included in Schedule 2; or
- (b) in preparations for dermal use containing 1% or less of ketoconazole for the treatment of the scalp; or
- (c) in preparations for dermal use for the treatment of tinea pedis.

KETOPROFEN except:

- (a) in preparations for dermal use; or
- (b) when included in Schedule 3.

| 1/23, | 2:15 PM Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023 |
|-------|--|
| | KETOROLAC (includes ketorolac trometamol). |
| | KETOTIFEN except when included in Schedule 2. |
| | KHELLIN. |
| | KITASAMYCIN except: |
| | (a) when included in Schedule 5; or |
| | (b) in animal feeds for growth promotion containing 100 mg/kg or less of antibiotic substances. |
| | LABETALOL. |
| | LACIDIPINE. |
| | LACOSAMIDE. |
| | LAMIVUDINE. |
| | LAMOTRIGINE. |
| | LANADELUMAB. |
| | LANATOSIDES. |
| | LANREOTIDE. |
| | LANSOPRAZOLE except when included in Schedule 2 or 3. |
| | LANTHANUM for therapeutic use. |
| | LAPATINIB. |
| | LARONIDASE. |
| | LAROPIPRANT. |
| | LAROTRECTINIB. |
| | LATAMOXEF. |

LATANOPROST.

LAUDEXIUM.

- (a) when present as an excipient; or
- (b) when separately specified in these Schedules.

LEAD for human therapeutic use.

LEDIPASVIR.

LEFETAMINE.

LEFLUNOMIDE.

LEMBOREXANT.

LENACAPAVIR.

LENALIDOMIDE.

LENOGRASTIM.

LENVATINIB.

LEPIRUDIN.

LEPTAZOL.

LERCANIDIPINE.

LESINURAD.

LETERMOVIR.

LETROZOLE.

LEUPRORELIN.

LEVALLORPHAN.

LEVAMISOLE:

- (a) for human therapeutic use; or
- (b) in preparations for the prevention or treatment of heartworm in dogs.

LEVETIRACETAM.

LEVOBUNOLOL.

LEVOBUPIVACAINE.

LEVOCABASTINE **except** when included in Schedule 2.

LEVOCETIRIZINE except:

- (a) when included in Schedule 2; or
- (b) in divided preparations for oral use for the treatment of seasonal allergic rhinitis in adult and children 12 years of age and over when:
 - (i) in a primary pack containing not more than 5 days' supply; and
 - (ii) labelled with a recommended daily dose not exceeding 5 mg of levocetirizine.

LEVODOPA.

LEVOMEPROMAZINE.

LEVOMILNACIPRAN.

LEVONORGESTREL except when included in Schedule 3.

LEVOSIMENDAN.

LIDOCAINE except:

- (a) when included in Schedules 2 or 5; or
- (b) in dermal preparations containing 2% or less of total local anaesthetic substances per dosage unit; or
- (c) in lozenges containing 30 mg or less of total anaesthetic substances per dosage unit.

LIDOFLAZINE.

LIFITEGRAST.

LINACLOTIDE.

LINAGLIPTIN.

LINCOMYCIN.

LINDANE for human therapeutic use **except** when included in Schedule 2.

LINEZOLID.

LIOTHYRONINE.

LIPEGFILGRASTIM.

LIRAGLUTIDE.

LISINOPRIL.

LISURIDE.

LITHIUM for therapeutic use **except**:

- (a) when included in Schedule 2; or
- (b) when present as an excipient in preparations for dermal use containing 0.25% or less of lithium; or
- (c) in preparations containing 0.01% or less of lithium.

LIXISENATIDE.

LODOXAMIDE except when included in Schedule 2.

LOFEXIDINE.

LOGIPARIN for internal use.

LOMEFLOXACIN.

LOMUSTINE.

LOPERAMIDE except:

- (a) when included in Schedule 2; or
- (b) in divided oral preparations containing 2 mg or less of loperamide per dosage unit, in a primary pack containing 8 dosage units or less.

LOPINAVIR.

LOPRAZOLAM.

LORACARBEF.

LORATADINE except:

- (a) when included in Schedule 2; or
- (b) in divided preparations for oral use for the treatment of seasonal allergic rhinitis in adult and children 6 years of age and over, when:
 - (i) in a primary pack containing 10 dosage units or less; and
 - (ii) labelled with a recommended daily dose not exceeding 10 mg of loratadine.

LORAZEPAM.

LORLATINIB.

LORMETAZEPAM.

LOSARTAN.

LOTEPREDNOL.

LOXAPINE.

LUMACAFTOR.

LUMEFANTRINE.

LUMIRACOXIB.

LURASIDONE.

LURBINECTEDIN.

LUSPATERCEPT.

LUTEINISING HORMONE except in ovulation test kits.

LYMECYCLINE.

| 1/2 | MACITENTAN for human use. | Therapeutic Goods (1 olsons Standard—Julie 2025 |
|-----|---|---|
| | MAFENIDE except when included in Schedule 6. | |
| | MANDRAGORA OFFICINARUM. | |
| | MANNOMUSTINE. | |
| | MAPROTILINE. | |
| | MARAVIROC. | |
| | MARBOFLOXACIN. | |
| | MAROPITANT. | |
| | MAVACAMTEN. | |
| | MAVACOXIB. | |
| | MAZINDOL. | |
| | MEASLES VACCINE. | |
| | MEBANAZINE. | |
| | MEBEVERINE. | |
| | MEBHYDROLIN. | |
| | # MEBOLAZINE. | |
| | MEBUTAMATE. | |
| | MECAMYLAMINE. | |
| | MECASERMIN. | |
| | MECILLINAM. | |
| | MECLOCYCLINE. | |

MECLOFENAMATE.

MECLOFENOXATE. MECLOZINE except when included in Schedule 2. # MEDAZEPAM. MEDETOMIDINE. MEDIGOXIN (methyldigoxin). MEDROXYPROGESTERONE. MEDRYSONE. MEFENAMIC ACID except when included in Schedule 2. MEFENOREX. MEFLOQUINE. MEFRUSIDE. MEGESTROL. MELAGATRAN. MELANOTAN II. MELATONIN for human use **except** when included in Schedule 3. MELENGESTROL except when included in Schedule 6. MELOXICAM **except** when included in Schedule 6. MELPHALAN. MEMANTINE. MENINGOCOCCAL VACCINE. MENINGOCOCCAL GROUP B VACCINE.

MENOTROPHIN.

MEPACRINE. MEPENZOLATE. MEPHENESIN. MEPHENTERMINE. MEPINDOLOL. # MEPITIOSTANE. MEPIVACAINE. MEPROBAMATE. MEPTAZINOL. MEPYRAMINE **except** when included in Schedule 2 or 3. MEQUITAZINE. MERCAPTAMINE for human therapeutic use. MERCAPTOMERIN. MERCAPTOPURINE. MERCUROCHROME except when included in Schedule 2 or 6. MERCURY for cosmetic or therapeutic use **except**: (a) when separately specified in these Schedules; or (b) in a sealed device which prevents access to the mercury. MEROPENEM. MERSALYL. # MESABOLONE. MESALAZINE.

9/11/23, 2:15 PM MESNA. # MESTANOLONE (androstalone). # MESTEROLONE. MESTRANOL. # METANDIENONE. METARAMINOL. # METENOLONE. METERGOLINE. METFORMIN. METHACHOLINE. METHACYCLINE. METHALLENESTRIL. # METHANDRIOL. METHANTHELINIUM. METHAZOLAMIDE. METHDILAZINE except when included in Schedule 3. # METHENOLONE. METHICILLIN. METHIMAZOLE.

> METHIXENE. METHOCARBAMOL.

METHISAZONE.

9/11/23, 2:15 PM Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023 METHOHEXITONE. METHOIN. METHOTREXATE. METHOXAMINE except: (a) when included in Schedule 2; or (b) in preparations for external use containing 1% or less of methoxamine. METHOXSALEN. METHOXYFLURANE. METHSUXIMIDE. METHYCLOTHIAZIDE. METHYL AMINOLEVULINATE. #METHYLANDROSTANOLONE. # METHYLCLOSTEBOL. METHYLDOPA. METHYLENE BLUE in preparations for injection. METHYLERGOMETRINE. METHYLMERCURY for therapeutic use. METHYLNALTREXONE. METHYLPENTYNOL. METHYLPHENOBARBITAL.

METHYLPREDNISOLONE.

METHYLPHENYLPIRACETAM.

METHYLROSANILINIUM CHLORIDE for human use except when used as a dermal marker. METHYL SALICYLATE in preparations for internal therapeutic use. # METHYLTESTOSTERONE. METHYLTHIOURACIL. # METHYLTRIENOLONE. METHYPRYLONE. METHYSERGIDE. METOCLOPRAMIDE except when included in Schedule 3. METOLAZONE. METOPROLOL. # METRIBOLONE. METRIFONATE (trichlorfon) for human therapeutic use. METRONIDAZOLE. METYRAPONE. MEXILETINE. MEZLOCILLIN. MIANSERIN. MIBEFRADIL. # MIBOLERONE. MICAFUNGIN.

MICAFUNGIN.

MICONAZOLE except:

(a) when included in Schedule 2, 3 or 6; or

| (b) in preparations for dermal use for the treatment of tinea pedis. |
|--|
| # MIDAZOLAM. |
| MIDOSTAURIN. |
| MIDODRINE. |
| MIFEPRISTONE. |
| MIGALASTAT. |
| MIGLITOL. |
| MIGLUSTAT. |
| MILBEMYCIN OXIME except when included in Schedule 5. |
| MILNACIPRAN. |
| MILRINONE. |
| MINOCYCLINE. |
| MINOXIDIL except when included in Schedule 2. |
| MIRABEGRON. |
| MIRTAZAPINE. |
| MISOPROSTOL. |
| MITOBRONITOL. |
| MITOMYCIN. |
| MITOTANE. |
| MITOXANTRONE. |
| MITRATAPIDE. |
| |

MIVACURIUM CHLORIDE.

| MOBOCERTINIB. |
|---|
| MOCLOBEMIDE. |
| MODAFINIL. |
| MOLGRAMOSTIM. |
| MOLINDONE. |
| MOLNUPIRAVIR. |
| MOMETASONE except when included in Schedule 2 or Schedule 3. |
| MONENSIN except: |
| (a) when included in Schedule 5 or 6; or |
| (b) in animal feeds containing 360 mg/kg or less of antibiotic substances. |
| MONOBENZONE and alkyl ethers of hydroquinone for human therapeutic use or cosmetic use except in cosmetic nail preparations containing 0.02% or less of monobenzone or alkyl ethe of hydroquinone. |
| MONOCLONAL ANTIBODIES for therapeutic use except : |
| (a) in diagnostic test kits; or |
| (b) when separately specified in these Schedules. |
| MONOETHANOLAMINE in preparations for injection. |
| MONTELUKAST. |
| MOPERONE. |
| MORAZONE. |
| MORICIZINE. |
| MOTRAZEPAM. |
| MOTRETINIDE. |
| |

included in Schedule 5 or 6. MOXIFLOXACIN. MOXONIDINE. MUMPS VACCINE. MUPIROCIN. MURAGLITAZAR. MUROMONAB. MUSTINE (nitrogen mustard). MYCOPHENOLIC ACID (includes mycophenolate mofetil). NABUMETONE. NADOLOL. NADROPARIN. NAFARELIN. NAFTIDROFURYL. NALBUPHINE. NALIDIXIC ACID. NALMEFENE. NALORPHINE. NALOXEGOL. NALOXONE **except** when in Schedule 3. NALTREXONE.

MOXIDECTIN in preparations for injection containing 10% or less of moxidectin except when

| # | N | Δ | M | \square | Q. | \mathbf{O} | Γí | \cap | N | F |
|---|----|------------------|-----|-----------|----|--------------|-----|--------|----|----|
| # | IN | \boldsymbol{H} | INI | ועו | Λ. | () | 1.7 | ., | IN | Γ. |

NAPROXEN **except** when included in Schedule 2 or 3.

NARASIN except:

- (a) when included in Schedule 6; or
- (b) in animal feeds containing 100 mg/kg or less of antibiotic substances.

NARATRIPTAN.

NATALIZUMAB.

NATAMYCIN except for use as a food additive.

NATEGLINIDE.

NEBACUMAB.

NEBIVOLOL.

NEBRACETAM.

NEDOCROMIL.

NEFAZODONE.

NEFIRACETAM.

NEFOPAM.

NELFINAVIR (includes nelfinavir mesilate).

NEOMYCIN.

NEOSTIGMINE.

NEPAFENAC.


NERATINIB.

NERIUM OLEANDER.

| NESIRITIDE. |
|---|
| NETILMICIN. |
| NETUPITANT. |
| NEVIRAPINE. |
| NIALAMIDE. |
| NICARDIPINE. |
| NICERGOLINE. |
| NICOFURANOSE. |
| NICORANDIL. |
| # NICOTINE in preparations for human use except: (a) in preparations for oromucosal or transdermal administration for human therapeutic use an aid in withdrawal from tobacco smoking; or (b) in tobacco prepared and packed for smoking. NICOTINIC ACID for human therapeutic use except: (a) when separately specified in these Schedules; or (b) in preparations containing 100 mg or less of nicotinic acid per dosage unit; or (c) nicotinamide. |
| NICOUMALONE. |
| NIFEDIPINE. |
| NIFENAZONE. |
| NIKETHAMIDE. |
| NILOTINIB. |
| NILUTAMIDE. |

| NIMESULIDE. | | | |
|----------------------------|----------------------|--|--|
| NIMODIPINE. | | | |
| NIMORAZOLE. | | | |
| NINTEDANIB. | | | |
| NIRAPARIB. | | | |
| NIRIDAZOLE. | | | |
| NIRMATRELVIR. | | | |
| NISOLDIPINE. | | | |
| NITISINONE. | | | |
| # NITRAZEPAM. | | | |
| NITRENDIPINE. | | | |
| NITRIC OXIDE for human the | rapeutic use. | | |
| NITROFURANTOIN. | | | |
| NITROFURAZONE. | | | |
| NITROUS OXIDE for therapeu | ıtic use. | | |
| NITROXOLINE. | | | |
| NIVOLUMAB. | | | |
| NIZATIDINE except when inc | luded in Schedule 2. | | |
| NOMEGESTROL. | | | |
| NOMIFENSINE. | | | |
| NORADRENALINE. | | | |

#19-NORANDROSTENEDIOL.



OCTAMYLAMINE.

| OCTATROPINE. |
|--|
| OCTREOTIDE. |
| OCTYL NITRITE. |
| OFATUMUMAB. |
| OFLOXACIN. |
| OLANZAPINE. |
| OLAPARIB. |
| OLARATUMAB. |
| OLEANDOMYCIN except: (a) when included in Schedule 5; or (b) in animal feeds for growth promotion containing 50 mg/kg or less of antibiotic substance |
| OLEANDRIN. |
| OLMESARTAN. |
| OLODATEROL. |
| OLOPATADINE. |
| OLSALAZINE. |
| OMALIZUMAB. |
| OMBERACETAM. |
| OMBITASVIR. |
| OMEGA-3-ACID ETHYL ESTERS (excluding salts and derivatives) for human therapeutic use, for the treatment of post-myocardial infarction and/or hypertriglyceridaemia. |
| OMEPRAZOLE except when included in Schedule 2 or 3. |

ONASEMNOGENE ABEPARVOVEC.

| ONDANSETRON. | |
|---|--|
| OPICAPONE. | |
| OPIPRAMOL. | |
| ORBIFLOXACIN. | |
| ORCIPRENALINE. | |
| ORGANOPHOSPHORUS COMPOUNDS with anticholinesterase activity for human therapeutic use except : | |
| (a) when separately specified in these Schedules; or | |
| (b) in preparations containing 2% or less of malathion for external use. | |
| ORLISTAT except when included in Schedule 3. | |
| ORNIDAZOLE. | |
| ORNIPRESSIN. | |
| ORPHENADRINE. | |
| ORTHOPTERIN. | |
| OSELTAMIVIR. | |
| OSILODROSTAT. | |
| OSIMERTINIB. | |
| OUABAIN. | |
| # OVANDROTONE. | |
| # OXABOLONE. | |
| OXACILLIN. | |
| OXALIPLATIN. | |
| # OXANDROLONE. | |

| ily dos |
|---------|
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |
| |

OXYTOCIN.

OZANIMOD. PACLITAXEL. PALBOCICLIB. PALIFERMIN. PALIPERIDONE. PALIVIZUMAB. PALONOSETRON. PAMAQUIN. PAMIDRONIC ACID (includes pamidronate disodium). PANCREATIC ENZYMES except: (a) in preparations containing 20,000 BP units or less of lipase activity per dosage unit; or (b) when separately specified in these Schedules. PANCURONIUM. PANITUMUMAB. PANOBINOSTAT. PANTOPRAZOLE except when included in Schedule 2 or 3. PAPAVERINE in preparations for injection.

PARACETAMOL:

- (a) when combined with aspirin or salicylamide or any derivative of these substances **excep** when separately specified in these Schedules; or
- (b) when combined with ibuprofen in a primary pack containing more than 30 dosage units;
- (c) in modified release tablets or capsules containing more than 665 mg paracetamol; or
- (d) in non-modified release tablets or capsules containing more than 500 mg paracetamol; o

- (e) in individually wrapped powders or sachets of granules each containing more than 1000 mg paracetamol; or
- (f) in tablets or capsules enclosed in a primary pack containing more than 100 tablets or capsules **except** in Schedule 2 or Schedule 3; or
- (g) in individually wrapped powders or sachets of granules enclosed in a primary pack containing more than 50 wrapped powders or sachets of granules **except** when included in Schedule 2; or

| in Schedule 2; or |
|-----------------------------------|
| (h) for injection; or |
| (i) for the treatment of animals. |
| PARALDEHYDE. |
| PARAMETHADIONE. |
| PARAMETHASONE. |
| PARECOXIB. |
| PARICALCITOL. |
| PARITAPREVIR. |
| PAROMOMYCIN. |
| PAROXETINE. |
| PASIREOTIDE. |
| PATIROMER SORBITEX CALCIUM. |
| PATISIRAN. |
| PAZOPANIB. |
| PECAZINE. |
| PEFLOXACIN. |
| PEGAPTANIB. |

PEGASPARGASE.

| PEGCETACOPLAN. |
|--|
| PEGFILGRASTIM. |
| PEGINTERFERON. |
| PEGVALIASE. |
| PEGVISOMANT. |
| PEMBROLIZUMAB. |
| PEMETREXED. |
| PEMIGATINIB. |
| PEMOLINE. |
| PEMPIDINE. |
| PENBUTOLOL. |
| PENCICLOVIR except in preparations containing 1% or less of penciclovir for the treatment of <i>herpes labialis</i> in packs containing 10 g or less. |
| PENETHAMATE. |
| PENICILLAMINE. |
| PENTAERYTHRITYL TETRANITRATE. |
| PENTAGASTRIN. |
| PENTAMETHONIUM. |
| PENTAMIDINE (includes pentamidine isetionate). |
| |
| PENTHIENATE. |
| |

| PENTOSAN POLYSULFATE SODIUM. |
|---|
| PENTOXIFYLLINE. |
| PERAMIVIR. |
| # PERAMPANEL. |
| PERGOLIDE. |
| PERHEXILINE. |
| PERICIAZINE. |
| PERINDOPRIL. |
| PERMETHRIN for human therapeutic use except in preparations containing 5% or less of permethrin. |
| PERPHENAZINE. |
| PERTUSSIS ANTIGEN. |
| PERTUZUMAB. |
| PHENACEMIDE. |
| PHENACETIN for therapeutic use (excluding when present as an excipient). |
| PHENAGLYCODOL. |
| PHENAZONE except when included in Schedule 2 or 5. |
| PHENAZOPYRIDINE. |
| PHENELZINE. |
| PHENETICILLIN. |
| PHENFORMIN. |
| PHENGLUTARIMIDE. |

PHENINDIONE. PHENIRAMINE except when included in Schedule 2 or 3. PHENISATIN. PHENOBARBITAL. PHENOL in preparations for injection. PHENOLPHTHALEIN for human therapeutic use. PHENOXYBENZAMINE. PHENOXYMETHYLPENICILLIN. PHENSUXIMIDE. # PHENTERMINE. PHENTHIMENTONIUM. PHENTOLAMINE. PHENYLBUTAZONE. PHENYLEPHRINE: (a) in preparations for injection; or (b) in preparations for human ophthalmic use containing 5% or more of phenylephrine. PHENYLPIRACETAM. PHENYLPROPANOLAMINE. PHENYLTOLOXAMINE. PHENYTOIN. PHLEUM PRATENSE POLLEN EXTRACT (Timothy-grass pollen extract).

PHOLCODINE:

- (a) in divided preparations containing 100 mg or less of pholcodine per dosage unit; or
- (b) in undivided preparations containing 2.5% or less of pholcodine;

except when included in Schedule 2.

PHOSPHODIESTERASE TYPE 5 INHIBITORS except:

| (a) when separately specified in these Schedules; or | |
|---|--|
| (b) when present as an unmodified, naturally occurring substance. | |
| PHTHALYLSULFATHIAZOLE. | |
| PHYSOSTIGMINE. | |
| PIBRENTASVIR. | |
| PICROTOXIN. | |
| PILOCARPINE except in preparations containing 0.025% or less of pilocarpine. | |
| PIMECROLIMUS. | |
| PIMOBENDAN. | |
| PIMOZIDE. | |
| PINACIDIL. | |
| PINDOLOL. | |
| PIOGLITAZONE. | |
| PIPECURONIUM. | |
| PIPEMIDIC ACID. | |
| PIPENZOLATE. | |
| PIPER METHYSTICUM (kava) in preparations for human use except when included on the | |

Register in preparations:

(a) for oral use when present in tablet, capsule or teabag form that is labelled with a recommended maximum daily dose of 250 mg or less of kavalactones and:

- (i) the tablet or capsule form contains 125 mg or less of kavalactones per tablet or capsule; or
- (ii) the amount of dried whole or peeled rhizome and/or root in the teabag does not exceed 3 g;

and, where containing more than 25 mg of kavalactones per dose, compliant with the requirements of the required advisory statements for medicine labels; or

- (b) in topical preparations for use on the rectum, vagina or throat containing dried whole or peeled rhizome and/or root or containing aqueous dispersions or aqueous extracts of whole or peeled rhizome and/or root; or
- (c) in dermal preparations.

| PIPERACILLIN. |
|--|
| PIPERIDINE. |
| PIPERIDOLATE. |
| PIPOBROMAN. |
| PIPOTHIAZINE. |
| PIPRADROL. |
| PIRACETAM. |
| PIRBUTEROL. |
| PIRENOXINE (catalin). |
| PIRENZEPINE. |
| PIRETANIDE. |
| PIRFENIDONE. |
| PIROXICAM except in preparations for dermal use. |
| PIRPROFEN. |
| |

PITAVASTATIN.

PITUITARY HORMONES except when separately specified in these Schedules.

PIVAMPICILLIN.

PIZOTIFEN.

PLICAMYCIN.

PLITIDEPSIN.

PLERIXAFOR.

PNEUMOCOCCAL VACCINE.

PODOPHYLLOTOXIN for human use:

- (a) internally; or
- (b) in preparations for the treatment of anogenital warts; or
- (c) in other preparations **except** when included in Schedule 2 or 3.

PODOPHYLLUM EMODI (podophyllin) for human use:

- (a) internally; or
- (b) in preparations for the treatment of anogenital warts; or
- (c) in other preparations **except** when included in Schedule 2 or 3.

PODOPHYLLUM PELTATUM (podophyllin) for human use:

- (a) internally; or
- (b) in preparations for the treatment of anogenital warts; or
- (c) in other preparations **except** when included in Schedule 2 or 3.

POLIDEXIDE.

POLIOMYELITIS VACCINE.

POLYACRYLAMIDE in preparations for injection or implantation:

- (a) for tissue augmentation; or
- (b) for cosmetic use; or
- (c) for veterinary use.

POLYCAPROLACTONE in preparations for injection or implantation:

- (a) for tissue augmentation; or
- (b) for cosmetic use.

POLYESTRADIOL.

POLYLACTIC ACID in preparations for injection or implantation:

- (a) for tissue augmentation; or
- (b) for cosmetic use.

POLYMYXIN.

POLYSULFATED GLYCOSAMINOGLYCANS in preparations for injection, **except** when separately specified in these Schedules.

POLYTHIAZIDE.

POMALIDOMIDE.

PONATINIB.

PONESIMOD.

PORACTANT.

POSACONAZOLE.


POTASSIUM BROMIDE for therapeutic use.


POTASSIUM CHLORIDE in oral preparations for human therapeutic use except:


- (a) when containing less than 550 mg of potassium chloride per dosage unit; or
- (b) in preparations for oral rehydration therapy; or
- (c) in preparations for oral use for bowel cleansing prior to diagnostic medical and surgical procedures; or
- (d) in preparations for enteral feeding.

POTASSIUM PERCHLORATE for therapeutic use.

PRACTOLOL.







PYRIDINOLCARBAMATE.

PYRIDOSTIGMINE.

PYRIDOXINE, PYRIDOXAL OR PYRIDOXAMINE for human therapeutic use except:

- (a) in oral preparations containing 200 mg or less but more than 50 mg of pyridoxine, pyridoxal or pyridoxamine per recommended daily dose when compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in oral preparations containing 50 mg or less of pyridoxine, pyridoxal or pyridoxamine recommended daily dose.

| • |
|---|
| PYRIMETHAMINE. |
| PYROVALERONE. |
| PYRVINIUM. |
| # QUAZEPAM. |
| QUETIAPINE. |
| QUINAGOLIDE. |
| QUINAPRIL. |
| # QUINBOLONE. |
| QUINETHAZONE. |
| QUINIDINE. |
| QUININE for human therapeutic use except when the maximum recommended daily dose is 50 m or less of quinine. |
| QUINISOCAINE (dimethisoquin). |
| QUINUPRISTIN. |
| RABEPRAZOLE except when included in Schedule 2 or 3. |
| RABIES VACCINE. |

RACETAMS **except** when separately specified in these Schedules. RACTOPAMINE except when included in Schedule 5. RALOXIFENE. RALTEGRAVIR. RALTITREXED. RAMIPRIL. RAMUCIRUMAB. RANIBIZUMAB. RANITIDINE except: (a) when included in Schedule 2; or (b) in divided preparations for oral use containing 150mg or less of ranitidine per dosage un when supplied in the manufacturer's original pack containing not more than 14 dosage units; or (c) in divided preparations for oral use containing 300mg or less of ranitidine per dosage un in the manufacturer's original pack containing not more than 7 dosage units. RANOLAZINE. RAPACURONIUM. RASAGILINE. RASBURICASE. RAUWOLFIA SERPENTINA. RAUWOLFIA VOMITORIA. RAZOXANE.

https://www.legislation.gov.au/Details/F2023L00617

RED YEAST RICE for human therapeutic use.

REBOXETINE.

REMDESIVIR. REGDANVIMAB. REGORAFENIB. REMOXIPRIDE. REPAGLINIDE. RESERPINE. RESLIZUMAB. RETAPAMULIN. RETEPLASE. RETIGABINE. RIBAVIRIN. RIBOCICLIB. RIDAFOROLIMUS. RIFABUTIN. RIFAMPICIN. RIFAMYCIN. RIFAPENTINE. RIFAXIMIN. RILPIVIRINE. RILUZOLE. RIMEXOLONE.

RIMITEROL.

RIMONABANT. # RIOCIGUAT. RIPRETINIB. RISANKIZUMAB. RISDIPLAM. RISEDRONIC ACID. RISPERIDONE. RITODRINE. RITONAVIR. RITUXIMAB. RIVAROXABAN. RIVASTIGMINE. RIZATRIPTAN except when included in Schedule 3. ROBENACOXIB. ROCURONIUM. ROFECOXIB. ROFLUMILAST. ROLITETRACYCLINE. ROLZIRACETAM. ROMIDEPSIN. ROMIFIDINE. ROMIPLOSTIM.

| ROMOSOZUMAB. |
|---|
| RONIDAZOLE. |
| ROPINIROLE. |
| ROPIVACAINE. |
| ROSIGLITAZONE. |
| ROSOXACIN. |
| ROSUVASTATIN. |
| ROTIGOTINE. |
| # ROXIBOLONE. |
| ROXITHROMYCIN. |
| RUBELLA VACCINE. |
| RUBOXISTAURIN. |
| RUFINAMIDE. |
| RUPATADINE. |
| RUXOLITINIB. |
| SACITUZUMAB GOVITECAN. |
| SACUBITRIL. |
| SAFINAMIDE. |
| SALBUTAMOL except when included in Schedule 3. |
| SALICYLAMIDE when combined with aspirin, caffeine or paracetamol or any derivative of these substances. |
| SALINOMYCIN except: |

- (a) when included in Schedule 6; or
- (b) in animal feeds containing 60 mg/kg or less of antibiotic substances.

SALMETEROL.

SAPROPTERIN.

SAQUINAVIR.

SARILUMAB.

SARS-COV-2 (COVID-19) VACCINE.

SAXAGLIPTIN.

SCHOENOCAULON OFFICINALE (sabadilla) **except** in preparations containing 10 mg/kg or 10 mg/L or less of total alkaloids of Schoenocaulon officinale.

SCOPOLIA CARNIOLICA for therapeutic use.

SEBELIPASE ALFA.

SECUKINUMAB.

SELECTIVE ANDROGEN RECEPTOR MODULATORS (SARM).

SELEGILINE.

ENIUM:

- (a) for human oral use with a recommended daily dose of more than 300 micrograms; or
- (b) for the treatment of animals **except**:
 - (i) when included in Schedule 6 or 7; or
 - (ii) in solid, slow release bolus preparations containing 300 mg or less of selenium pe dosage unit; or
 - (iii) in other divided preparations containing 30 micrograms or less of selenium per dosage unit; or
 - (iv) as elemental selenium, in pellets containing 100 g/kg or less of selenium; or
 - (v) in feeds containing 1 g/tonne or less of selenium.

| SELETRACETAM. |
|--|
| SELEXIPAG. |
| SELINEXOR. |
| SELUMETINIB. |
| SEMAGLUTIDE. |
| SERELAXIN. |
| SERMORELIN. |
| SERTINDOLE. |
| SERTRALINE. |
| SEVELAMER. |
| SEVOFLURANE. |
| SEX HORMONES and all substances having sex hormonal activity except when separately specified in these Schedules. |
| SIBUTRAMINE. |
| # SILANDRONE. |
| SILDENAFIL. |
| SILICONES for intra-ocular use. |
| SILODOSIN. |
| SILTUXIMAB. |
| SILVER SULFADIAZINE. |
| |
| SIMEPREVIR. |

SIPONIMOD. SIROLIMUS. SISOMICIN (sisomycin). SITAGLIPTIN. # SITAXENTAN. SODIUM BROMIDE for therapeutic use. SODIUM CELLULOSE PHOSPHATE for human internal use. SODIUM CROMOGLYCATE except when included in Schedule 2. SODIUM GLYCEROPHOSPHATE HYDRATE. SODIUM MORRHUATE in preparations for injection. SODIUM NITROPRUSSIDE for human therapeutic use. SODIUM PHENYLBUTYRATE. SODIUM PHOSPHATE in preparations for oral laxative use. SODIUM POLYSTYRENE SULPHONATE for human therapeutic use. SODIUM SALICYLATE in preparations for internal use for the treatment of animals. SODIUM TETRADECYLSULFATE in preparations for injection. SODIUM ZIRCONIUM CYCLOSILICATE. SOFOSBUVIR. SOLASODINE. SOLIFENACIN. SOMAPACITAN.

SOMATOSTATIN.

SOMATOTROPIN EQUINE. # SOMATROPIN (human growth hormone). SONIDEGIB. SONTOQUINE. SORAFENIB. SOTALOL. SOTORASIB. SOTROVIMAB. SPARFLOXACIN. SPARTEINE. SPECTINOMYCIN. SPIRAMYCIN. SPIRAPRIL. SPIRONOLACTONE. # STANOLONE. # STANOZOLOL. STAVUDINE. # STENABOLIC (SR9009) and other synthetic REV-ERB agonists. # STENBOLONE. STEROID HORMONES except when separately specified in these Schedules. STILBESTROL (diethylstilbestrol).

STIRIPENTOL.

STREPTODORNASE. STREPTOKINASE. STREPTOMYCIN. STRONTIUM RANELATE. STROPHANTHINS. STROPHANTHUS spp. STRYCHNINE in preparations containing 1.5% or less of strychnine for the treatment of animals. STRYCHNOS spp. except in preparations containing 1 mg or less per litre or per kilogram of strychnine. STYRAMATE. SUCCIMER. SUCROFERRIC OXYHYDROXIDE. SUGAMMADEX. SULBACTAM. SULCONAZOLE except when included in Schedule 2. SULFACETAMIDE **except** when included in Schedule 3 or 5. SULFADIAZINE **except** when included in Schedule 5. SULFADIMETHOXINE. SULFADIMIDINE except when included in Schedule 5. SULFADOXINE. SULFAFURAZOLE. SULFAGUANIDINE.

Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023 SULFAMERAZINE except when included in Schedule 5. SULFAMETHIZOLE. SULFAMETHOXAZOLE. SULFAMETHOXYDIAZINE. SULFAMETHOXYPYRIDAZINE. SULFAMETROLE. SULFAMONOMETHOXINE. SULFAMOXOLE. SULFAPHENAZOLE. SULFAPYRIDINE. SULFAQUINOXALINE. SULFASALAZINE. SULFATHIAZOLE except when included in Schedule 5. SULFATROXAZOLE. SULFINPYRAZONE. SULFOMYXIN. SULFONAMIDES except: (a) when separately specified in this Schedule; or

- (b) when included in Schedule 3, 5 or 6; or
- (c) when packed and labelled solely for use as a herbicide.

SULFONMETHANE (sulfonal) and alkyl sulfonals.

SULINDAC.

SULTAMICILLIN. SULTHIAME. SUMATRIPTAN **except** when included in Schedule 3. SUNIFIRAM. SUNITINIB. SUPROFEN. SUTILAINS. SUXAMETHONIUM. SUXETHONIUM. SUVOREXANT. TACRINE. TACROLIMUS. TADALAFIL. TAFAMIDIS. TAFENOQUINE SUCCINATE. TAFLUPROST. TALAZOPARIB. TALIGLUCERASE ALFA. TALIMOGENE LAHERPAREPVEC. TAMOXIFEN. TAMSULOSIN.

TANACETUM VULGARE except in preparations containing 0.8% or less of oil of tansy.

TASONERMIN. TAZAROTENE. TAZOBACTAM. # TB-500. T-CELL RECEPTOR ANTIBODY. TEDUGLUTIDE. TEGAFUR. TEGASEROD. TELAPREVIR. TELITHROMYCIN. TEICOPLANIN. TELBIVUDINE. TELMISARTAN. TELOTRISTAT ETHYL. #TEMAZEPAM. TEMOZOLOMIDE. TEMSIROLIMUS. TENECTEPLASE. TENIPOSIDE. TENOFOVIR. TENOXICAM.

TEPOTINIB.

TEPOXALIN.

TERAZOSIN.

TERBINAFINE except:

- (a) when included in Schedule 2; or
- (b) in preparations for dermal use for the treatment of tinea pedis.

TERBUTALINE except when included in Schedule 3.

TERFENADINE.

TERIFLUNOMIDE.

#TERIPARATIDE.

TERLIPRESSIN.

TERODILINE.

TEROPTERIN.

#TESTOLACTONE.

TESTOSTERONE except when included in Schedule 6.

TETANUS ANTITOXIN **except** when used for short-term protection or treatment of tetanus in animals.

TETANUS TOXOID for human use.

TETRABENAZINE.

TETRACAINE except:

- (a) when included in Schedule 2; or
- (b) in dermal preparations containing 2% or less of total local anaesthetic substances.

TETRACOSACTIDE.

TETRACYCLINE **except** when included in Schedule 5.

| TETRAETHYLAMMONIUM. |
|---|
| TETROXOPRIM. |
| TEZACAFTOR. |
| # THALIDOMIDE. |
| THENYLDIAMINE. |
| THEOPHYLLINE except when included in Schedule 3. |
| THEVETIA PERUVIANA. |
| THEVETIN. |
| THIACETARSAMIDE in preparations for the prevention or treatment of heartworm in dogs. |
| THIAMBUTOSINE. |
| THIAZOSULFONE. |
| THIETHYLPERAZINE. |
| THIOACETAZONE. |
| THIOCARLIDE. |
| # THIOMESTERONE (tiomesterone). |
| THIOPENTAL. |
| THIOPROPAZATE. |
| THIOPROPERAZINE. |
| THIORIDAZINE. |
| THIOSTREPTON. |
| THIOTEPA. |

THIOTHIXENE.

THIOURACIL.

THIOUREA for therapeutic use **except** in preparations containing 0.1% or less of thiourea.

THYMOSIN BETA 4 (THYMOSIN β4).

THYMOXAMINE (includes thymoxamine hydrochloride).

THYROID **except** when separately specified in this Schedule.

THYROTROPHIN.

THYROXINE (includes thyroxine sodium).

TIAGABINE.

TIAMULIN.

#TIANEPTINE.

TIAPROFENIC ACID.

TIARAMIDE.

TIBOLONE.

TICAGRELOR.

TICARCILLIN.

TICLOPIDINE.

TIEMONIUM.

TIENILIC ACID.

TIGECYCLINE.

TIGILANOL TIGLATE.

TIGLOIDINE.

TILDIPIROSIN.

| TILETAMINE. | |
|---|--|
| TILMANOCEPT. | |
| TILMICOSIN. | |
| TILUDRONIC ACID (includes disodium tiludronate). | |
| TIMOLOL. | |
| TINIDAZOLE. | |
| TINZAPARIN (includes tinzaparin sodium). | |
| TIOCONAZOLE except: (a) when included in Schedule 2 or 3; or (b) in preparations for dermal use for the treatment of tinea pedis. | |
| TIOGUANINE. | |
| TIOTROPIUM. | |
| TIPEPIDINE. | |
| TIPIRACIL. | |
| TIPRANAVIR. | |
| TIRILAZAD. | |
| TIROFIBAN. | |
| TIRZEPATIDE. | |
| TIXAGEVIMAB. | |
| TOBRAMYCIN. | |
| TOCAINIDE. | |
| TOCERANIB. | |

| TOCILIZUMAB. |
|---|
| TOFACITINIB. |
| TOLAZAMIDE. |
| TOLAZOLINE. |
| TOLBUTAMIDE. |
| TOLCAPONE. |
| TOLFENAMIC ACID. |
| TOLMETIN. |
| TOLONIUM. |
| TOLPROPAMINE. |
| TOLRESTAT. |
| TOLTERODINE. |
| TOLVAPTAN. |
| TOPIRAMATE. |
| TOPOTECAN. |
| TORASEMIDE. |
| TOREMIFENE. |
| TOXOIDS for human parenteral use except when separately specified in these Schedules. |
| TRABECTEDIN. |
| TRAMADOL. |
| TRANDOLAPRIL. |

TRAMETINIB DIMETHYL SULFOXIDE.

TRANEXAMIC ACID **except** in preparations containing 3% or less of cetyl tranexamate hydrochloride for dermal cosmetic use.

TRANYLCYPROMINE. TRASTUZUMAB. TRASTUZUMAB DERUXTECAN. TRASTUZUMAB EMTANSINE. TRAVOPROST. TRAZODONE. # TRENBOLONE (trienbolone, trienolone) except when included in Schedule 5. TREOSULPHAN. TREPROSTINIL. #TRESTOLONE. TRETAMINE. # TRETINOIN except the ester hydroxypinacolone retinoate in preparations for dermal use containing 0.5% or less of hydroxypinacolone retinoate. TRIACETYLOLEANDOMYCIN. TRIAMCINOLONE **except** when included in Schedule 2 or 3. TRIAMTERENE. TRIAZIQUONE. #TRIAZOLAM. TRICHLORMETHIAZIDE.

TRICHLOROACETIC ACID for human dermal use **except** when in preparations containing 12.5% or less of trichloroacetic acid for the treatment of warts other than anogenital warts.

| TRICHLOROETHYLENE for therapeutic use. |
|---|
| TRICLOFOS. |
| TRICYCLAMOL. |
| TRIDIHEXETHYL. |
| TRIENTINE. |
| TRIFAROTENE. |
| TRIFLUOPERAZINE. |
| TRIFLUPERIDOL. |
| TRIFLUPROMAZINE. |
| TRIFLURIDINE. |
| TRIHEXYPHENIDYL. |
| TRILOSTANE. |
| TRIMETAPHAN. |
| TRIMETHOPRIM. |
| TRIMIPRAMINE. |
| TRIMUSTINE. |
| TRINITROPHENOL (excluding its derivatives) in preparations for human therapeutic use. |
| TRIOXYSALEN. |
| TRIPELENNAMINE. |
| TRIPROLIDINE except when included in Schedule 2 or 3. |
| TRIPTORELIN. |

TROGLITAZONE.

TROLAMINE when in preparations for tattoo removal.


TROMETAMOL in preparations for injection except in preparations containing 3% or less of trometamol. TROPICAMIDE. TROPISETRON. TROVAFLOXACIN. TROXIDONE. TRYPTOPHAN for human therapeutic use except in preparations labelled with a recommended daily dose of 100 mg or less of tryptophan. TUBERCULIN. TUBOCURARINE. TUCATINIB. TULATHROMYCIN. TULOBUTEROL. TYLOSIN. TYPHOID VACCINE. ULIPRISTAL except when included in Schedule 3. UMECLIDINIUM. UNIFIRAM. UNOPROSTONE. UPADACITINIB.

URACIL.

URAPIDIL.

URETHANE (excluding its derivatives) for therapeutic use. # UROFOLLITROPIN. UROKINASE. URSODEOXYCHOLIC ACID. USTEKINUMAB. VACCINES for human therapeutic use **except** when separately specified in this Schedule. VACCINES for veterinary live virus **except**: (a) poultry vaccines; or (b) pigeon pox vaccine; or (c) scabby mouth vaccine; or (d) bovine ephemeral fever vaccine; or (e) bovine herpesvirus-1 vaccine. VACCINES – PLASMID DNA for animal use except when separately specified in these Schedule VACCINIA VIRUS VACCINE. VALACICLOVIR. VALDECOXIB. VALGANCICLOVIR. VALNOCTAMIDE. VALPROIC ACID. VALSARTAN. VANCOMYCIN. VANDETANIB.

VARDENAFIL.



| VINBLASTINE. |
|--|
| VINCAMINE. |
| VINCRISTINE. |
| VINDESINE. |
| VINFLUNINE. |
| VINORELBINE. |
| VINYL ETHER for therapeutic use. |
| VIRGINIAMYCIN except when included in Schedule 5. |
| VISMODEGIB. |
| VISNADINE. |
| VITAMIN A for human therapeutic or cosmetic use except: |
| (a) in preparations for topical use containing 1% or less of Vitamin A; or |
| (b) in preparations for internal use containing 3000 micrograms retinol equivalents or less o Vitamin A per daily dose; or |
| (c) in preparations for parenteral nutrition replacement. |
| VITAMIN D for human internal therapeutic use except : |
| (a) in preparations containing 25 micrograms or less of vitamin D per recommended daily dose; or |
| (b) when included in Schedule 3. |
| VORAPAXAR. |
| VORETIGENE NEPARVOVEC. |
| VORICONAZOLE. |
| VORINOSTAT. |
| VORTIOXETINE. |

| VOSORITIDE. |
|--|
| VOXILAPREVIR. |
| WARFARIN for therapeutic use. |
| XAMOTEROL. |
| XANTHINOL NICOTINATE. |
| XIMELAGATRAN. |
| XIPAMIDE. |
| XYLAZINE. |
| YOHIMBINE. |
| ZAFIRLUKAST. |
| ZALCITABINE. |
| ZALEPLON. |
| ZANAMIVIR. |
| ZANUBRUTINIB. |
| ZERANOL except when included in Schedule 6. |
| ZIDOVUDINE. |
| ZILPATEROL. |
| ZIMELDINE. |
| ZINC COMPOUNDS for human internal use except: |
| (a) in preparations with a recommended daily dose of 25 mg or less of zinc; or |

- (b) in preparations with a recommended daily dose of more than 25 mg but not more than 50 mg of zinc when compliant with the requirements of the required advisory statements for medicine labels.

ZIPRASIDONE.

ZOLAZEPAM.

ZOLEDRONIC ACID.

ZOLMITRIPTAN except when included in Schedule 3.

ZOLPIDEM.

ZONISAMIDE.

ZOPICLONE.

ZOXAZOLAMINE.

ZUCLOPENTHIXOL.

ule 5—Caution

Note: See paragraph (e) of the definition of *designated solvent* in section 6, paragraph 7(j), sections 16 and 25, subsection 26(2) and sections 42, 46, 47, 49, 55 and 61.

ABAMECTIN

- (a) in preparations, for internal use for the treatment of animals, containing 1% or less of abamectin; or
- (b) in gel formulations containing 0.05% or less of abamectin in applicators containing 50 n or less of abamectin.

ABSCISIC ACID.

ACEQUINOCYL.

- ACETIC ACID (excluding its salts and derivatives) in preparations containing more than 30% of acetic acid (CH₃COOH) **except**:
 - (a) when included in Schedule 2 or 6; or
 - (b) for therapeutic use.

ACETONE except in preparations containing 25% or less of designated solvents.

- ACRIFLAVINIUM CHLORIDE in preparations for veterinary use containing 2.5% or less of acriflavinium chloride.
- AFOXOLANER in oral divided preparations each containing 150 mg or less of afoxolaner per dosage unit
 - (a) for the treatment and prevention of flea infestations and control of ticks in dogs; or
 - (b) for the treatment and prevention of flea infestations, control of ticks, gastrointestinal nematodes and heartworm in dogs, when combined with milbemycin oxime.

AKLOMIDE.

- ALBENDAZOLE for the treatment of animals, in preparations containing 12.5% or less of albendazole **except** in intraruminal implants each containing 3.85 g or less of albendazole.
- ALKALINE SALTS, being the carbonate, silicate or phosphate salts of sodium or potassium alone in any combination:

- (a) in solid orthodontic device cleaning preparations, the pH of which as an "in-use" aqueou solution is more than 11.5; or
- (b) in solid automatic dishwashing preparations, the pH of which in a 500 g/L aqueous solution or mixture is more than 11.5 but less than or equal to 12.5; or
- (c) in other solid preparations, the pH of which in a 10 g/L aqueous solution is more than 11 or
- (d) in liquid or semi-solid preparations, the pH of which is more than 11.5, unless:
 - (i) in food additive preparations for domestic use; or
 - (ii) in automatic dish washing preparations for domestic use with a pH of more than 12.5;

except when separately specified in these Schedules.

ALKOXYLATED FATTY ALKYLAMINE POLYMER in preparations containing 50% or less of alkoxylated fatty alkylamine polymer **except** in preparations containing 20% or less of alkoxylated fatty alkylamine polymer.

ALLETHRIN in preparations containing 10% or less of allethrin except:

- (a) in insecticidal mats; or
- (b) in other preparations containing 1% or less of allethrin.

ALLOXYDIM.

ALPHA-CYPERMETHRIN:

- (a) in aqueous preparations containing 3% or less of alpha-cypermethrin; or
- (b) in other preparations containing 1.5% or less of alpha-cypermethrin.

AMETRYN.

AMINES for use as curing agents for epoxy resins **except** when separately specified in these Schedules.

AMINOACRIDINE in preparations for veterinary use containing 2.5% or less of aminoacridine.

AMINOCYCLOPYRACHLOR **except** in preparations containing 25% or less of aminocyclopyrachlor.

AMINOPYRALID in preparations containing 22% or less of aminopyralid.

AMISULBROM.

AMITROLE.

- AMMONIA (excluding its salts and derivatives other than ammonium hydroxide) in preparations containing 5% or less of ammonia **except**:
 - (a) in preparations for human internal therapeutic use; or
 - (b) in preparations for inhalation when absorbed in an inert solid material; or
 - (c) in preparations containing 0.5% or less of free ammonia.
- AMMONIUM THIOCYANATE **except** in preparations containing 10% or less of ammonium thiocyanate.
- ANHYDRIDES, ORGANIC ACID for use as curing agents for epoxy resins **except** when separate specified in these Schedules.

ANISE OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 50 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 50 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 50% or less of anise oil.

ASPIRIN for the treatment of animals, that is in divided preparations, when:

packed in blister or strip packaging; or

(b) in a container with a child-resistant closure.

ATRAZINE.

AZADIRACHTA INDICA EXTRACTS (neem extracts), extracted from neem seed kernels using water, methanol or ethanol, in preparations containing 5% or less of total limonoids, for agricultural use.

AZOXYSTROBIN.

BACILLUS THURINGIENSIS DELTA ENDOTOXIN encapsulated in killed Pseudomonas fluorescens.

BARIUM SILICOFLUORIDE when coated on paper in an amount not exceeding 8 mg of barium silicofluoride per sq. cm.

BASIL OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 5% or less of methyl chavicol.

BEAUVERIA BASSIANA in preparations containing 1 x 10⁸ Colony Forming Units (CFU)/mL or less of Beauveria bassiana.

BENALAXYL.

BENDIOCARB in preparations containing 2% or less of bendiocarb.

BENTAZONE.

BENZALKONIUM CHLORIDE in preparations containing 10% or less of benzalkonium chloride **except** in preparations containing 5% or less of benzalkonium chloride.

BENZOFENAP.

BENZOYL PEROXIDE **except**:

- (a) when included in Schedule 2 or 4; or
- (b) in preparations containing 5% or less of benzoyl peroxide.

BERGAMOT OIL except:

- (a) when steam distilled or rectified; or
- (b) in preparations for internal use; or
- (c) in preparations containing 0.4% or less of bergamot oil; or

- (d) in soaps or bath or shower gels that are washed off the skin; or
- (e) in medicines for human therapeutic use when compliant with the requirements of the required advisory statements for medicine labels; or
- (f) in other preparations when packed in containers labelled with the statement:

Application to the skin may increase sensitivity to sunlight.

BETACYFLUTHRIN:

- (a) in aqueous preparations containing 2.5% or less of betacyfluthrin; or
- (b) in solid preparations containing 8% or less of betacyfluthrin in a plastic matrix.

BICYCLOPYRONE in preparations containing 20% or less of bicyclopyrone.

BIFLUORIDES (including ammonium, potassium and sodium salts), in preparations containing 0.3% or less of total bifluorides.

BIOALLETHRIN in preparations containing 10% or less of bioallethrin **except** in preparations containing 1% or less of bioallethrin.

BIORESMETHRIN except in preparations containing 10% or less of bioresmethrin.

BISPYRIBAC except in preparations containing 10% or less of bispyribac.

BIXAFEN.

BORIC ACID except:

- (a) when included in Schedule 4; or
- (b) in cosmetic hand cleaning preparations when labelled with a warning to the following effect:

NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE; and

if the concentration of free soluble borates exceeds 1.5% (as boric acid), with the words

NOT TO BE USED ON PEELING OR IRRITATED SKIN; or

(c) in cosmetic talc preparations containing 5% or less calculated as boric acid when labelle with a warning to the following effect:

NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE; and

if the concentration of free soluble borates exceeds 1.5% (as boric acid), with the words

NOT TO BE USED ON PEELING OR IRRITATED SKIN; or

(d) in cosmetic oral hygiene preparations containing 0.1% or less calculated as boric acid when labelled with a warning to the following effect:

NOT TO BE SWALLOWED. NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE; or

(e) in other cosmetic preparations containing 3% or less calculated as boric acid when labell with a warning to the following effect:

NOT TO BE USED FOR CHILDREN UNDER 3 YEARS OF AGE; and

if the concentration of free soluble borates exceeds 1.5% (as boric acid), with the words

NOT TO BE USED ON PEELING OR IRRITATED SKIN; or

(f) in preparations, other than insect baits, containing 6% or less calculated as boric acid.

BORON TRIFLUORIDE in preparations containing 0.1% or less of boron trifluoride (BF₃).

BROFLANILIDE in preparations containing 0.3% or less of broflanilide.

BROMUCONAZOLE in preparations containing 20% or less of bromuconazole.

BUPIVACAINE in aqueous gel preparations containing 0.5% or less of bupivacaine, for the derma spray-on administration to the wounds of animals.

BUPROFEZIN except in preparations containing 40% or less of buprofezin.

BUTHIDAZOLE.

BUTOXYCARBOXIM in solid preparations containing 10% or less of butoxycarboxim.

BUTRALIN.

BUTROXYDIM.

n-BUTYL ALCOHOL in preparations containing 10% or less of n-butyl alcohol **except**:

- (a) in preparations containing 5% or less of n-butyl alcohol; or
- (b) in preparations for cosmetic or therapeutic use other than spray form.

CAMPHOR as a natural component in essential oils containing 10% or less of camphor except:

(a) in medicines for human therapeutic use, in essential oils when packed in containers havi a nominal capacity of 25 mL or less fitted with a restricted flow insert and compliant we the requirements of the required advisory statements for medicine labels; or

- (b) in preparations other than medicines for human therapeutic use, in essential oils when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert, and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (c) in rosemary oil, sage oil (Spanish), or lavandin oils; or
- (d) in preparations containing 2.5% or less of camphor.

CARBAMIDE PEROXIDE in preparations containing 18% or less of carbamide peroxide **except** i preparations containing 9% or less of carbamide peroxide.

CARBARYL:

- (a) in preparations containing 10% or less of carbaryl **except** when included in Schedule 4;
- (b) when impregnated into plastic resin material containing 20% or less of carbaryl.

CASSIA OIL except:

- (a) in food additives; or
- (b) in preparations for dermal use as a rubefacient containing 5% or less of cassia oil; or
- (c) in other preparations containing 2% or less of cassia oil.

CHLORFENAC.

CHLORFENAPYR. in preparations containing 0.5% or less of chlorfenapyr.

CHLORFENSON.

CHLORHEXIDINE in preparations containing 3% or less of chlorhexidine **except**:

- (a) in preparations containing 1% or less of chlorhexidine; or
- (b) when in solid preparations.

CHLORINATING COMPOUNDS containing 20% or less of available chlorine, except:

- (a) when separately specified in these Schedules; or
- (b) sodium hypochlorite preparations with a pH of less than 11.5; or
- (c) liquid preparations containing not less than 2% but not more than 4% of available chloriwhen labelled with the statements:

WARNING – Ensure adequate ventilation when using. Vapour may be harmful. Ma give off dangerous gas if mixed with other products; or

- (d) liquid preparations containing less than 2% of available chlorine; or
- (e) other preparations containing 4% or less of available chlorine.

CHLORNIDINE.

CHLOROCRESOL except in preparations containing 3% or less of chlorocresol.

CHLORPROPHAM.

CHLORPYRIFOS:

- (a) in aqueous preparations containing 20% or less of microencapsulated chlorpyrifos; or
- (b) in controlled release granular preparations containing 10% or less of chlorpyrifos; or
- (c) in other preparations containing 5% or less of chlorpyrifos;

except in prepared potting or soil mixes containing 100 g or less of chlorpyrifos per cubic metre.

CHLORSULFURON.

CHLORTETRACYCLINE in preparations:

- (a) for topical application to animals for ocular use only; or
- (b) containing 40% or less of chlortetracycline, when packed and labelled for the treatment ornamental caged birds or ornamental fish only.

CHLORTHAL-DIMETHYL.

CINMETHYLIN.

CINNAMON BARK OIL except:

- (a) in food additives; or
- (b) in preparations containing 2% or less of cinnamon bark oil.
- CIS-JASMONE when prepared and packaged as an agricultural chemical **except** when present as a fragrance.

CLETHODIM.

CLIMBAZOLE in preparations containing 40% or less of climbazole except:

- (a) in leave-on hair, face and foot cosmetic preparations containing 0.5% or less of climbazole; or
- (b) in other preparations (that are not leave-on cosmetic preparations) containing 2% or less climbazole.

CLOFENTEZINE.

CLOPYRALID.

CLOQUINTOCET.

CLORSULON.

- CLOTHIANIDIN in preparations containing 20% or less of clothianidin **except** in gel preparations dispensed in sealed cartridges containing 1% or less of clothianidin.
- CLOVE OIL for topical use in the mouth in a pack containing 5 mL or less of clove oil **except** in preparations containing 25% or less of clove oil.
- COPPER ACETATE in preparations containing 20% or less of copper acetate **except** in preparation containing 5% or less of copper acetate.
- COPPER COMPOUNDS in animal feed additives containing 5% or less of copper **except** in preparations containing 1% or less of copper.
- COPPER HYDROXIDE in preparations containing 50% or less of copper hydroxide **except** in preparations containing 12.5% or less of copper hydroxide.
- COPPER OXIDES in preparations containing 25% or less of copper oxides except:
 - (a) in preparations for internal use; or
 - (b) in marine paints; or
 - (c) in other preparations containing 5% or less of copper oxides.
- COPPER OXYCHLORIDE in preparations containing 50% or less of copper oxychloride **except** i preparations containing 12.5% or less of copper oxychloride.
- COPPER SULFATE in preparations containing 15% or less of copper sulfate except:
 - (a) in preparations for internal use; or

(b) in other preparations containing 5% or less of copper sulfate.

COUMATETRALYL in rodenticides containing 0.05% or less of coumatetralyl.

4-CPA.

CYANATRYN.

CYANOACRYLATE ESTERS in contact adhesives **except**:

(a) when labelled with the warning:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin and eyes and avoid breathing vapour. Bonds on contact. Should fingers stick together apply a solvent such as acetone to contact areas then wash off with water. Do not use solvents near eyes or open wounds. In case of eye contact immediately flush with water; or

- (b) when packed in sealed measure packs each containing 0.5 g or less of cyanoacrylate esters:
 - (i) labelled with the approved name or trade name of the poison, the quantity and the warning:

Can cause eye injury. Instantly bonds skin; and

enclosed in a primary pack labelled with the warning:

KEEP OUT OF REACH OF CHILDREN. Avoid contact with skin and eyes an avoid breathing vapour. Bonds on contact. Should fingers stick together apply solvent such as acetone to contact areas then wash off with water. Do not use solvents near eyes or open wounds. In case of eye contact immediately flush with water.

CYANTRANILIPROLE.

CYANURIC ACID (excluding its salts and derivatives).

CYAZOFAMID.

CYCLOHEXANONE PEROXIDE.

CYCLOPROTHRIN except in preparations containing 10% or less of cycloprothrin.

CYCLOXYDIM.

CYFLUFENAMID.

CYFLUMETOFEN.

CYFLUTHRIN:

- (a) in wettable powders containing 10% or less of cyfluthrin; or
- (b) in emulsifiable concentrates containing 2% or less of cyfluthrin; or
- (c) in emulsions containing 5% or less of cyfluthrin.

CYHALOFOP-BUTYL.

CYMIAZOLE.

CYPERMETHRIN in preparations containing 10% or less of cypermethrin.

CYPHENOTHRIN in preparations containing 10% or less of cyphenothrin.

CYPROCONAZOLE except in preparations containing 10% or less of cyproconazole.

CYPRODINIL.

CYTHIOATE for the treatment of animals:

- (a) in divided preparations containing 30 mg or less of cythioate per dosage unit when packer in blister or strip packaging or in a container with a child-resistant closure; or
- (b) in undivided preparations containing 5% or less of cythioate.

2,4-D in preparations containing 20% or less of 2,4-D.

DAMINOZIDE.

2,4-DB.

DECOQUINATE:

DELTAMETHRIN:

- (a) when impregnated in plastic resin strip material containing 4% or less of deltamethrin; o
- (b) in aqueous preparations containing 5% or less of deltamethrin when no organic solvent other than a glycol is present; or

- (c) in wettable granular preparations containing 25% or less of deltamethrin when packed in child-resistant packaging each containing 3 g or less of the formulation; or
- (d) in water-dispersible tablets each containing 500 mg or less of deltamethrin in child-resistant packaging; or
- (e) in other preparations containing 0.5% or less of deltamethrin;

except:

- (f) in factory prepared mosquito nets containing 1% or less deltamethrin; or
- (g) in preparations containing 0.1% or less of deltamethrin.

DEMBREXINE in oral preparations for the treatment of animals.

2,4-DES.

DIAFENTHIURON.

N,*N*-DIALLYLDICHLOROACETAMIDE **except** in preparations containing 10% or less of *N*,*N*-diallyldichloroacetamide.

DIAZINON in dust preparations containing 2% or less of diazinon.

DICAMBA (including its salts and derivatives) in preparations containing 20% or less of dicamba.

DICHLONE.

p-DICHLOROBENZENE.

DICHLOROISOCYANURIC ACID containing 40% or less of available chlorine, except in:

(a) liquid preparations containing not less than 2% but not more than 4% of available chloriwhen labelled with the statements:

WARNING – Ensure adequate ventilation when using. Vapour may be harmful. Ma give off dangerous gas if mixed with other products; or

- (b) liquid preparations containing less than 2% of available chlorine; or
- (c) other preparations containing 4% or less of available chlorine.

DICHLOROMETHANE (methylene chloride) **except**:

(a) in preparations in pressurised spray packs labelled as degreasers, decarbonisers or paint strippers and containing 10% or less of dichloromethane; or

- (b) in other preparations in pressurised spray packs; or
- (c) in paints and tinters containing 5% or less of dichloromethane; or
- (d) in preparations for human therapeutic use.

DICHLOROPHEN for the treatment of animals.

DICHLORVOS:

- (a) when impregnated in plastic resin strip material containing 20% or less of dichlorvos; or
- (b) in sustained release resin pellets containing 20% or less of dichlorvos for the treatment c animals; or
- (c) in pressurised spray packs containing 10 g or less of dichlorvos.

DICLOBUTRAZOL.

DICLORAN.

DICOFOL.

DIETHANOLAMINE (excluding its salts and derivatives) in preparations containing 20% or less diethanolamine **except** in preparations containing 5% or less of diethanolamine.

DIETHYLENE GLYCOL (excluding its salts and derivatives) in preparations containing not less than 10 mg/kg of denatonium benzoate as a bittering agent **except**:

- (a) in paints or paint tinters; or
- (b) in toothpastes or mouthwashes containing more than 0.25% of diethylene glycol; or
- (c) in other preparations containing 2.5% or less of diethylene glycol.

DIETHYLENE GLYCOL MONOBUTYL ETHER **except** in preparations containing 10% or less diethylene glycol monobutyl ether.

DIETHYLTOLUAMIDE (DEET) except:

- (a) in medicines for human therapeutic use containing 20% or less of diethyltoluamide, whe compliant with the requirements of the required advisory statements for medicine labels or
- (b) in preparations for human use, other than medicines, containing 20% or less of diethyltoluamide, when labelled with the warning statement:

WARNING: May be dangerous, particularly to children, if you use large amounts of the skin, clothes or bedding or on large areas of the body, especially if you keep using it for a long time; or

(c) in preparations other than for human use containing 20% or less of diethyltoluamide.

DIFENOCONAZOLE.

DIFLUBENZURON.

DIMETHICODIETHYLBENZALMALONATE **except** when included in preparations containing 10% or less of dimethicodiethylbenzalmalonate.

DIMETHIRIMOL.

DIMETHOMORPH except in preparations containing 10% or less of dimethomorph.

DIMETHYLACETAMIDE in preparations containing 20% or less of dimethylacetamide.

DIMETHYLFORMAMIDE in preparations containing 10% or less of dimethylformamide **except** silicone rubber mastic containing 2% or less of dimethylformamide.

3,7-DIMETHYL-2,6-OCTADIENAL and its isomers in cosmetic and household cleaning preparations **except** in preparations containing 5% or less of 3,7-dimethyl-2,6,-octadienal isomers.

DIMPROPYRIDAZ in preparations containing 13% or less of dimpropyridaz.

DINICONAZOLE.

DINOTEFURAN except in preparations containing 1% or less of dinotefuran.

DI-n-PROPYL ISOCINCHOMERONATE **except** in preparations containing 25% or less of di-n-propyl isocinchomeronate.

DIPHENAMID.

DIRECT RED 254 in preparations containing 30% or less of Direct Red 254 calculated as free acid

DITHIOPYR.

N-(N-DODECYL)-2-PYRROLIDONE in preparations containing 50% or less of *N-(N-*dodecyl)-2-pyrrolidone or preparations containing 50% or less of a mixture of any two

or more of N-(N-dodecyl)-2-pyrrolidone, N-methyl-2-pyrrolidone or N-(N-octyl)-2-pyrrolidone **except** in preparations containing 25% or less of designated solvents.

DORAMECTIN for internal use for the treatment of animals, in preparations containing 2% or less of doramectin.

EMAMECTIN in preparations containing 2% or less of emamectin.

EMODEPSIDE in preparations:

- (a) containing 2.5% or less of emodepside for the external treatment of animals; or
- (b) containing 30 mg or less of emodepside per dosage unit for the oral treatment of animals

EPOXICONAZOLE.

EPOXY RESINS, LIQUID.

EPRINOMECTIN in preparations containing 0.5% or less of eprinomectin.

ESBIOTHRIN in preparations containing 10% or less of esbiothrin **except** in pressurised spray pactontaining 1% or less of esbiothrin.

ESFENVALERATE in preparations containing 0.1% or less of esfenvalerate.

ESTRADIOL in implant preparations for growth promotion in animals.

1,2-ETHANEDIAMINE POLYMERWITH (CHLOROMETHYL) OXIRANE AND N-METHYLMETHANAMINE.

ETHER in preparations containing more than 10% of ether for use in internal combustion engines.

ETHOFUMESATE.

ETHOXYQUIN except in preparations containing 10% or less of ethoxyquin.

ETHOXYSULFURON.

ETHYLENE GLYCOL (excluding its salts and derivatives) in preparations containing not less that 10 mg/kg of denatonium benzoate as a bittering agent **except**:

- (a) in paints or paint tinters; or
- (b) in toothpastes or mouthwashes containing more than 0.25% of ethylene glycol; or

(c) in other preparations containing 2.5% or less of ethylene glycol.

ETHYL METHACRYLATE (excluding its derivatives) for cosmetic use **except** in preparations containing 1% or less of ethyl methacrylate as residual monomer in a polymer.

ETRIDIAZOLE.

EUGENOL for topical use in the mouth in a pack containing 5 mL or less of eugenol **except** in preparations containing 25% or less of eugenol.

EXTRACT OF LEMON EUCALYPTUS, being acid modified oil of lemon eucalyptus (Corymbia citriodora), **except** in preparations containing 40% or less of extract of lemon eucalyptus.

FENARIMOL.

FENBENDAZOLE for the treatment of animals.

FENBUCONAZOLE.

FENCHLORAZOLE-ETHYL.

FENNEL OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and compliant with the requirements of an instrument made under subsection 3(5A) of the Act relating to medicine advisory statements; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 5% or less of methyl chavicol.

FENOPROP.

FENOXAPROP-ETHYL.

FENOXAPROP-p-ETHYL.

FENPYRAZAMINE except in preparations containing 40% or less of fenpyrazamine.

FENSON.

FENTHION:

- (a) in preparations containing 25% or less of fenthion when packed in single-use containers having a capacity of 2 mL or less; or
- (b) in preparations containing 10% or less of fenthion.

FIPRONIL in preparations containing 10% or less of fipronil **except** in preparations containing 0.05% or less of fipronil.

FLAMPROP-METHYL.

FLAMPROP-M-METHYL.

FLAZASULFURON.

FLORASULAM.

FLUAZAINDOLIZINE in preparations containing 50% or less fluazaindolizine.

FLUAZURON.

FLUBENDAZOLE for the treatment of animals.

FLUBENDIAMIDE.

FLUCHLORALIN.

FLUDIOXONIL except in preparations containing 10% or less of fludioxonil.

FLUMETHRIN:

- (a) when impregnated in plastic resin strip material containing 3% or less of flumethrin; or
- (b) in oil based preparations containing 1% or less of flumethrin.

FLUMICLORAC PENTYL.

FLUOPYRAM except in preparations containing 50% or less of fluopyram.

FLUORIDES in preparations containing 3% or less of fluoride ion except:

- (a) in preparations for human use; or
- (b) in preparations containing 15 mg/kg or less of fluoride ion.

FLURALANER except when included in Schedule 4.

FLUVALINATE in aqueous preparations containing 25% or less of fluvalinate.

FLUXAPYROXAD.

FORAMSULFURON.

FORMIC ACID (excluding its salts and derivatives) **except** in preparations containing 0.5% or less of formic acid.

FOSPIRATE when impregnated in plastic resin strip material containing 20% or less of fospirate.

FURALAXYL.

FURATHIOCARB in microencapsulated suspensions containing 50% or less of furathiocarb.

GAMMA-CYHALOTHRIN in aqueous preparations containing 15% or less of microencapsulated gamma-cyhalothrin.

GLUFOSINATE-AMMONIUM.

GLUTARAL in preparations containing 5% or less of glutaral except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 0.5% or less of glutaral when labelled with the statements:
 - (A) IRRITANT; and
 - (B) Avoid contact with eyes.

GLYPHOSATE.

HALOSULFURON-METHYL.

HEXACONAZOLE except in preparations containing 5% or less of hexaconazole.

HEXAZINONE in preparations containing 25% or less of hexazinone.

HYDRAMETHYLNON in solid baits containing 2% or less of hydramethylnon in welded plastic labyrinths.

HYDROCARBONS, LIQUID, including kerosene, diesel (distillate), mineral turpentine, white petroleum spirit, toluene, xylene and light mineral and paraffin oils (but excluding their

derivatives), except:

- (a) toluene and xylene when included in Schedule 6; or
- (b) benzene and liquid aromatic hydrocarbons when included in Schedule 7; or
- (c) food grade and pharmaceutical grade white mineral oils; or
- (d) in solid or semi-solid preparations; or
- (e) in preparations containing 25% or less of designated solvents; or
- (f) in preparations packed in pressurised spray packs; or
- (g) in adhesives packed in containers each containing 50 g or less of adhesive; or
- (h) in writing correction fluids and thinners for writing correction fluids packed in container having a capacity of 20 mL or less; or
- (i) in other preparations when packed in containers with a capacity of 2 mL or less.
- HYDROCHLORIC ACID (excluding its salts and derivatives) in preparations containing 10% or less of hydrochloric acid (HCl) **except**:
 - (a) in preparations containing 0.5% or less of hydrochloric acid (HCl); or
 - (b) for therapeutic use.
- HYDROFLUORIC ACID (excluding its salts and derivatives) and admixtures that generate hydrofluoric acid, in preparations containing 0.1% or less of hydrogen fluoride.
- HYDROGEN PEROXIDE (excluding its salts and derivatives):
 - (a) in hair dye preparations containing 12% or less of hydrogen peroxide **except** in hair dyes containing 6% or less of hydrogen peroxide; or
 - (b) in other preparations containing 6% (20 volume) or less of hydrogen peroxide **except** in preparations containing 3% (10 volume) or less of hydrogen peroxide.
- HYDROSILICOFLUORIC ACID (excluding its salts and derivatives) in preparations containing 0.1% or less of hydrosilicofluoric acid (H₂SiF₆).

2-HYDROXYETHYL METHACRYLATE except:

- (a) when included in dental restorative preparations for therapeutic use; or
- (b) in nail preparations when labelled "Avoid contact with skin"; or
- (c) in other preparations containing 0.1% or less of 2-hydroxyethyl methacrylate when labelled "Avoid contact with skin".

2-HYDROXYPROPYL METHACRYLATE in nail preparations **except** when labelled "Avoid contact with skin".

IMAZALIL.

IMAZAMOX except in preparations containing 25% or less of imazamox.

IMAZAPIC except in preparations containing 25% or less of imazapic.

IMAZAPYR except in preparations containing 25% or less of imazapyr.

IMAZETHAPYR except in preparations containing 25% or less of imazethapyr.

IMIDACLOPRID in preparations containing 20% or less of imidacloprid **except** in preparations containing 5% or less of imidacloprid.

IMIPROTHRIN in preparations containing 50% or less of imiprothrin **except** in preparations containing 10% or less of imiprothrin.

INDOXACARB (includes the R and S enantiomers) in preparations containing 1% or less of indoxacarb.

- 3-IODO-2-PROPYNYL BUTYL CARBAMATE (Iodocarb) in preparations containing 10% or les of 3-iodo-2-propynyl butyl carbamate **except**:
 - (a) in aqueous preparations not for cosmetic use containing 10% or less 3-iodo-2-propynyl butyl carbamate; or
 - (b) in cosmetic preparations (other than aerosolised preparations) containing 0.1% or less of 3-iodo-2-propynyl butyl carbamate.

IODOSULFURON-METHYL-SODIUM.

IPCONAZOLE in preparations containing 2% or less of ipconazole.

IRON COMPOUNDS:

- (a) for the treatment of animals (excluding up to 1% of iron oxides when present as an excipient):
 - (i) in preparations for injection containing 20% or less of iron **except** in preparations containing 0.1% or less of iron; or
 - (ii) in other preparations containing 4% or less of iron except:

- (A) in liquid or gel preparations containing 0.1% or less of iron; or
- (B) in animal feeds or feed premixes; or
- (b) for use as agricultural chemicals **except** in preparations containing 4% or less of iron.

ISOEUGENOL in preparations not intended for skin contact containing 25% or less of isoeugenol **except** in preparations containing 10% or less of isoeugenol.

ISOPHORONE.

ISOXABEN.

ISOXAFLUTOLE.

IVERMECTIN for use in animals:

- (a) in preparations for the prophylaxis of heartworm in cats and dogs; or
- (b) in intraruminal implants containing 160 mg or less of ivermectin; or
- (c) in preparations containing 3.5% or less of ivermectin when packed in child-resistant packaging or in packaging approved by the relevant registration authority; or
- (d) in other preparations containing 2% or less of ivermectin.

KITASAMYCIN in animal feed premixes for growth promotion containing 2% or less of antibiotic substances.

LAMBDA-CYHALOTHRIN:

- (a) in aqueous preparations containing 1% or less of lambda- cyhalothrin; or
- (b) in aqueous preparations containing 10% or less of microencapsulated lambda-cyhalothri

LASIODIPLODIA PSEUDOTHEOBROMAE **except** when used as a herbicide in capsule preparations at a concentration of 16 CFU or less per capsule.

LEMON OIL except:

- (a) when steam distilled or rectified; or
- (b) in preparations for internal use; or
- (c) in preparations containing 0.05% or less of lemon oil; or
- (d) in soaps or bath or shower gels that are washed off the skin; or

- (e) in medicines for human therapeutic use, when compliant with the requirements of the required advisory statements for medicine labels; or
- (f) in other preparations when packed in containers labelled with the statement:

Application to the skin may increase sensitivity to sunlight.

- LEMONGRASS OIL in cosmetic and household cleaning preparations **except** in preparations containing 5% or less of 3,7-dimethyl-2,6-octadienal.
- LEVAMISOLE in preparations containing 15% or less of levamisole for the treatment of animals **except**:
 - (a) when included in Schedule 4; or
 - (b) in preparations for the treatment of ornamental birds or ornamental fish, in packs containing 10 mg or less of levamisole.

LIDOCAINE:

- (a) in aqueous gel preparations containing 4.5% or less of lidocaine, for the dermal spray-or administration to the wounds of animals; or
- (b) in injectable preparations containing 2% or less of lidocaine when packaged in a contain with a tamper resistant cartridge which can only be dispensed through a rubber ring applicator for tail docking and castration of lambs; or castration of calves.

LIME OIL except:

- (a) when steam distilled or rectified; or
- (b) in preparations for internal use; or
- (c) in preparations containing 0.5% or less of lime oil; or
- (d) in soaps or bath or shower gels that are washed off the skin; or
- (e) in medicines for human therapeutic use, when compliant with the requirements of the required advisory statements for medicine labels; or
- (f) in other preparations when packed in containers labelled with the statement:

Application to the skin may increase sensitivity to sunlight.

LINDANE in preparations containing 10% or less of lindane **except** when included in Schedule 2 4.

LOTILANER.

LUFENURON except:

- (a) in divided preparations each containing 500 mg or less of lufenuron for the treatment of animals; or
- (b) in single use syringes each containing 500 mg or less of lufenuron for the treatment of animals.

MACROPHOMINA PHASEOLINA **except** when used as a herbicide in capsule preparations at a concentration of 16 CFU or less per capsule.

MADURAMICIN in animal feed premixes containing 1% or less of antibiotic substances.

MAGNESIUM CHLORATE except in preparations containing 10% or less of magnesium chlorate

MALACHITE GREEN in preparations for veterinary use containing 10% or less of malachite gree

MALATHION in preparations containing 10% or less of malathion except:

- (a) for human therapeutic use; or
- (b) in dust preparations containing 2% or less of malathion.

MANCOZEB.

MANDESTROBIN except in preparations containing 25% or less of mandestrobin.

MANDIPROPAMID.

MARJORAM OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 50 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 50 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 50% or less of marjoram oil.

MCPA:

- (a) in preparations containing 25% or less of MCPA (acid); or
- (b) in preparations containing 50% or less of the salts and esters of MCPA.

MEBENDAZOLE for the treatment of animals:

- (a) in divided preparations each containing 300 mg or less of mebendazole per dosage unit;
- (b) in undivided preparations containing 25% or less of mebendazole.

MECLOFENAMIC ACID for the treatment of animals.

MECOPROP in preparations containing 2% or less of mecoprop.

MEFENPYR-DIETHYL.

MEFENTRIFLUCONAZOLE **except** in preparations containing 7.5% or less of mefentrifluconazole.

MEPIQUAT.

MERCAPTAMINE in cosmetic preparations containing 6% or less of mercaptamine **except** in preparations containing 1% or less of mercaptamine.

MERCAPTOACETIC ACID and its salts, but excluding its derivatives, in cosmetic preparations containing 20% or less of mercaptoacetic acid or its salts (as mercapturic acid), **except** in preparations containing 5% or less of mercaptoacetic acid or its salts (as mercapturic acid)

MESOTRIONE.

METAFLUMIZONE.

METALAXYL in preparations containing 35% or less of metalaxyl.

METALDEHYDE in preparations containing 2% or less of metaldehyde.

METAZACHLOR.

METHABENZTHIAZURON.

METHANOL (excluding its derivatives) in preparations containing 10 % or less of methanol excel

- (a) when included in Schedule 10; or
- (b) in preparations containing 2% or less of methanol; or
- (c) when methanol is present only as a denaturant of ethanol.

METHENAMINE in cosmetic preparations, **except** in preparations containing 0.15% or less of methenamine.

METHIOCARB in pelleted preparations containing 2% or less of methiocarb.

METHIOZOLIN.

METHOXYCHLOR.

METHYLATED SPIRIT(S) (being ethanol denatured with denatonium benzoate, methyl isobutyl ketone and fluorescein) **except**:

- (a) when included in preparations or admixtures; or
- (b) when packed in containers having a capacity of more than 5 L.

METHYLATED SPIRIT(S) when packed and labelled as a "biofuel" suitable for use in "spirit burners".

METHYLENE BLUE in preparations for veterinary use containing 50% or less of methylene blue.

METHYL ETHYL KETONE except in preparations containing 25% or less of designated solvents

METHYL ETHYL KETONE PEROXIDE.

METHYL ISOAMYL KETONE **except** in preparations containing 25% or less of designated solvents.

METHYL ISOBUTYL KETONE **except** in preparations containing 25% or less of designated solvents.

N-METHYL-2-PYRROLIDONE:

- (a) when packed in single use containers having a capacity of 2 mL or less; or
- (b) in preparations containing 50% or less of *N*-methyl-2-pyrrolidone or preparations containing 50% or less of a mixture of any two or more of *N*-methyl-2-pyrrolidone, *N*-(*N*-octyl)-2-pyrrolidone or *N*-(*N*-dodecyl)-2-pyrrolidone **except** in preparations containing 25% or less of designated solvents.

METHYL SALICYLATE in preparations containing 25% or less of methyl salicylate except:

- (a) in preparations for therapeutic use; or
- (b) in preparations containing 5% or less of methyl salicylate.

2-METHYLTHIO-4-(2-METHYLPROP-2-YL) AMINO-6-CYCLOPROPYLAMINO-5-TRIAZINE.

METIRAM.

METOBROMURON except in preparations containing 50% or less of metobromuron.

METOFLUTHRIN:

- (a) in impregnated fabric mosquito repellent preparations for use in a vaporiser containing 1 mg or less of metofluthrin per disk; or
- (b) when impregnated into a polyethylene slow release matrix containing 250 mg or less of metofluthrin.

METOLACHLOR.

METRAFENONE in preparations containing 50% or less of metrafenone.

MILBEMECTIN in preparations containing 1% or less of milbemectin.

MILBEMYCIN OXIME

- (a) for the prophylaxis of heartworm in dogs and cats; or
- (b) for the treatment and prevention of flea infestations, control of ticks, gastrointestinal nematodes and heartworm in dogs, when combined with afoxolaner, in oral divided preparations each containing 150 mg or less of afoxolaner per dosage unit.

MONENSIN in intraruminal implants for cattle, each containing 35 g or less of monensin.

MONEPANTEL.

MONOETHANOLAMINE (excluding its salts and derivatives) in preparations containing 20% or less of monoethanolamine **except**:

- (a) when included in Schedule 4; or
- (b) in preparations containing 5% or less of monoethanolamine.

MORANTEL in preparations containing 25% or less of morantel **except** in preparations containing 10% or less of morantel.

MOXIDECTIN:

- (a) in preparations for external use for the treatment of animals other than cats and dogs, containing 0.5% or less of moxidectin; or
- (b) in preparations for external use for the treatment of cats and dogs, containing 2.5% or less of moxidectin packed in single dose tubes with a volume of 1 mL or less; or
- (c) for internal use for the treatment of animals:
 - (i) in divided preparations for dogs, containing 250 micrograms or less of moxidectir per dosage unit in a pack containing six or less dosage units; or
 - (ii) in other preparations containing 2% or less of moxidectin.

MYCLOBUTANIL.

NAA except in preparations containing 25% or less of NAA.

NALED when impregnated in plastic resin strip material containing 20% or less of naled.

NAPTALAM.

NEOSCYTALIDIUM NOVAEHOLLANDIAE **except** when used as a herbicide in capsule preparations at a concentration of 16 CFU or less per capsule.

NETOBIMIN for the treatment of animals, in preparations containing 12.5% or less of netobimin.

NITRIC ACID (excluding its salts and derivatives) in preparations containing 10% or less of nitric acid (HNO₃) **except** in preparations containing 0.5% or less of nitric acid.

NITROSCANATE for the treatment of animals.

NONANOIC ACID:

- (a) when used in a pesticide; or
- (b) in other preparations except in preparations containing 10% or less of nonanoic acid.

NONOXINOL 9 in preparations containing 25% or less of nonoxinol 9 except:

- (a) when labelled with the statements:
 - (i) IRRITANT; and
 - (ii) Avoid contact with eyes; or
- (b) in preparations containing 12.5% or less of nonoxinol 9; or
- (c) in preparations for human use.

NORBORMIDE.

NUTMEG OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 50% or less of nutmeg oil.

N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE **except** in preparations containing 10% or le of *N*-octyl bicycloheptene dicarboximide.

N-(*N*-OCTYL)-2-PYRROLIDONE in preparations containing 50% or less of:

- (a) N-(N-octyl)-2-pyrrolidone or preparations containing 50% or less of a mixture of any two or more of N-(N-octyl)-2-pyrrolidone, N-methyl-2-pyrrolidone; or
- (b) *N*-(*N*-dodecyl)-2-pyrrolidone **except** in preparations containing 25% or less of designate solvents.

OLEANDOMYCIN in animal feed premixes for growth promotion.

OMETHOATE in pressurised spray packs containing 0.2% or less of omethoate.

ORANGE OIL (BITTER) except:

- (a) when steam distilled or rectified; or
- (b) in preparations for internal use; or
- (c) in preparations containing 1.4% or less of orange oil (bitter); or
- (d) in soaps or bath or shower gels that are washed off the skin; or
- (e) in medicines for human therapeutic use, when compliant with the requirements of the required advisory statements for medicine labels; or
- (f) in other preparations when packed in containers labelled with the statement:

Application to the skin may increase sensitivity to sunlight.

OXADIARGYL.

OXADIXYL.

OXANTEL EMBONATE for the treatment of animals.

OXFENDAZOLE for the treatment of animals.

OXIBENDAZOLE for the treatment of animals.

OXYCARBOXIN.

OXYTETRACYCLINE in preparations:

- (a) for topical application to animals for ocular use only; or
- (b) containing 40% or less of oxytetracycline per dose, when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

OXYTHIOQUINOX.

PACLOBUTRAZOL.

PENCONAZOLE.

PENDIMETHALIN.

PENFLUFEN.

PENTHIOPYRAD except in preparations containing 20% or less of penthiopyrad.

PERACETIC ACID in concentrations of 10% or less of peracetic acid.

PERMETHRIN (excluding preparations for human therapeutic use):

- (a) in preparations containing 25% or less of permethrin; or
- (b) in preparations for external use, for the treatment of dogs, containing 50% or less of permethrin when packed in single use containers having a capacity of 4 mL or less;

except in preparations containing 2% or less of permethrin.

PETROL except preparations containing 25% or less of petrol.

PHENAZONE for the external treatment of animals.

PHENISOPHAM.

PHENOL, including cresols and xylenols and any other homologue of phenol boiling below 220°C when in animal feed additives containing 15% or less of such substances, **except** in preparations containing 1% or less of phenol and in preparations containing 3% or less of cresols and xylenols and other homologues of phenol.

PHENYL METHYL KETONE except in preparations containing 25% or less of designated solven

o-PHENYLPHENOL except in preparations containing 5% or less of o-phenylphenol.

PHOSPHONIC ACID (excluding its salts and derivatives) **except** in preparations containing 10% eless of phosphonic acid (H₃PO₃).

PHOSPHORIC ACID (excluding its salts and derivatives) in preparations containing 35% or less c phosphoric acid (H₃PO₄) **except**:

- (a) in preparations containing 15% or less of phosphoric acid (H₃PO₄); or
- (b) in solid or semi-solid preparations; or
- (c) in professional dental kits.

o-PHTHALALDEHYDE in preparations containing 1% or less of o-phthalaldehyde.

PICARIDIN except in preparations containing 20% or less of picaridin.

PINE OILS in preparations containing 25% or less of pine oils when packed and labelled as a herbicide.

PINOXADEN in preparations containing 10% or less of pinoxaden.

PIPERAZINE for animal use.

PIRIMICARB in preparations containing 0.5% or less of pirimicarb.

POLIXETONIUM SALTS in preparations containing 60% or less of polixetonium salts **except** in preparations containing 1% or less of polixetonium salts.

POLYETHANOXY (15) TALLOW AMINE.

POLYOXIN D ZINC SALT.

POLY(OXY-1,2-ETHANEDIYL), α -[2-[(2-HYDROXYETHYL)AMINO]-2-OXOETHYL]- α -HYDROXY-,MONO- C_{13-15} -ALKYL ETHERS.

POTASSIUM CHLORATE except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 10% or less of potassium chlorate.

POTASSIUM HYDROXIDE (excluding its salts and derivatives) in preparations containing 5% or less of potassium hydroxide being:

- (a) solid preparations, the pH of which in a 10 g/L aqueous solution is more than 11.5; or
- (b) liquid or semi-solid preparations, the pH of which is more than 11.5 **except** in food additive preparations for domestic use.

POTASSIUM METABISULPHITE when packed for domestic use **except** in preparations containing 10% or less of potassium metabisulphite.

POTASSIUM NITRITE in preparations containing 1% or less of potassium nitrite except:

- (a) in preparations containing 0.5% or less of potassium nitrite;
- (b) when present as an excipient in preparations for therapeutic use; or
- (c) in aerosols.

POTASSIUM PEROXOMONOSULFATE TRIPLE SALT in preparations containing 5% or less of potassium peroxomonosulfate triple salt being:

- (a) solid preparations, the pH of which in a 10 g/L aqueous solution is less than 2.5; or
- (b) liquid or semi-solid preparations, the pH of which is less than 2.5.

POTASSIUM SULFIDE in preparations for metal treatment in containers each containing 50 g or less of potassium sulfide.

PRALLETHRIN (cis:trans=20:80) in preparations containing 10% or less of prallethrin **except** in insecticidal mats containing 1% or less of prallethrin.

PROFOXYDIM except in preparations containing 20% or less of profoxydim.

PROGESTERONE:

- (a) in implant preparations or controlled release pessaries for synchronisation of oestrus in cattle, sheep or goats; or
- (b) in implant preparations for growth promotion in cattle.

PROHEXADIONE CALCIUM.

PROMETRYN.

PROPAMOCARB.

PROPANIL.

PROPAQUIZAFOP.

PROPICONAZOLE in preparations containing 20% or less of propiconazole.

PROPIONIC ACID (excluding its salts and derivatives) in preparations containing 80% or less of propionic acid, **except**:

- (a) in preparations containing 30% or less of propionic acid; or
- (b) for therapeutic use.

PROPOXUR:

- (a) when impregnated in plastic resin strip material containing 10% or less of propoxur; or
- (b) in dust preparations containing 3% or less of propoxur; or
- (c) in granular sugar-based fly baits containing 1% or less of propoxur, a dark colouring age and a separate bittering agent; or
- (d) in pressurised spray packs containing 2% or less of propoxur; or
- (e) in printed paper sheets for pest control containing 0.5% or less of propoxur and in any cannot more than 100 mg of propoxur per sheet.

n-PROPYL ALCOHOL in preparations containing 10% or less of *n*-propyl alcohol **except**:

- (a) in preparations containing 5% or less of *n*-propyl alcohol; or
- (b) in preparations for cosmetic or therapeutic use other than in spray form.

PROPYZAMIDE.

PROTHIOCONAZOLE-DESCHLORO **except** in preparations containing 0.5% or less of prothioconazole-deschloro.

PROTHIOCONAZOLE-TRIAZOLIDINETHIONE **except** in preparations containing 0.5% or less of prothioconazole-triazolidinethione.

PYMETROZINE.

PYRACLOSTROBIN.

PYRAFLUFEN-ETHYL.

PYRASULFOTOLE.

PYRETHRINS, naturally occurring, being pyrethrolone, cinerolone or jasmolone esters of chrysanthemic or pyrethric acids **except**:

- (a) in preparations for human therapeutic use; or
- (b) in preparations containing 10% or less of such substances.

PYRIDABEN in preparations containing 25% or less of pyridaben.

PYRIFENOX.

PYRITHIOBAC SODIUM.

PYRITHIONE ZINC in paints containing 0.5% or less of pyrithione zinc calculated on the non-volatile content of the paint **except** in paints containing 0.1% or less of pyrithione zinc calculated on the non-volatile content of the paint.

PYRIOFENONE in preparations containing 30% or less of pyriofenone.

QUATERNARY AMMONIUM COMPOUNDS in preparations containing 20% or less of quaterna ammonium compounds **except**:

- (a) when separately specified in these Schedules; or
- (b) dialkyl or dialkoyl quaternary ammonium compounds where the alkyl or alkoyl groups ε derived from tallow or hydrogenated tallow or similar chain length (C16/C18) sources;
- (c) in preparations containing 5% or less of such quaternary ammonium compounds.

QUINCLORAC.

QUININE in preparations for veterinary use containing 1% or less of quinine.

QUINTOZENE.

QUIZALOFOP-*p*-ETHYL in aqueous preparations containing 40% or less of quizalofop-*p*-ethyl.

RACTOPAMINE in animal feed premixes containing 10% or less of ractopamine.

RESMETHRIN in preparations containing 10% or less of resmethrin.

RIMSULFURON.

ROBENIDINE except in preparations containing 20% or less of robenidine.

ROSIN when packaged for use as a soldering flux or in flux-cored solder.

SAFLUFENACIL in water dispersible granules or a water-based suspension concentrate.

SALICYLANILIDE.

SAROLANER for veterinary use in divided preparations each containing 120 mg or less of sarolar per dosage unit.

SEDAXANE.

SELAMECTIN except in preparations containing 12% or less of selamectin.

SETHOXYDIM.

SIDURON.

SILICOFLUORIDES in preparations containing 3% or less of fluoride ion except:

- (a) barium silicofluoride when separately specified in this Schedule; or
- (b) in preparations containing 15 mg/kg or less of fluoride ion.

SINBIOALLETHRIN in preparations containing 10% or less of sinbioallethrin **except** in preparations containing 1% or less of sinbioallethrin.

SODIUM BROMIDE except when included in Schedule 4.

SODIUM CHLORATE except in preparations containing 10% or less of sodium chlorate.

SODIUM DIACETATE except in preparations containing 60% or less of sodium diacetate.

SODIUM DODECYLBENZENE SULFONATE **except** in preparations containing 30% or less of sodium dodecylbenzene sulfonate.

SODIUM HYDROGEN SULFATE **except** in preparations containing 10% or less of sodium hydrogen sulfate.

- SODIUM HYDROSULFITE when packed for domestic use **except** in preparations containing 10% or less of sodium hydrosulfite.
- SODIUM HYDROXIDE (excluding its salts and derivatives) in preparations containing 5% or less of sodium hydroxide being:
 - (a) solid preparations, the pH of which in a 10 g/L aqueous solution is more than 11.5; or
 - (b) liquid or semi-solid preparations, the pH of which is more than 11.5 **except** in food additive preparations for domestic use.
- SODIUM LAURETH-6 CARBOXYLATE **except** in preparations containing 1% or less of sodium laureth-6 carboxylate.
- SODIUM METABISULPHITE when packed for domestic use **except** in preparations containing 10% or less of sodium metabisulphite.
- SODIUM NITRITE in preparations containing 1% or less of sodium nitrite except:
 - (a) in preparations containing 0.5% or less of sodium nitrite; or
 - (b) when present as an excipient in preparations for therapeutic use; or
 - (c) in aerosols.
- SODIUM PERCARBONATE (CAS No. 15630-89-4) in preparations containing 35% or less of sodium percarbonate **except** in preparations containing 15% or less of sodium percarbonate.
- SODIUM POLYSTYRENE SULPHONATE in preparations for cosmetic use **except** in preparation containing 10% or less of sodium polystyrene sulphonate.
- SODIUM STANNATE **except** in preparations for cosmetic use containing 1% or less of sodium stannate.
- SODIUM SULFIDE in preparations for metal treatment in containers each containing 50 g or less sodium sulfide.

SPINETORAM.

SPINOSAD except in aqueous suspensions containing 25% or less of spinosad.

SPIROMESIFEN for agricultural use.

STAR ANISE OIL **except**:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 50 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 50 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 50% or less of star anise oil.

STYRENE (excluding its derivatives).

SULFACETAMIDE when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

SULFADIAZINE when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

SULFADIMIDINE when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

SULFAMERAZINE when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

SULFAMIC ACID (excluding its salts and derivatives) in preparations containing 10% or less of sulfamic acid (H₃NO₃S).

SULFATHIAZOLE when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

SULFOMETURON-METHYL.

SULFOXAFLOR in preparations containing 25% or less of sulfoxaflor.

SYMPHYTUM spp. (Comfrey) for dermal therapeutic or dermal cosmetic use.

2,3,6-TBA.

TDE (1,1-dichloro-2,2-bis[4-chlorophenyl]ethane) in preparations containing 10% or less of TDE.

TEBUCONAZOLE.

TEBUFENOZIDE.

TEFLUTHRIN in preparations containing 2% or less of tefluthrin.

TEMEPHOS:

- (a) in liquid preparations containing 10% or less of temephos; or
- (b) in powders containing 2% or less of temephos; or
- (c) in preparations containing 40% or less of temephos when packed in single use containers having a capacity of 2 mL or less.

TEPRALOXYDIM.

TERBUTRYN.

TETRACHLOROETHYLENE in preparations containing 5% or less of tetrachloroethylene except

- (a) when included in Schedule 2; or
- (b) in preparations for the treatment of animals; or
- (c) when absorbed into an inert solid.

TETRACHLORVINPHOS except in animal feeds containing 0.2% or less of tetrachlorvinphos.

TETRACONAZOLE in preparations containing 20% or less of tetraconazole.

TETRACYCLINE in preparations:

- (a) for topical application to animals for ocular use only; or
- (b) containing 40% or less of tetracycline when packed and labelled for the treatment of ornamental caged birds or ornamental fish only.

TETRAMETHRIN [(R, cis): (R, trans) = 20:80] except in pressurised spray packs.

TETRANILIPROLE except in preparations containing 20% or less tetraniliprole.

THIABENDAZOLE:

- (a) for the treatment of animals; or
- (b) when packed and labelled for use as a fungicide **except** in preparations containing 50% class of thiabendazole.

THIAMETHOXAM in preparations containing 60% or less of thiamethoxam.

THIAZOPYR.

THIFENSULFURON.

THIOBENCARB.

THIODICARB in pelleted preparations containing 1.5% or less of thiodicarb.

THIOPHANATE-METHYL in preparations containing 25% or less of thiophanate-methyl.

THYME OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert, and labelled with the warning:

KEEP OUT OF REACH OF CHILDREN; or

(c) in preparations containing 50% or less of thyme oil.

TIGOLANER in preparations containing 10% or less of tigolaner.

TIOCARBAZIL.

TOLCLOFOS-METHYL.

TOLTRAZURIL.

TOPRAMEZONE

TRALKOXYDIM.

TRENBOLONE in implant preparations for growth promotion in animals.

TRIADIMEFON in wettable powders containing 25% or less of triadimefon.

TRIADIMENOL.

TRI-ALLATE.

TRIBENURON-METHYL.

TRICHLOROACETIC ACID, alkali salts of.

1,1,1-TRICHLOROETHANE except:

- (a) in preparations packed in pressurised spray packs; or
- (b) in preparations containing 25% or less of designated solvents; or
- (c) in preparations, other than writing correction fluids or thinners for writing correction fluin containers having a capacity of 50 mL or less; or
- (d) in writing correction fluids or thinners for writing correction fluids, in containers having capacity of 50 mL or less labelled with:
 - (i) the word "Trichloroethane" written in letters not less than 1 mm in height and in distinct contrast to the background; and
 - (ii) the expression:

WARNING – DO NOT DELIBERATELY SNIFF THIS PRODUCT. SNIFFING MIGHT HARM OR KILL YOU;

written in bold face sans serif capital letters not less than 1 mm in height and in distinct contrast to the background.

TRIDIPHANE.

TRIETAZINE.

TRIFLOXYSTROBIN.

TRIFLUDIMOXAZIN except in preparations containing 12.5% or less.

TRIFLUMIZOLE.

TRIFLUMURON.

TRIISOPROPANOLAMINE LAURYL ETHER SULFATE **except** in preparations containing 30% or less of triisopropanolamine lauryl ether sulfate when labelled with the statements:

- (a) Avoid contact with eyes and skin; and
- (b) Wash hands after handling.

TRINEXAPAC-ETHYL **except**:

- (a) when packed in a sealed water-soluble measure pack; or
- (b) in solid preparations containing 25% or less of trinexapac-ethyl in packs of 50 g or less.

3,6,9-TRIOXAUNDECANEDIOIC ACID **except** in preparations containing 5% or less of 3,6,9-trioxaundecanedioic acid, the pH of which is 3.5 or greater.

TRITICONAZOLE.

TROLAMINE (excluding its salts and derivatives) except:

- (a) when in Schedule 4; or
- (b) in preparations containing 5% or less of trolamine.

TURPENTINE OIL except in preparations containing 25% or less of turpentine oil.

VIRGINIAMYCIN in animal feed additives containing 1% or less of virginiamycin for the prevention of laminitis in horses when in a pack of 5 kg or less.

VERNOLATE.

WARFARIN in rodent baits containing 0.1% or less of warfarin.

ZINEB.

ule 6—Poisons

Note: See section 16, subsection 46(2), section 49, subsection 54(3) and sections 55 and 61.

ABAMECTIN:

- (a) in preparations for pesticidal use containing 4% or less of abamectin except when includ in Schedule 5; or
- (b) in slow-release plastic matrix ear tags for livestock use containing 1 g or less of abamectin.

ACEPHATE.

ACETAMIPRID except in preparations containing 1% or less of acetamiprid.

ACETIC ACID (excluding its salts and derivatives) and preparations containing more than 80% of acetic acid (CH₃COOH) **except** when included in Schedule 2.

ACETIC ANHYDRIDE excluding its derivatives.

ACIFLUORFEN.

ACINITRAZOLE except in preparations containing 20% or less of acinitrazole.

ACLONIFEN.

ALBENDAZOLE for the treatment of animals except:

- (a) when included in Schedule 5; or
- (b) in intraruminal implants each containing 3.85 g or less of albendazole.

ALDRIN.

- ALKALINE SALTS, being the carbonate, silicate or phosphate salts of sodium or potassium alone in any combination for non-domestic use:
 - (a) in solid automatic dishwashing preparations, the pH of which in a 500 g/L aqueous solution or mixture is more than 12.5; or
 - (b) in liquid or semi-solid automatic dishwashing preparations, the pH of which is more than 12.5.

ALKOXYLATED FATTY ALKYLAMINE POLYMER except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 20% or less of alkoxylated fatty alkylamine polymer.

ALLETHRIN except:

- (a) when included in Schedule 5; or
- (b) in insecticidal mats containing 20% or less of allethrin; or
- (c) in other preparations containing 1% or less of allethrin.

ALLYL ESTERS (excluding derivatives) being:

ALLYL CYCLOHEXANEACETATE (CAS No. 4728-82-9); or

ALLYL CYCLOHEXANEPROPIONATE (CAS No. 2705-87-5); or

- (c) ALLYL HEPTANOATE/ALLYL HEPTYLATE (CAS No. 142-19-8); or
- (d) ALLYL HEXANOATE (CAS No. 123-68-2); or
- (e) ALLYL ISOVALERATE (CAS No. 2835-39-4); or
- (f) ALLYL NONANOATE (CAS No. 7493-72-3); or
- (g) ALLYL OCTANOATE (CAS No. 4230-97-1); or
- (h) ALLYL PHENYLACETATE (CAS No. 1797-74-6); or
- (i) ALLYL TRIMETHYLHEXANOATE (CAS No. 68132-80-9);

in preparations containing 0.1% or less of free allyl alcohol by weight of allyl ester **except** ir preparations containing 5% or less of allyl esters with 0.1% or less of free allyl alcohol by weight of allyl esters.

ALPHA-CYPERMETHRIN:

- (a) in aqueous preparations containing 30% or less of alpha-cypermethrin; or
- (b) in other preparations containing 10% or less of alpha-cypermethrin;

except when included in Schedule 5.

AMICARBAZONE.

AMIDITHION.

AMIDOPROPYL BETAINES except:

(a) in cosmetic wash-off preparations containing 30% or less of amidopropyl betaines and, i containing more than 5% of amidopropyl betaines when labelled with a warning to the following effect:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER:

in cosmetic leave-on preparations containing 1.5% or less of amidopropyl betaines; or

- (b) in other preparations containing 30% or less of amidopropyl betaines and, if containing more than 5% of amidopropyl betaines, when labelled with warnings to the following effect:
 - (i) IF IN EYES WASH OUT IMMEDIATELY WITH WATER; and
 - (ii) IF SKIN OR HAIR CONTACT OCCURS, REMOVE CONTAMINATED CLOTHING AND FLUSH SKIN AND HAIR WITH RUNNING WATER.

2-AMINO-6-CHLORO-4-NITROPHENOL in hair dye and eyebrow/eyelash colouring preparation **except**:

- (a) in preparations containing 2% or less of 2-amino-6-chloro-4-nitrophenol when applied directly to the hair, or containing 2% or less of 2-amino-6-chloro-4-nitrophenol after mixing and when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;
- (b) in eyelash and eyebrow tinting products containing 1.5% or less of 2-amino-6-chloro-4-nitrophenol after mixing for use when the immediate container and primary pack are labelled with the following statement:

WARNING – This product contains ingredients which may cause skin sensitisation certain individuals, and when used for eyelash or eyebrow tinting may cause injury to the eye. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5mm in height.

- 4-AMINO-*m*-CRESOL in hair dyes and eyebrow/eyelash colouring preparations **except**:
 - (a) in hair dye preparations containing 1.5% or less of 4-amino-m-cresol after mixing for us when the immediate container and primary pack are labelled with the following statements:

- (i) KEEP OUT OF REACH OF CHILDREN; and
- (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5mm in height; or

(b) in eyelash and eyebrow tinting products containing 1.5% or less of 4-amino-*m*-cresol aft mixing for use when the immediate container and primary pack are labelled with the following statement:

WARNING – This product contains ingredients which may cause skin sensitisation certain individuals, and when used for eyelash or eyebrow tinting may cause injury to the eye. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5mm in height.

- 2-AMINO-5-ETHYLPHENOL in hair dye preparations **except** in preparations containing 1% or le of 2-amino-5-ethylphenol when the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin irritation to certai individuals. A preliminary test according to the accompanying directions should be mad before use. This product must not be used for dyeing eyelashes and eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

- 4-AMINO-2-HYDROXYTOLUENE in hair dyes and eyebrow/eyelash colouring products except:
 - (a) in hair dye preparations containing 1.5% or less of 4-amino-2-hydroxytoluene after mixi for use when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5mm in height; or

(b) in eyelash and eyebrow tinting products containing 1.5% or less of 4-amino-2-hydroxytoluene after mixing for use when the immediate container and primary pack are labelled with the following statement:

WARNING – This product contains ingredients which may cause skin sensitisation certain individuals, and when used for eyelash or eyebrow tinting may cause injury to the eye. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5mm in height.

AMINOCARB in preparations containing 25% or less of aminocarb.

AMINOETHOXYVINYLGLYCINE **except** in preparations containing 15% or less of aminoethoxyvinylglycine.

1-AMINOMETHANAMIDE DIHYDROGEN TETRAOXOSULFATE.

4-AMINO-3-NITROPHENOL except:

- (a) in non-oxidative hair dye preparations and eyebrow/eyelash colouring products containing 1% or less of 4-amino-3-nitrophenol when the immediate container and primary pack a labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations and eyebrow/eyelash colouring products containing 1° or less of 4-amino-3-nitrophenol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height.

2,2'-[(4-AMINO-3-NITROPHENYL)IMINO]BISETHANOL (including its salts) except:

(a) in non-oxidative hair dye preparations containing 2.5% or less of 2,2'-[(4-amino-3-nitrophenyl)imino]bisethanol after mixing when the immediate

container and primary pack are labelled with the following statements:

- (i) KEEP OUT OF REACH OF CHILDREN; and
- (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 1.25% or less of 2,2'-[(4-amino-3-nitrophenyl)imino]bisethanol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

- *m*-AMINOPHENOL **except** when used in hair dye and eyebrow/eyelash preparations at a concentration of 1.2% or less of *m*-aminophenol after mixing for use when the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height.

- *p*-AMINOPHENOL **except** when used in hair dye and eyebrow/eyelash colouring products at a concentration of 1% or less of *p*-aminophenol after mixing for use when the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height.

AMINOPYRALID except when included in Schedule 5.

AMITRAZ.

AMMONIA (excluding its salts and derivatives other than ammonium hydroxide) **except**:

- (a) when included in Schedule 5; or
- (b) in preparations for human internal therapeutic use; or
- (c) in preparations for inhalation when absorbed in an inert solid material; or
- (d) in preparations containing 0.5% or less of ammonia.

AMMONIUM COCOYL ISETHIONATE, **except** in cosmetic rinse-off preparations containing 30 or less of ammonium cocoyl isethionate and, if containing more than 5% of ammonium coco isethionate, when labelled with a warning to the following effect:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER.

AMMONIUM PERSULFATE in hair preparations.

ANILINE (excluding its salts and derivatives) **except** in preparations containing 1% or less of aniline.

ANTIMONY COMPOUNDS except:

- (a) when included in Schedule 4; or
- (b) antimony chloride in polishes; or
- (c) antimony titanate pigments in paint; or
- (d) in paints or tinters containing 5% or less of antimony calculated on the non-volatile content of the paint or tinter.

ARBUTIN (ALPHA) **except**:

- (a) in preparations for application to the face containing 2% or less alpha-arbutin with hydroquinone levels of 10mg/kg or less; or
- (b) in preparations for application to the body containing 0.5% or less alpha-arbutin with hydroquinone levels of 10mg/kg or less.

ARBUTIN (BETA) except:

- (a) when included in Schedule 4; or
- (b) oral herbal preparations containing 500 mg or less beta-arbutin per recommended daily dose; or

(c) in preparations for application to the face containing 7% or less beta-arbutin with hydroquinone levels of 10mg/kg or less.

ARBUTIN (DEOXY OR OTHER DERIVATIVES).

ARSENIC:

- (a) in ant poisons containing 0.4% or less of arsenic; or
- (b) in animal feed premixes containing 4% or less of arsenic; or
- (c) in preparations for the treatment of animals **except** thiacetarsamide when included in Schedule 4,

except when separately specified in this Schedule.

ASPIRIN for the treatment of animals except when included in Schedule 4 or 5.

AZACONAZOLE except in preparations containing 1% or less of azaconazole.

AZADIRACHTA INDICA (Neem) including its extracts and derivatives **except**:

- (a) when included in Schedule 5; or
- (b) in preparations for human internal use; or
- (c) debitterised neem seed oil; or
- (d) in preparations for human dermal therapeutic use containing cold pressed neem seed oil, when in a container fitted with a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (e) in preparations for dermal use containing 1% or less of cold pressed neem seed oil.

AZAMETHIPHOS.

AZOBENZENE.

BAMBERMYCIN (flavophospholipol) in animal feed premixes for growth promotion containing 2% or less of antibiotic substances.

BARIUM SALTS except:

- (a) when included in Schedule 5; or
- (b) barium sulfate; or
- (c) in paints or tinters containing 5% or less of barium calculated on the non-volatile conten of the paint or tinter.

- BASIC BLUE 26 (CAS No. 2580-56-5) **except** when used as a colourant in cosmetics not intended to be in contact with mucous membranes.
- BASIC ORANGE 31 (2-[(4-aminophenyl)azo]-1,3-dimethyl-1H-imidazolium chloride) except:
 - (a) in preparations for skin colouration and dyeing of eyelashes or eyebrows; or
 - (b) in hair dye preparations containing 1% or less of Basic Orange 31 when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN;
 - (ii) IF IN EYES WASH OUT IMMEDIATELY WITH WATER; and
 - (iii) WARNING This product contains ingredients which may cause skin irritation to certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

BASIC RED 76 (CAS No. 68391-30-0) in non-oxidative hair dye preparations and eyebrow/eyelas colouring products containing 2% or less of Basic Red 76 and 0.001% or less of free *o*-anisidine.

BAY OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and

- (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of bay oil.

BEAUVERIA BASSIANA except when included in Schedule 5.

BENDIOCARB:

- (a) in wettable powders containing 80% or less of bendiocarb when packed in containers or primary packs containing not less than 100 g of bendiocarb; or
- (b) in wettable powders containing 20% or less of bendiocarb and not less than 0.002% of denatorium benzoate when packed in containers or primary packs containing not less than 48 g of bendiocarb and labelled for use as a fly control preparation; or
- (c) in insoluble granular preparations containing 5% or less of bendiocarb; or
- (d) when impregnated in plastic resin strip material containing 10% or less of bendiocarb; **except** when included in Schedule 5.

BENQUINOX.

BENSULIDE.

BENZALKONIUM CHLORIDE except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of benzalkonium chloride.

1,2-BENZENEDIOL.

BENZOVINDIFLUPYR.

6-BENZYLADENINE except in preparations containing 10% or less of 6-benzyladenine.

BERYLLIUM.

BETACYFLUTHRIN in preparations containing 12.5% or less of betacyfluthrin **except** when included in Schedule 5.

BETA-CYPERMETHRIN.

BHC (excluding lindane).

BICYCLOPYRONE except when included in Schedule 5.

- BIFENTHRIN in preparations containing 25% or less of bifenthrin **except** in preparations containi 0.5% or less of bifenthrin.
- BIFLUORIDES (including ammonium, potassium and sodium salts) in preparations containing 3% or less of total bifluorides **except** when included in Schedule 5.

BIOALLETHRIN except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 1% or less of bioallethrin.
- 1,3-BIS(2,4-DIAMINOPHENOXY)PROPANE (including its salts) **except** when in hair dye preparations containing 1.2% or less of 1,3-bis(2,4-diaminophenoxy)propane after mixing when the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

BIS-ISOBUTYL PEG/PPG-20/35/AMODIMETICONE COPOLYMER **except** in rinse-off cosmet products containing 1% or less of bis-isobutyl PEG/PPG-20/35/amodimeticone copolymer when labelled with a warning to the following effect:

IF IN EYES, WASH OUT IMMEDIATELY WITH WATER.

- N,N-BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,5-DIMETHANAMINE excep in preparations containing 1% or less of N,N-bis(phenylmethylene)-bicyclo-(2.2.1)heptane-2,5-dimethanamine, or a combination of N,N-bis(phenylmethylene)-bicyclo-(2.2.1)heptane-2,5-dimethanamine and N,N-bis(phenylmethylene)-bicyclo-(2.2.1)heptane-2,6-dimethanamine, when labelled with statements to the effect of:
 - (a) IRRITANT; and
 - (b) REPEATED EXPOSURE MAY CAUSE SENSITISATION; and
 - (c) Avoid contact with eyes; and
 - (d) Avoid contact with skin; and
 - (e) Wear protective gloves when mixing or using; and

(f) Ensure adequate ventilation when using.

N,N-BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,6-DIMETHANAMINE excep

in preparations containing 1% or less of

N,N-bis(phenylmethylene)-bicyclo-(2.2.1)heptane-2,6-dimethanamine, or a combination of

N,N-bis(phenylmethylene)-bicyclo-(2.2.1)heptane-2,5-dimethanamine and

N,*N*-bis(phenylmethylene)-bicyclo-(2.2.1)heptane-2,6-dimethanamine, when labelled with statements to the effect of:

- (a) IRRITANT; and
- (b) REPEATED EXPOSURE MAY CAUSE SENSITISATION; and
- (c) Avoid contact with eyes; and
- (d) Avoid contact with skin; and
- (e) Wear protective gloves when mixing or using; and
- (f) Ensure adequate ventilation when using.

BITHIONOL for the treatment of animals.

BORON TRIFLUORIDE in preparations containing 1% or less of boron trifluoride (BF₃) except when included in Schedule 5.

BRODIFACOUM in preparations containing 0.25% or less of brodifacoum.

BROFLANILIDE **except** when included in Schedule 5.

BROMADIOLONE in preparations containing 0.25% or less of bromadiolone.

BROMETHALIN in rodent baits containing 0.01% or less of bromethalin.

BROMOFORM **except** when included in Schedule 4.

BROMOPHOS.

BROMOPHOS-ETHYL.

BROMOXYNIL.

BROMUCONAZOLE **except** when included in Schedule 5.

BROTIANIDE.

BUNAMIDINE.

BUTACARB.

BUTOXYCARBOXIM except when included in Schedule 5.

2-BUTOXYETHANOL and its acetates **except**:

- (a) in plant growth regulator preparations containing 20% or less of such substances; or
- (b) in other preparations containing 10% or less of such substances.

2-BUTOXY-2'-THIOCYANODIETHYL ETHER.

n-BUTYL ALCOHOL **except**:

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of n-butyl alcohol; or
- (c) in preparations for cosmetic or therapeutic use other than in spray form.

BUTYRIC ACID in preparations for use as insect lures.

CACODYLIC ACID:

- (a) in animal feed premixes containing 4% or less of arsenic; or
- (b) in herbicide or defoliant preparations containing 10% or less of cacodylic acid.

CADMIUM COMPOUNDS except:

- (a) when included in Schedule 4; or
- (b) in paints or tinters containing 0.1% or less of cadmium calculated on the non-volatile content of the paint or tinter.

CADUSAFOS in aqueous preparations containing 20% or less of microencapsulated cadusafos.

CAFFEINE except:

- (a) when included in Schedule 4; or
- (b) in divided preparations for internal human therapeutic use when labelled with a maximu recommended daily dose of no greater than 600 mg of total caffeine; or
- (c) in undivided preparations for internal human therapeutic use with a concentration of less than 5% of total caffeine and when labelled with a maximum recommended daily dose no greater than 600 mg of total caffeine; or

- (d) in preparations for external use; or
- (e) in other preparations with a concentration of less than 5% of caffeine.

CAJUPUT OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of cajuput oil; or
- (f) in oils containing 25% or less of cajuput oil.

CALCIFEROL in rodent baits containing 0.1% or less of calciferol.

CAMBENDAZOLE.

CAMPHOR except:

- (a) when included in Schedule 4 or 5; or
- (b) when enclosed in an inhaler device which prevents ingestion of its contents; or
- (c) in solid or semi-solid preparations containing 12.5% or less of camphor; or
- (d) in liquid preparations containing 2.5% or less of camphor; or
- (e) in essential oils when the camphor is present as a natural component of the oil:

- (i) in medicines for human therapeutic use, when packed in containers having a nomin capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (ii) in medicines for human therapeutic use, when packed in containers having a nomin capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (iii) in essential oils other than medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labelled with the warnings:
 - (A) KEEP OUT OF REACH OF CHILDREN; and
 - (B) NOT TO BE TAKEN; or
- (iv) in essential oils other than medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (A) KEEP OUT OF REACH OF CHILDREN; and
 - (B) NOT TO BE TAKEN; or
- (f) in rosemary oil, sage oil (Spanish), or lavandin oil as such.

CAPTAN.

CARBARYL except when included in Schedule 4 or 5.

CARBON DISULFIDE.

CARBAMIDE PEROXIDE except:

- (a) when included in Schedule 5; or
- (b) in other preparations containing 9% or less of carbamide peroxide.

CARBETAMIDE.

CASTOR OIL, MONOMALEATE (excluding its salts and derivatives) in preparations for cosmeti use **except** in wash-off preparations containing 1% or less of castor oil, monomaleate.

CHLORALOSE (alpha-CHLORALOSE) when packed and labelled for use as a pesticide.

CHLORDANE.

CHLORFENAPYR in preparations containing 36% or less of chlorfenapyr **except** when included is Schedule 5.

CHLORFENETHOL.

CHLORHEXIDINE in preparations containing 7% or less of chlorhexidine except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 1% or less of chlorhexidine; or
- (c) when in solid preparations.

CHLORINATING COMPOUNDS except:

- (a) when included in Schedule 5; or
- (b) when separately specified in these Schedules; or
- (c) sodium hypochlorite preparations with a pH of less than 11.5; or
- (d) in liquid preparations containing not less than 2% but not more than 4% of available chlorine when labelled with the statements:

WARNING – Ensure adequate ventilation when using. Vapour may be harmful. Ma give off dangerous gas if mixed with other products; or

- (e) in liquid preparations containing less than 2% of available chlorine; or
- (f) in other preparations containing 4% or less of available chlorine.

CHLORMEQUAT.

CHLOROACETAMIDE

- (a) in preparations for cosmetic use; or
- (b) in preparations for topical therapeutic use; or
- (c) in other preparations containing more than 0.3% of chloroacetamide.

2-CHLORO-6-(ETHYLAMINO)-4-NITROPHENOL except:

- (a) in non-oxidative hair dye preparations containing 3% or less of 2-chloro-6-(ethylamino)-4-nitrophenol after mixing for use when the immediate contain and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and

(ii) WARNING – This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use:

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 1.5% or less of 2-chloro-6-(ethylamino)-4-nitrophenol after mixing for use when the immediate contain and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use:

written in letters not less than 1.5 mm in height.

CHLOROFORM except:

- (a) when included in Schedule 2 or 4; or
- (b) in preparations containing 10% or less of chloroform.

ALPHA-CHLOROHYDRIN.

CHLOROPHACINONE.

(*E*)-(*S*)-1-(4-CHLOROPHENYL)-4,4-DIMETHYL-2-(1H-1,2,4-TRIAZOL-1-YL)PENT-1-EN-3-(uniconazole-p) **except** in preparations containing 5% or less of (*E*)-(*S*)-1-(4-chlorophenyl)-4,4-dimethyl-2-(1*H*-1,2,4-triazol-1-yl)pent-1-en-3-ol.

CHLOROPICRIN in preparations containing 5% or less of chloropicrin.

CHLOROTHALONIL except in water-based paint containing 0.5% or less of chlorothalonil.

2-CHLORO-6-(TRICHLOROMETHYL)-PYRIDINE.

CHLORPYRIFOS except:

- (a) when included in Schedule 5; or
- (b) in prepared potting or soil mixes containing 100 g or less of chlorpyrifos per cubic metre

CHLORPYRIFOS-METHYL.

CHLORTHIAMID.

CHROMATES (including dichromates) **except** in paints or tinters containing 5% or less of chromium as the ammonium, barium, calcium, iron, potassium, sodium, strontium or zinc chromate calculated on the non-volatile content of the paint or tinter.

CHROMIUM TRICHLORIDE HEXAHYDRATE **except** in preparations containing 0.5% or less chromium.

CHROMIUM TRIOXIDE (excluding its salts and derivatives).

CHRYSOIDINE BASE except when in Schedule 10.

CINEOLE except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of cineole; or
- (f) in oils containing 25% or less of cineole; or
- (g) in rosemary oil or camphor oil (white).

CINNAMON LEAF OIL except:

(a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the

requirements of the required advisory statements for medicine labels; or

- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of cinnamon leaf oil.

CLIMBAZOLE except:

- (a) when included in Schedule 5; or
- (b) in leave-on hair, face and foot cosmetic preparations containing 0.5% or less of climbazole; or
- (c) in other preparations (that are not leave-on cosmetic preparations) containing 2% or less climbazole.

CLODINAFOP-PROPARGYL.

CLOMAZONE.

CLOSANTEL.

CLOTHIANIDIN except

- (a) when included in Schedule 5; or
- (b) when in gel preparations dispensed in sealed cartridges containing 1% or less of clothianidin.

CLOTRIMAZOLE for the external treatment of animals.

CLOVE OIL except:

- (a) when included in Schedule 5; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN;
- (e) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (f) in preparations containing 25% or less of clove oil.

N-COCO-1,3-DIAMINOPROPANE.

COCOYL GLYCINATE in cosmetic preparations except:

- (a) in leave-on preparations containing 5% or less of cocoyl glycinate; or
- (b) in wash-off preparations containing 30% or less of cocoyl glycinate and, when containin more than 5% of cocoyl glycinate labelled with a warning to the following effect:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER.

COPPER ACETATE except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of copper acetate.

COPPER COMPOUNDS except:

- (a) when separately specified in these Schedules; or
- (b) in preparations for human internal use containing 5 mg or less of copper per recommend daily dose; or
- (c) pigments where the solubility of the copper compound(s) in water is 1 g per litre or less;
- (d) in feed additives containing 1% or less of copper; or
- (e) in other preparations containing 5% or less of copper compounds.

COPPER HYDROXIDE except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 12.5% or less of copper hydroxide.

COPPER NITRATE in preparations containing copper chloride for the treatment of footrot in shee

COPPER OXIDES except:

- (a) when included in Schedule 5; or
- (b) in preparations for internal use; or
- (c) in marine paints; or
- (d) in other preparations containing 5% or less of copper oxides.

COPPER OXYCHLORIDE except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 12.5% of less of copper oxychloride.

COPPER SULFATE **except**:

- (a) when included in Schedule 5; or
- (b) in preparations for internal use; or
- (c) in other preparations containing 5% or less of copper sulfate.

COUMAPHOS:

- (a) in slow-release plastic matrix ear tags for livestock use containing 6 g or less of coumaphos; or
- (b) in other preparations containing 5% or less of coumaphos.

COUMATETRALYL in rodenticides containing 1% or less of coumatetralyl **except** when included in Schedule 5.

CREOSOTE derived from wood other than beechwood **except**:

- (a) when included in Schedule 2; or
- (b) in preparations for human therapeutic use containing 10% or less of creosote derived fro wood other than beechwood; or
- (c) in other preparations containing 3% or less of phenols and homologues of phenol boiling below 220°C.

CROTOXYPHOS.

CRUFOMATE.

CYANAMIDE.

CYANAZINE.

CYCLANILIDE.

N-CYCLOHEXYLDIAZENIUMDIOXY-POTASSIUM.

- CYCLOSILAZANES, DI-ME, ME HYDROGEN, POLYMERS WITH DI-ME, ME HYDROGEN SILAZANES, REACTION PRODUCTS WITH 3-(TRIETHOXYSILYL)-1-PROPANAMIN (CAS 475645-84-2) when presented in a wipe and when packaged in a container with a child-resistant closure, with chemical resistant gloves and labelled with the following effect:
 - (a) DO NOT USE WITHOUT PROTECTIVE GLOVES; and
 - (b) KEEP OUT OF EYES.

CYFLUTHRIN except:

- (a) when included in Schedule 5; or
- (b) in pressurised spray packs containing 1% or less of cyfluthrin.

CYOMETRINIL.

CYPERMETHRIN except when included in Schedule 5.

CYPHENOTHRIN **except** when included in Schedule 5.

CYTHIOATE except when included in Schedule 5.

2,4-D **except** when included in Schedule 5.

DAZOMET.

DELTAMETHRIN:

- (a) in aqueous preparations containing 25% or less of deltamethrin, when no organic solven other than 10% or less of a glycol, is present; or
- (b) in wettable granular preparations containing 25% or less of deltamethrin; or
- (c) in water-dispersible tablets each containing 500 mg or less of deltamethrin; or
- (d) in emulsifiable concentrates containing 11% or less of deltamethrin in a solvent containi 40% or less of acetophenone and 45% or less of liquid hydrocarbons; or
- (e) in other preparations containing 3% or less of deltamethrin;

except:

- (f) when included in Schedule 5; or
- (g) in factory prepared mosquito nets containing 1% or less of deltamethrin; or
- (h) in preparations containing 0.1% or less of deltamethrin.

DERQUANTEL.

1-DEOXY-1-(METHYLAMINO)-D-GLUCITOL N-COCO ACYL DERIVATIVES except:

(a) in cosmetic rinse-off preparations containing 8% or less of 1-deoxy-1-(methylamino)-d-glucitol N-coco acyl derivatives when labelled with the following statement:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER, or

(b) in household cleaning preparations, other than those intended to be sprayed, containing 10% or less of 1-deoxy-1-(methylamino)-d-glucitol N-coco acyl derivatives when labelled with the following statement:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER.

2,4-DIAMINOPHENOXYETHANOL **except** when used in hair dye and eyebrow/eyelash preparations at concentrations of 2% or less of 2,4-diaminophenoxyethanol after mixing for use when the immediate container and primary pack are labelled with the following statements:

- (a) KEEP OUT OF REACH OF CHILDREN; and
- (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use:

written in letters not less than 1.5 mm in height.

DIAZINON **except** when included in Schedule 5.

DICAMBA (including its salts and derivatives) except when included in Schedule 5.

DICHLOBENIL.

DICHLOFENTHION.

DICHLOFLUANID.

o-DICHLOROBENZENE.

DICHLOROETHYL ETHER.

DICHLOROISOCYANURIC ACID except:

- (a) when included in Schedule 5; or
- (b) in liquid preparations containing not less than 2% but not more than 4% of available chlorine when labelled with the statements:

WARNING – Ensure adequate ventilation when using. Vapour may be harmful. Ma give off dangerous gas if mixed with other products; or

- (c) in liquid preparations containing less than 2% of available chlorine; or
- (d) in other preparations containing 4% or less of available chlorine.

4,5-DICHLORO-2-N-OCTYL-3(2H)-ISOTHIAZOLONE.

DICHLOROPHEN except:

- (a) when included in Schedule 4 or 5; or
- (b) in fabrics other than when:
 - (i) for human therapeutic use; or
 - (ii) as part of a registered pesticidal product.

1,2-DICHLOROPROPANE.

2,4-DICHLORPROP (including the R and S enantiomers).

DICHLORVOS in preparations containing 50% or less of dichlorvos **except** when included in Schedule 5.

DICLOFOP-METHYL.

DICYCLANIL **except** in preparations containing 6.5% or less of dicyclanil.

DIDECYLDIMETHYLAMMONIUM SALTS **except** in preparations containing 1% or less of didecyldimethylammonium salts labelled with the statement:

Avoid contact with eyes.

DIELDRIN.

DIETHANOLAMINE (excluding its salts and derivatives) except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of diethanolamine.

DIETHYLENE GLYCOL (excluding its salts and derivatives) except:

- (a) when included in Schedule 5; or
- (b) in paints or paint tinters; or
- (c) in toothpastes or mouthwashes containing more than 0.25% of diethylene glycol; or
- (d) in other preparations containing 2.5% or less of diethylene glycol.

DIETHYLENE GLYCOL MONOMETHYL ETHER.

DIFENACOUM in preparations containing 0.25% or less of difenacoum.

DIFENZOQUAT.

DIFETHIALONE in rodent baits containing 0.0025% or less of difethialone.

5,6-DIHYDROXYINDOLINE.

DIMETHENAMID-P.

DIMETHIPIN.

DIMETHOATE.

- 2,6-DIMETHOXY-3,5-PYRIDINEDIAMINE **except** when used in hair dye and eyebrow/eyelash colouring products at a concentration of 0.25% or less of 2,6-dimethoxy-3,5-pyridinediamin after mixing for use when the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height.

DIMETHYLACETAMIDE except when included in Schedule 5.

N,N-DIMETHYLDECANAMIDE.

DIMETHYLFORMAMIDE except:

- (a) when included in Schedule 5; or
- (b) in silicone rubber mastic containing 2% or less of dimethylformamide.

4,4-DIMETHYL-1-CYCLOHEXENE-1-PROPANAL except:

- (a) in leave-on cosmetic preparations containing 0.1% or less of 4,4-dimethyl-1-cyclohexene-1-propanal; or
- (b) in rinse-off cosmetic preparations containing 0.5% or less of 4,4-dimethyl-1-cyclohexene-1-propanal; or
- (c) in other preparations containing 1% or less of 4,4-dimethyl-1-cyclohexene-1-propanal.
- 3,7-DIMETHYL-2,6-OCTADIEN-1-OL and its isomers **except** in products containing 5% or less 3,7-dimethyl-2,6-octadien-1-ol and its isomers.

N,N-DIMETHYLOCTANAMIDE.

DIMETHYL SULFOXIDE (excluding dimethyl sulfone):

- (a) when not for therapeutic use; or
- (b) in cosmetic preparations; or

- (c) for the treatment of animals:
 - (i) when combined with no other therapeutic substance(s); or
 - (ii) in liquid preparations containing copper salicylate and 1% or less of methyl salicylates as the only other therapeutic substances; or
 - (iii) in clay poultices containing 2% or less of dimethyl sulfoxide; or
- (d) in other preparations **except** when containing 10% or less of dimethyl sulfoxide.

DIMPROPYRIDAZ except when included in Schedule 5.

DINITROCRESOLS and their homologues in preparations containing 5% or less of such compour **except**:

- (a) when included in Schedule 4; or
- (b) when separately specified in this Schedule.

DINITROPHENOLS and their homologues in preparations containing 5% or less of such compounds **except**:

- (a) when included in Schedule 4; or
- (b) when separately specified in this Schedule.

DIOXACARB.

DIOXANE.

DIPHACINONE.

DIQUAT in preparations containing 20% or less of diquat.

DIRECT RED 254 except when included in Schedule 5.

DISPERSE YELLOW 3 except when in Schedule 10.

DISULFIRAM **except** when included in Schedule 4.

DISULFOTON in granular preparations containing 5% or less of disulfoton.

DITHIANON.

DITHIAZANINE in preparations containing 2% or less of dithiazanine for the treatment of animal

DIUREDOSAN.

N-(*N*-DODECYL)-2-PYRROLIDONE **except**:

- (a) when included in Schedule 5; or
- (b) in preparations containing 25% or less of designated solvents.

DODINE.

DORAMECTIN for external use for the treatment of animals, in preparations containing 2% or les of doramectin.

DSMA in herbicide or defoliant preparations containing 10% or less of DSMA.

ECONAZOLE for the external treatment of animals.

EMAMECTIN in preparations containing 5% or less of emamectin **except** when included in Schedule 5.

EMODEPSIDE for the treatment of animals **except** when included in Schedule 5.

ENDOSULFAN in aqueous preparations containing 33% or less of microencapsulated endosulfan.

ENDOTHAL in preparations containing 20% or less of endothal.

EPRINOMECTIN for internal use in preparations containing 5% or less of eprinomectin **except** when included in Schedule 5.

EPTC.

ESBIOTHRIN except:

- (a) when included in Schedule 5; or
- (b) in pressurised spray packs containing 1% or less of esbiothrin.

ESFENVALERATE **except** when included in Schedule 5.

ETHEPHON (excluding its salts and derivatives).

ETHER **except**:

- (a) when included in Schedule 2, 4 or 5; or
- (b) in preparations containing 10% or less of ether.

ETHIOFENCARB.

ETHOATE-METHYL.

ETHOPROPHOS in granular formulations containing 10% or less of ethoprophos and 2% of linsecoil.

ETHYL BROMIDE.

ETHYLENE CHLOROHYDRIN.

ETHYLENE DICHLORIDE.

ETHYLENE GLYCOL (excluding its salts and derivatives) **except**:

- (a) when included in Schedule 5; or
- (b) in paints or paint tinters; or
- (c) in toothpastes or mouthwashes containing more than 0.25% of ethylene glycol; or
- (d) in other preparations containing 2.5% or less of ethylene glycol.

ETHYLENE GLYCOL MONOALKYL ETHERS and their acetates, except:

- (a) when separately specified in these Schedules; or
- (b) in preparations containing 10% or less of such substances.

ETHYL FORMATE when packed and labelled for use as a fumigant.

ETHYLHEXANEDIOL except in preparations containing 5% or less of ethylhexanediol.

2-ETHYLHEXANOIC ACID and its alkyl esters **except** in preparations containing 5% or less calculated as 2-ethylhexanoic acid.

ETRIMFOS.

EUCALYPTUS OIL **except**:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure

- and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of eucalyptus oil.

EUGENOL except:

- (a) when included in Schedule 5; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (f) in preparations containing 25% or less of eugenol.

FAMOXADONE.

FAMPHUR in preparations containing 20% or less of famphur.

FEBANTEL except:

- (a) in divided preparations containing 1000 mg or less of febantel per dosage unit; or
- (b) in undivided preparations containing 10% or less of febantel.

FENAMIPHOS in granular preparations containing 5% or less of fenamiphos.

FENAZAFLOR.

FENBUTATIN OXIDE.

FENCHLORPHOS.

FENITROTHION.

FENOXACRIM in preparations for the treatment of carpets during manufacture.

FENPROPIDIN.

FENPYROXIMATE.

FENTHION in preparations containing 60% or less of fenthion except when included in Schedule

FENVALERATE.

FIPRONIL except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 0.05% or less of fipronil.

FLOCOUMAFEN in preparations containing 0.005% or less of flocoumafen.

FLONICAMID.

FLUAZAINDOLIZINE except when included in Schedule 5.

FLUAZIFOP-BUTYL.

FLUAZIFOP-p-BUTYL.

FLUAZINAM.

FLUCOFURON in preparations for the treatment of carpets during manufacture.

FLUENSULFONE.

FLUMETHRIN **except** when included in Schedule 5.

FLUMIOXAZIN when contained in water soluble bags individually packed in sealed sachets.

FLUORIDES except:

- (a) when included in Schedule 5; or
- (b) in preparations for human use; or
- (c) in preparations containing 15 mg/kg or less of fluoride ion.

FLUPROPANATE.

FLUPYRADIFURONE.

FLUQUINCONAZOLE.

FLUSILAZOL.

FLUTRIAFOL **except** in fertilisers containing 0.5% or less of flutriafol.

FLUVALINATE except when included in Schedule 5.

FOMESAFEN SODIUM.

FORMALDEHYDE (excluding its derivatives) in preparations containing 0.05% or more of free formaldehyde **except**:

- (a) for human therapeutic use; or
- (b) in oral hygiene preparations; or
- (c) in nail hardener cosmetic preparations containing 5% or more of free formaldehyde; or
- (d) in nail hardener cosmetic preparations containing 0.2% or less of free formaldehyde who labelled with the statement:

PROTECT CUTICLES WITH GREASE OR OIL;

(e) in all other cosmetic preparations; or

(f) in other preparations containing 0.2% or less of free formaldehyde when labelled with th warning statement:

CONTAINS FORMALDEHYDE.

FORMOTHION.

FOSPIRATE **except** when included in Schedule 5.

FUMAGILLIN.

FURFURAL **except** in preparations containing 0.1% or less of furfural.

GLUTARAL except:

- (a) when included in Schedule 2 or 5; or
- (b) in preparations containing 0.5% or less of glutaral when labelled with the statements:

IRRITANT; and

Avoid contact with eyes.

GLYCERYL THIOGLYCOLLATE in hair waving preparations **except** when labelled with directio for use that include the statement:

Wear protective gloves when using. Keep out of eyes.

- GLYCOLIC ACID (including its salts and esters) in cosmetic products or when packed and labelle for use as an agricultural chemical **except**:
 - (a) in cosmetic preparations for salon use only, when labelled in accordance with requireme under applicable jurisdictional Work Health and Safety laws, as amended from time to time; or
 - (b) in preparations containing 5% or less of glycolic acid; or
 - (c) in preparations containing 20% or less of glycolic acid with a pH of 3.5 or greater.

GUANIDINE except:

- (a) when included in Schedule 4; or
- (b) in preparations containing 1% or less of guanidine.

GUAZATINE.

HALOXON.

HALOXYFOP.

HC VIOLET 1 except:

- (a) in non-oxidative hair dye preparations containing 0.28% or less of HC Violet 1 after mixing when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 0.25% or less of HC Violet 1 after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

HEPTACHLOR.

HEXACHLOROPHENE:

- (a) in preparations for the treatment of animals; or
- (b) for cosmetic use.

HEXAZINONE **except** when included in Schedule 5.

HEXYLOXYETHANOL except in preparations containing 10% or less of hexyloxyethanol.

HYDRAMETHYLNON except when included in Schedule 5.

HYDRAZINE.

HYDROCHLORIC ACID (excluding its salts and derivatives) **except**:

(a) when included in Schedule 5; or

- (b) in preparations for therapeutic use; or
- (c) in preparations containing 0.5% or less of hydrochloric acid (HCl).
- HYDROFLUORIC ACID (excluding its salts and derivatives) and admixtures that generate hydrofluoric acid, in preparations containing 1% or less of hydrogen fluoride **except** when included in Schedule 5.

HYDROGEN PEROXIDE (excluding its salts and derivatives) except:

- (a) when included in Schedule 5; or
- (b) in hair dye preparations containing 6% (20 volume) or less of hydrogen peroxide; or
- (c) in other preparations containing 3% (10 volume) or less of hydrogen peroxide.

HYDROQUINONE except:

- (a) when included in Schedule 2 or 4; or
- (b) in preparations containing 10% or less of hydroquinone.
- HYDROSILICOFLUORIC ACID (excluding its salts and derivatives) in preparations containing 1 or less of hydrosilicofluoric acid (H₂SiF₆) **except** when included in Schedule 5.
- HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE (including its salts) **except** in oxidative hair dye preparations containing 1.5% or less of hydroxyethyl-3,4-methylenedioxyaniline af mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

IMIDACLOPRID except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of imidacloprid.

IMIDOCARB.

IMINOCTADINE TRIALBESILATE.

IMIPROTHRIN except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 10% or less of imiprothrin.

INDAZIFLAM.

INDOXACARB (includes the R and S enantiomers) except when included in Schedule 5.

INPYRFLUXAM.

IODINE (excluding its salts, derivatives and iodophors) **except**:

- (a) when included in Schedule 2; or
- (b) in solid or semi-solid preparations containing 2.5% or less of available iodine.

IODOPHORS **except** in preparations containing 1.5% or less of available iodine.

3-IODO-2-PROPYNYL BUTYL CARBAMATE (Iodocarb) except:

- (a) when included in Schedule 5; or
- (b) in aqueous preparations not for cosmetic use containing 10% or less of 3-iodo-2-propyny butyl carbamate (Iodocarb); or
- (c) in cosmetic preparations (other than aerosolised preparations) containing 0.1% or less of 3-iodo-2-propynyl butyl carbamate.

IOXYNIL.

IPCONAZOLE **except** when included in Schedule 5.

IRON COMPOUNDS (excluding up to 1% of iron oxides when present as an excipient) for the treatment of animals **except**:

- (a) when included in Schedule 5; or
- (b) in liquid or gel preparations containing 0.1% or less of iron; or
- (c) in animal feeds or feed premixes.

ISOCONAZOLE for the external treatment of animals.

ISOCYANATES, free organic, boiling below 300° C, except in:

(a) viscous polyurethane adhesives; or

(b) viscous polyurethane sealants; containing not more than 0.7% of free organic isocyanates boiling below 300°C.

ISOCYCLOSERAM.

ISOEUGENOL except:

- (a) when included in Schedule 5; or
- (b) in preparations not intended for skin contact containing 10% or less of isoeugenol; or
- (c) in preparations intended for skin contact containing 0.02% or less of isoeugenol.

ISOPYRAZAM.

ISOTIANIL.

LAMBDA-CYHALOTHRIN:

- (a) in aqueous preparations containing 25% or less of microencapsulated lambda-cyhalothri or
- (b) in emulsifiable granule formulations containing 25% or less lambda-cyhalothrin; or
- (c) in other preparations containing 1.6% or less of lambda-cyhalothrin; **except** when included in Schedule 5.

LASALOCID except in animal feeds containing 100 mg/kg or less of antibiotic substances.

LAURETH CARBOXYLIC ACIDS (excluding their salts and derivatives) **except**:

- (a) in leave-on preparations containing 1.5% or less of laureth carboxylic acids; or
- (b) in wash-off preparations containing 30% or less of laureth carboxylic acids and, if containing more than 5% of laureth carboxylic acids, when labelled with a warning to t following effect:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER; or

- (c) in other preparations containing 30% or less of laureth carboxylic acids and, if containin more than 5% of laureth carboxylic acids, when labelled with warnings to the following effect:
 - (i) IF IN EYES WASH OUT IMMEDIATELY WITH WATER; and
 - (ii) IF SKIN OR HAIR CONTACT OCCURS, REMOVE CONTAMINATED CLOTHING AND FLUSH SKIN AND HAIR WITH RUNNING WATER.

LAURYL ISOQUINOLINIUM BROMIDE.

LAURYL SULFATE SALTS (excluding their derivatives) **except**:

(a) in wash-off preparations containing 30% or less of lauryl sulfates and, if containing morthan 5% of lauryl sulfates, when labelled with a warning to the following effect:

IF IN EYES WASH OUT IMMEDIATELY WITH WATER; or

- (b) in leave-on preparations containing 1.5% or less of lauryl sulfates; or
- (c) in toothpaste and oral hygiene preparations containing 5% or less of lauryl sulfates; or
- (d) in other preparations for animal use containing 2% or less of lauryl sulfates; or
- (e) in other preparations containing 30% or less of lauryl sulfates and, if containing more the 5% of lauryl sulfates, when labelled with warnings to the following effect:
 - (i) IF IN EYES WASH OUT IMMEDIATELY WITH WATER; and
 - (ii) IF SKIN OR HAIR CONTACT OCCURS, REMOVE CONTAMINATED CLOTHING AND FLUSH SKIN AND HAIR WITH RUNNING WATER.

LEAD COMPOUNDS except:

- (a) when included in Schedule 4; or
- (b) in paints, tinters, inks or ink additives; or
- (c) in preparations for cosmetic use containing 100 mg/kg or less of lead; or
- (d) in pencil cores, finger colours, showcard colours, pastels, crayons, poster paints/colours coloured chalks containing 100 mg/kg or less of lead; or
- (e) in ceramic glazes when labelled with the warning statement:

CAUTION – Harmful if swallowed. Do not use on surfaces which contact food or drink;

written in letters not less than 1.5 mm in height.

LEPTOSPERMUM SCOPARIUM OIL (manuka oil) except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or

- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings;
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of Leptospermum scoparium oil.

LEVAMISOLE for the treatment of animals **except**:

- (a) when included in Schedule 4 or 5; or
- (b) in preparations for the treatment of ornamental birds or ornamental fish, in packs containing 10 mg or less of levamisole.

LINDANE **except** when included in Schedule 2, 4 or 5.

MAFENIDE when packed and labelled for the treatment of ornamental fish only.

MALATHION except:

- (a) when included in Schedule 5; or
- (b) for human therapeutic use; or
- (c) in dust preparations containing 2% or less of malathion.

MCPA **except** when included in Schedule 5.

MCPB.

MEBENDAZOLE for the treatment of animals except when included in Schedule 5.

MECOPROP **except** when included in Schedule 5.

MECOPROP-P.

MEFLUIDIDE.

MELALEUCA OIL (tea tree oil) **except**:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (c) in preparations other than medicines for human therapeutic use, when packed in contains having a nominal capacity of 15 mL or less fitted with a restricted flow insert and labell with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (d) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 25 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (e) in preparations containing 25% or less of melaleuca oil.

MELENGESTROL ACETATE when used as an animal feed additive.

MELOXICAM in oral transmucosal preparations containing 1% or less meloxicam for pre-surgica treatment and pain management in livestock during routine animal husbandry procedures.

MENAZON.

MERCAPTAMINE for cosmetic use **except**:

- (a) when included in Schedule 5; or
- (b) in preparations containing 1% or less of mercaptamine.

MERCAPTOACETIC ACID and its salts, but excluding its derivatives, in cosmetic preparations **except**:

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of mercaptoacetic acid or its salts (as mercapturic acid).

2-MERCAPTOETHANOL in preparations for use as insect lures.

MERCURIC OXIDE for the treatment of animals, in preparations for ocular use.

MERCUROCHROME for the treatment of animals, in preparations for topical use.

METACRESOLSULPHONIC ACID AND FORMALDEHYDE CONDENSATION PRODUCT for the treatment of animals.

METALAXYL **except** when included in Schedule 5.

METALDEHYDE except when included in Schedule 5.

METHACRIFOS in preparations containing 60% or less of methacrifos.

METHAM.

METAMITRON.

METHANOL (excluding its derivatives) **except**:

- (a) when included in Schedule 5; or
- (b) when included in Schedule 10; or
- (c) in preparations containing 2% or less of methanol.

METHIOCARB in preparations containing 20% or less of methiocarb **except** when included in Schedule 5.

METHOMYL in fly-baits containing 1% or less of methomyl and not less than 0.002% of denatonium benzoate as a bittering agent.

- 6-METHOXY-N2-METHYL-2,3-PYRIDINEDIAMINE **except** when used in oxidative or non-oxidative hair dyes at a concentration of 1% or less when the immediate container and prima pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye.

written in letters not less than 1.5 mm in height.

2-METHOXY-5-NITROPHENOL.

METHYLCHLOROISOTHIAZOLINONE except:

- (a) in rinse-off cosmetic preparations or therapeutic goods intended for topical rinse-off application containing 0.0015% or less of methylchloroisothiazolinone and methylisothiazolinone in total; or
- (b) in other preparations that are not intended for direct application to the skin containing 0.1% or less of methylchloroisothiazolinone and methylisothiazolinone in total.
- METHYLCYCLOPENTADIENYL MANGANESE TRICARBONYL in preparations containing 10% or less of methylcyclopentadienyl manganese tricarbonyl when fitted with a child-resistant closure.

METHYLDIBROMO GLUTARONITRILE except when in Schedule 10.

METHYLENE BISTHIOCYANATE **except** in preparations containing 1% or less of methylene bisthiocyanate.

METHYLEUGENOL except in preparations containing 1% or less of methyleugenol.

METHYL ETHYL KETONE OXIME except:

- (a) in viscous silicone adhesives or viscous silicone sealants containing 2.5% or less of mether ethyl ketone oxime; or
- (b) in other preparations containing 1% or less of methyl ethyl ketone oxime.
- *p*-METHYLAMINOPHENOL **except** when used in hair dye and eyebrow/eyelash colouring products at a concentration of 1% or less of *p*-methylaminophenol after mixing for use wher the immediate container and primary pack are labelled with the following statements:
 - (a) KEEP OUT OF REACH OF CHILDREN; and
 - (b) WARNING This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height.

METHYL ISOTHIOCYANATE.

METHYL METHACRYLATE (excluding its derivatives) **except**:

(a) for cosmetic use; or

(b) in preparations containing 1% or less of methyl methacrylate as residual monomer in a polymer.

METHYL NEODECANAMIDE **except** in liquid preparations containing 2% or less of methyl neodecanamide.

METHYLISOTHIAZOLINONE except:

- (a) in rinse-off cosmetic preparations or therapeutic goods intended for topical rinse-off application containing 0.0015% or less of methylisothiazolinone; or
- (b) in other preparations that are not intended for direct application to the skin containing 0.1% or less of methylisothiazolinone

METHYLNORBORNYLPYRIDINE.

N-METHYL-2-PYRROLIDONE except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 25% or less of designated solvents.

2-METHYLRESORCINOL except:

- (a) in non-oxidative hair dye preparations containing 1.8% or less of 2-methylresorcinol wh the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product must not be used for dyeing eyelashes or eyebrows; to c so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 1.8% or less of 2-methylresorcinol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product must not be used for dyeing eyelashes or eyebrows; to c so may be injurious to the eye;

written in letter not less than 1.5 mm in height.

METHYLROSANILINIUM CHLORIDE (formerly known as crystal violet CAS No. 548-62-9) at the following TRIARYLMETHANE DYES:

(a) Acid Violet 49 (CAS No. 1694-09-3);

- (b) Ethyl Violet (CAS No. 2390-59-2);
- (c) Basic Blue 7 (CAS No. 2390-60-5);
- (d) Methylium, 4-(dimethylamino)phenylbis4-(ethylamino)-3-methylphenyl-, acetate (CAS No. 72102-55-7);

except when included in Schedule 4 or Schedule 10.

METHYL SALICYLATE except:

- (a) when included in Schedule 5; or
- (b) in preparations for therapeutic use; or
- (c) in preparations containing 5% or less of methyl salicylate.

METOFLUTHRIN except when included in Schedule 5.

METOSULAM.

METRAFENONE **except** when included in Schedule 5.

METRIBUZIN.

MICONAZOLE for the external treatment of animals.

MILBEMECTIN except when included in Schedule 5.

MOMFLUOROTHRIN except in preparations containing 0.2% or less of momfluorothrin.

MONENSIN:

- (a) in animal feed premixes containing 12.5% or less of antibiotic substances; or
- (b) in stockfeed supplements, blocks or licks containing 0.75% or less of antibiotic substances.

MONOETHANOLAMINE (excluding its salts and derivatives) except:

- (a) when included in Schedule 4 or 5; or
- (b) in preparations containing 5% or less of monoethanolamine.

MORANTEL except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 10% or less of morantel.

MOXIDECTIN:

- (a) in preparations for external use containing 2.5% or less of moxidectin when packed in single dose tubes for the treatment of cats and dogs; or
- (b) in preparations for external use containing 2% or less of moxidectin for the treatment of animals; or
- (c) in preparations for internal use containing 10% or less of moxidectin for the treatment of sheep or cattle;

except when included in Schedule 5.

MSMA in herbicide or defoliant preparations containing 10% or less of MSMA.

NALED **except** when included in Schedule 5.

NAPHTHALENE (excluding its derivatives) except in liquid hydrocarbons.

1,5-NAPHTHALENEDIOL except:

- (a) in non-oxidative hair dye preparations containing 1% or less of 1,5-naphthalenediol whe the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 1% or less of 1,5-naphthalenediol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

2,7-NAPHTHALENEDIOL except:

- (a) in non-oxidative hair dye preparations containing 1% or less of 2,7-naphthalenediol whe the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 1% or less of 2,7-naphthalenediol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

- 1-NAPHTHOL **except** in hair dye preparations containing 1% or less of 1-naphthol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

NAPHTHALOPHOS in preparations containing 80% or less of naphthalophos.

NARASIN in animal feed premixes containing 12% or less of narasin.

NETOBIMIN for the treatment of animals **except** when included in Schedule 5.

NICKEL SULFATE.

NIMIDANE in preparations containing 25% or less of nimidane.

NITENPYRAM except in divided preparations containing 100 mg or less of nitenpyram.

NITRIC ACID (excluding its salts and derivatives) except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 0.5% or less of nitric acid (HNO₃).

NITROBENZENE except:

- (a) in solid or semi-solid polishes; or
- (b) in soaps containing 1% or less of nitrobenzene; or
- (c) in other preparations containing 0.1% or less of nitrobenzene.

3-NITRO-p-HYDROXYETHYLAMINOPHENOL except

- (a) in non-oxidative hair dye preparations containing 1.85% or less of 3-nitro-*p*-hydroxyethylaminophenol after mixing when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

- (b) in oxidative hair dye preparations containing 3% or less of 3-nitro-p-hydroxyethylaminophenol after mixing under oxidative conditions when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height.

NITROPHENOLS, ortho, meta and para, except when separately specified in these Schedules.

NITROPRUSSIDES in preparations containing 2.5% or less of nitroprussides **except** when include in Schedule 4.

NITROUS OXIDE except when included in Schedule 4.

NITROXYNIL.

NONOXINOL 9 except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 25% or less of nonoxinol 9 when labelled with the statements
 - (i) IRRITANT; and
 - (ii) Avoid contact with eyes; or
- (c) in preparations containing 12.5% or less of nonoxinol 9; or
- (d) in preparations for human use.

1-OCTEN-3-OL **except** in preparations containing 5% or less of 1-octen-3-ol.

OCTHILINONE **except** in paints, jointing compounds and sealants containing 1% or less of octhilinone calculated on the non-volatile content.

N-(*N*-OCTYL)-2-PYRROLIDONE **except**:

- (a) when included in Schedule 5; or
- (b) in preparations containing 25% or less of designated solvents.

OLAQUINDOX except in preparations containing 10% or less of olaquindox.

N-OLEYL-1,3-DIAMINOPROPANE.

OMETHOATE in preparations containing 30% or less of omethoate **except** when included in Schedule 5.

OXADIAZON.

OXALIC ACID except

- (a) in dental care preparations, including mouthwashes, containing 3% or less of soluble salof oxalic acid; or
- (b) its insoluble salts.

OXYCLOZANIDE.

PAECILOMYCES LILACINUS STRAIN 251.

PARAFORMALDEHYDE (excluding its derivatives) in preparations containing 0.05% or more of free formaldehyde **except**:

- (a) for human therapeutic use; or
- (b) in oral hygiene preparations; or
- (c) in nail hardener cosmetic preparations containing 5% or more of free formaldehyde; or
- (d) in nail hardener cosmetic preparations containing 0.2% or less of free formaldehyde who labelled with the statement:

PROTECT CUTICLES WITH GREASE OR OIL; or

- (e) in all other cosmetic preparations; or
- (f) in other preparations containing 0.2% or less of free formaldehyde when labelled with th warning statement:

CONTAINS FORMALDEHYDE.

PARATHION-METHYL in aqueous preparations containing 45% or less of microencapsulated parathion-methyl.

PARBENDAZOLE.

PEBULATE.

PENNYROYAL OIL except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 15 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (c) in preparations containing 4% or less of **D**-pulegone.

PENTACHLOROPHENOL in preparations containing 1.5% or less of pentachlorophenol.

PERACETIC ACID except when included in Schedule 5.

PERFLUIDONE.

PERMANGANATES **except** potassium permanganate in aqueous solutions containing 1% or less potassium permanganate.

PERMETHRIN except:

- (a) when included in Schedule 4 or 5; or
- (b) in preparations for human therapeutic use containing 5% or less of permethrin; or
- (c) in preparations containing 2% or less of permethrin.

2-PHENOXYETHANOL except:

- (a) in cosmetic preparations containing 1% or less of 2-phenoxyethanol; or
- (b) in other preparations containing 15% or less of 2-phenoxyethanol.

PHENOL, including cresols and xylenols and any other homologue of phenol boiling below 220°C except:

- (a) when separately specified in these Schedules; or
- (b) in preparations containing 1% or less of phenols, and in preparations containing 3% or le of cresols and xylenols and other homologues of phenol.

PHENOTHIAZINE (excluding its derivatives) **except** in preparations containing 10% or less of phenothiazine.

PHENOXYMETHYL OXIRANE.

PHENYLENEDIAMINES including alkylated, arylated, halogenated and nitro derivatives not elsewhere specified in these Schedules:

- (a) in preparations packed and labelled for photographic purposes; or
- (b) in preparations packed and labelled for testing water **except** tablets containing 10 mg or less of diethyl-para-phenylenediamine or dimethyl-para-phenylenediamine in opaque strip packaging provided the directions for use include the statement, "Do not discard testing solutions into the pool"; or
- (c) in hair dye preparations **except** when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and

(ii) WARNING – This product contains ingredients which may cause skin irritation to certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

(d) in eyelash and eyebrow tinting products when the immediate container and primary pacl are labelled with the following statement:

WARNING – This product contains ingredients which may cause skin irritation to certain individuals, and when used for eyelash and eyebrow tinting may cause injury to the eye. A preliminary test according to the accompanying directions should be made before use:

written in letters not less than 1.5 mm in height.

PHENYL METHYL PYRAZOLONE **except** when used in hair dye and eyebrow/eyelash preparations at a concentration of 0.25% or less after mixing for use when the immediate container and primary pack are labelled with warning statements to the following effect:

KEEP OUT OF REACH OF CHILDREN; and

(b) WARNING – This product contains ingredients which may cause skin sensitisation to certain individuals. A preliminary test according to the accompanying directions should be made before use.

written in letters not less than 1.5 mm in height.

PHOSALONE.

PHOSMET.

PHOSPHORIC ACID (excluding its salts and derivatives) except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 15% or less of phosphoric acid (H₃PO₄); or
- (c) in solid or semi-solid preparations; or
- (d) in professional dental kits.

PHOXIM.

o-PHTHALALDEHYDE except when included in Schedule 5.

PICRAMIC ACID including its salts (excluding other derivatives) **except** when used in hair dye products at a concentration of 0.6% or less of picramic acid after mixing for use when the immediate container and primary pack are labelled with the following statements:

- (a) KEEP OUT OF REACH OF CHILDREN; and
- (b) WARNING This product contains ingredients which may cause skin allergy to certain individuals. A preliminary test according to the accompanying directions should be mad before use. This product must not be used for dyeing eyelashes or eyebrows; to do so m be injurious to the eye;

written in letters not less than 1.5 mm in height.

PINDONE.

PINE OILs when packed and labelled as a herbicide except when included in Schedule 5.

PINOXADEN except when included in Schedule 5.

PIPEROPHOS.

PIRIMICARB except when included in Schedule 5.

PIRIMIPHOS-ETHYL.

PIRIMIPHOS-METHYL.

POLIHEXANIDE except:

- (a) in cosmetic preparations containing 0.3% or less of polihexanide; or
- (b) when packed and labelled for therapeutic use; or
- (c) in other preparations containing 5% or less of polihexanide.

POLIXETONIUM SALTS except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 1% or less of polixetonium salts.

POTASSIUM AZELOYL DIGLYCINATE **except** in preparations for cosmetic use containing 1% less of potassium azeloyl diglycinate.

POTASSIUM BROMATE except in preparations containing 0.5% or less of potassium bromate.

POTASSIUM CYANATE.

POTASSIUM HYDROXIDE (excluding its salts and derivatives) **except**:

- (a) when included in Schedule 5 or Schedule 10; or
- (b) in preparations containing 5% or less of potassium hydroxide being:
 - (i) solid preparations, the pH of which in a 10 g/L aqueous solution is 11.5 or less; or
 - (ii) liquid or semi-solid preparations, the pH of which is 11.5 or less.

POTASSIUM NITRITE in preparations containing 40% or less of potassium nitrite except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 0.5% or less of potassium nitrite; or
- (c) when present as an excipient in preparations for therapeutic use; or
- (d) in aerosols containing 2% or less of potassium nitrite.

POTASSIUM PEROXOMONOSULFATE TRIPLE SALT except:

- (a) when included in Schedule 5; or
- (b) in solid orthodontic device cleaning preparations, the pH of which as an "in-use" aqueou solution is 2.5 or more, but not more than 11.5; or
- (c) in preparations containing 5% or less of potassium peroxomonosulfate triple salt being:
 - (i) solid preparations, the pH of which in a 10 g/L aqueous solution is 2.5 or more; or
 - (ii) liquid or semi-solid preparations, the pH of which is 2.5 or more.

POTASSIUM PERSULFATE in hair preparations.

PRALLETHRIN (cis:trans=20:80) except:

- (a) when included in Schedule 5; or
- (b) in insecticidal mats containing 1% or less of prallethrin.

PROCHLORAZ.

PROFENOFOS.

PROMACYL.

PROPACHLOR.

PROPARGITE.

PROPETAMPHOS.

PROPICONAZOLE except when included in Schedule 5.

PROPINEB.

PROPIONIC ACID (excluding its salts and derivatives) except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 30% or less of propionic acid; or
- (c) for therapeutic use.

PROPOXUR except when included in Schedule 5.

n-PROPYL ALCOHOL **except:**

- (a) when included in Schedule 5; or
- (b) in preparations containing 5% or less of *n*-propyl alcohol; or
- (c) in preparations for cosmetic or therapeutic use other than in spray form.

PROQUINAZID.

PROSULFOCARB.

PROSULFURON.

PROTHIOFOS.

D-PULEGONE **except** in preparations containing 4% or less of d-pulegone.

PYRACLOFOS.

PYRAZOPHOS.

PYRIDABEN except when included in Schedule 5.

PYRIDALYL.

PYRIDATE.

PYRIPROLE.

PYRITHIONE COPPER.

PYRITHIONE ZINC except:

- (a) when included in Schedule 2 or 5; or
- (b) for human use in preparations for the treatment of the scalp containing 2% or less of pyrithione zinc when compliant with the requirements of the required advisory statement for medicine labels; or
- (c) in semi-solid hair preparations for animal use; or
- (d) in shampoos for animal use containing 2% or less of pyrithione zinc when labelled with the statements "Keep out of eyes" and "If in eyes rinse well with water"; or
- (e) when immobilised in solid preparations containing 0.5% or less of pyrithione zinc; or
- (f) in paints, jointing materials or sealants containing 0.1% or less of pyrithione zinc calculated on the non-volatile content.

PYRIOFENONE except when included in Schedule 5.

PYROXASULFONE.

PYROXSULAM.

QUATERNARY AMMONIUM COMPOUNDS except:

- (a) when separately specified in these Schedules; or
- (b) when included in Schedule 5; or
- (c) dialkyl or dialkoyl quaternary ammonium compounds where the alkyl or alkoyl groups ϵ derived from tallow or hydrogenated tallow or similar chain length (C16/C18) sources;
- (d) in preparations containing 5% or less of such quaternary ammonium compounds.

QUININE in cosmetic preparations except:

- (a) in rinse-off hair preparations containing 0.5% or less of quinine calculated as free base;
- (b) in leave-on hair preparations containing 0.2% or less of quinine calculated as free base.

QUINOLINE and its salts (excluding other derivatives).

QUIZALOFOP ETHYL.

QUIZALOFOP-p-ETHYL except when included in Schedule 5.

QUIZALOFOP-p-TEFURYL.

RESCALURE for agricultural use **except** when enclosed in a vapour releasing device which in normal use prevents access to its contents.

RESMETHRIN except when included in Schedule 5.

RESORCINOL except:

- (a) in preparations for human therapeutic use; or
- (b) in oxidative hair dye preparations containing 1.25% or less of resorcinol after mixing for use when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

- (c) in oxidative eyelash and eyebrow dye preparations containing 1.25% or less of resorcinc after mixing for use when the immediate container and primary pack are labelled with t following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin sensitisation certain individuals. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height; or

- (d) in hair lotions/shampoo products containing 0.5% or less of resorcinol when the immediate container and primary pack are labelled with the following statement:
 - WARNING This product contains ingredients which may cause skin sensitisation certain individuals;

written in letters not less than 1.5 mm in height.

ROTENONE except in solid or semi-solid preparations containing 2% or less of rotenone.

SAFROLE except:

(a) for internal use; or

(b) in other preparations containing 1% or less of safrole.

SAGE OIL (Dalmatian) except:

- (a) in medicines for human therapeutic use, when packed in containers having a nominal capacity of 15 mL or less fitted with a restricted flow insert and a child-resistant closure and compliant with the requirements of the required advisory statements for medicine labels; or
- (b) in preparations other than medicines for human therapeutic use, when packed in contain having a nominal capacity of 15 mL or less fitted with a restricted flow insert and a child-resistant closure and labelled with the warnings:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) NOT TO BE TAKEN; or
- (c) in preparations containing 4% or less of thujone.

SALINOMYCIN in animal feed premixes containing 12% or less of antibiotic substances.

SAROLANER **except** when included in Schedule 5.

SASSAFRAS OIL except:

- (a) for internal use; or
- (b) in other preparations containing 1% or less of safrole.

SELENIUM:

- (a) in preparations containing 2.5% or less of selenium when packed and labelled:
 - (i) for the blueing of gun barrels; or
 - (ii) for photographic purposes; or
 - (iii) for the colouring of lead or lead alloys; or
- b) in coated granules containing 1% or less of selenium for application to pasture **except** in fertilisers containing 200 g/tonne or less of selenium; or
- (c) for the treatment of animals:
 - (i) in a drench, injection, paste, stocklick, vaccine or horse feed supplement containing 0.5% or less of selenium; or
 - (ii) in animal feed premixes containing 2% or less of selenium for the preparation of feeds containing 1 g/tonne or less of selenium; or

- (iii) in controlled release bolus preparations containing 25 mg or less of selenium with a release rate not greater than 0.25 mg/day; or
- (iv) as barium selenate in preparations for injection containing 5% or less of selenium.

SEMDURAMICIN in animal feed premixes for coccidiosis prevention containing 5% or less of antibiotic substances.

SILICOFLUORIDES except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 15 mg/kg or less of fluoride ion.

SILVER NITRATE **except**:

- (a) when included in or expressly excluded from Schedule 2; or
- (b) in preparations containing 1% or less of silver.

SINBIOALLETHRIN except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 1% or less of sinbioallethrin.

SODIUM ALUMINATE (excluding its salts and derivatives) except:

- (a) in solid preparations, the pH of which in a 10 g/L aqueous solution is 11.5 or less; or
- (b) in liquid preparations, the pH of which is 11.5 or less.

SODIUM BROMATE except in preparations containing 0.5% or less of sodium bromate.

SODIUM HYDROXIDE (excluding its salts and derivatives) except:

- (a) when included in Schedule 5 or Schedule 10; or
- (b) in preparations containing 5% or less of sodium hydroxide being:
 - (i) solid preparations, the pH of which in a 10 g/L aqueous solution is 11.5 or less; or
 - (ii) liquid or semi-solid preparations, the pH of which is 11.5 or less.

SODIUM NITRITE:

- (a) in preparations containing 15% or less of sodium nitrite except:
 - (i) when included in Schedule 2 or 5; or
 - (ii) in preparations containing 0.5% or less of sodium nitrite; or

- (iii) when present as an excipient in preparations for therapeutic use; or
- (iv) in aerosols containing 2% or less of sodium nitrite; or
- (b) for use in closed-loop water treatment systems (products).

SODIUM PERCARBONATE (CAS No. 15630-89-4) except:

- (a) when included in Schedule 5; or
- (b) in preparations containing 15% or less of sodium percarbonate.

SODIUM PERSULFATE:

- (a) in hair preparations; or
- (b) in products for the treatment of water for swimming pools and spas.

SODIUM SULFIDE in preparations for use as insect lures.

SPIROPIDION.

SPIROTETRAMAT.

SPIROXAMINE.

SULCOFURON in preparations for the treatment of carpets during manufacture.

SULFAMIC ACID (excluding its salts and derivatives) except when included in Schedule 5.

SULFLURAMID.

SULFOXAFLOR except when included in Schedule 5.

SULFURIC ACID (excluding its salts and derivatives) except:

- (a) in fire extinguishers; or
- (b) in preparations containing 0.5% or less of sulfuric acid (H₂SO₄).

SULFURYL FLUORIDE.

SULPROFOS.

2,4,5-T.

$\it N$ -TALLOW ALKYL-1,3-PROPANEDIAMINE DIACETATE and TALLOW ALKYLAMINE ACETATES.

TAR ACIDS distilling within the range 230-290°C inclusive.

TCMTB (2-[thiocyanomethylthio]benzothiazole).

TDE (1,1-dichloro-2,2-bis[4-chlorophenyl]ethane) **except** when included in Schedule 5.

TEBUFENPYRAD.

TEBUTHIURON.

TEMEPHOS except when in Schedule 5.

TERBUTHYLAZINE except in preparations containing 5% or less of terbuthylazine.

TERPENES, CHLORINATED.

TESTOSTERONE in implant preparations for use in animals.

TETRACHLOROETHYLENE except:

- (a) when included in Schedule 2 or 5; or
- (b) in preparations containing 6% or less of tetrachloroethylene when absorbed into an inert solid; or
- (c) in preparations for the treatment of animals.

TETRACONAZOLE except when included in Schedule 5.

TETRADIFON.

TETRAHYDROFURFURYL ALCOHOL (excluding its derivatives).

2,2',6,6'-TETRAISOPROPYL-DIPHENYL-CARBODIIMIDE in amitraz formulations containing 2% or less of 2,2',6,6'-tetraisopropyl-diphenyl-carbodiimide.

TETRAMISOLE in preparations for the treatment of animals.

THIACLOPRID.

THIAMETHOXAM except when included in Schedule 5.

THIAZAFLURON.

THIODICARB **except** when included in Schedule 5.

THIOMETON.

THIOPHANATE-METHYL **except** when included in Schedule 5.

THIOUREA AND ALKYL THIOUREAS except:

- (a) when separately specified in these Schedules; or
- (b) for therapeutic use.

THIRAM except in paint containing 0.5% or less of thiram.

THUJONE **except** in preparations containing 4% or less of thujone.

THYMOL when packed and labelled for use as a pesticide.

TIGOLANER **except** when in Schedule 5.

TOLUENE (excluding its derivatives) **except** in preparations containing 50% or less of toluene or toluene and xylene.

TOLUENEDIAMINES not elsewhere specified in these Schedules:

- (a) in hair dye preparations **except** when the immediate container and primary pack are labelled with the following statements:
 - (i) KEEP OUT OF REACH OF CHILDREN; and
 - (ii) WARNING This product contains ingredients which may cause skin irritation to certain individuals. A preliminary test according to the accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye;

written in letters not less than 1.5 mm in height; or

(b) in eyelash and eyebrow tinting products when the immediate container and primary pacl are labelled with the following statement:

WARNING – This product contains ingredients which may cause skin irritation to certain individuals, and when used for eyelash and eyebrow tinting may cause inju to the eye. A preliminary test according to the accompanying directions should be made before use;

written in letters not less than 1.5 mm in height; or

(c) in nail polish preparations containing 2,5-toluenediamine **except** when labelled "avoid contact with skin".

TOLYLFLUANID.

TRANSFLUTHRIN **except**:

- (a) in preparations containing 1% or less of transfluthrin; or
- (b) in a cartridge for vaporiser use containing 600 mg or less of transfluthrin per cartridge.

TRIADIMEFON except:

- (a) when included in Schedule 5; or
- (b) in fertilisers containing 5 g/kg or less of triadimefon.

TRICHLORFON except metrifonate included in Schedule 4.

TRICHLOROACETIC ACID except:

- (a) when included in Schedule 4 or 5; or
- (b) in human dermal preparations containing 12.5% or less of trichloroacetic acid for the treatment of warts other than anogenital warts.

TRICHLOROETHYLENE except when included in Schedule 4.

TRICHLOROPHENOL.

TRICLABENDAZOLE except in preparations containing 20% or less of triclabendazole.

TRICLOPYR.

TRICLOSAN in cosmetic preparations for human use containing more than 0.3% of triclosan.

TRIDEMORPH.

TRIETHYL PHOSPHATE.

TRIFLUOROMETHANESULFONIC ACID.

TRINITROPHENOL (excluding its derivatives) **except**:

(a) in preparations for human therapeutic use; or

(b) in preparations containing 5% or less of trinitrophenol.

TRISODIUM NITRILOTRIACETATE **except** in preparations containing 20% or less of trisodium nitrilotriacetate.

VAMIDOTHION.

VINYL ACETATE MONOMER (excluding its derivatives) **except**:

- (a) in preparations for therapeutic use; or
- (b) in cosmetic preparations containing 0.01% or less of vinyl acetate as residual monomer a polymer; or
- (c) in other preparations containing 1% or less of vinyl acetate.

WARFARIN **except** when included in Schedule 4 or 5.

XYLENE (excluding its derivatives) **except** in preparations containing 50% or less of xylene or xylene and toluene.

ZERANOL in ear implants for use as a growth promotant in steer cattle.

ZETA-CYPERMETHRIN in preparations containing 10% or less of zeta-cypermethrin.

ZINC BORATE (excluding its derivatives) for use as an agricultural chemical.

ZINC CHLORIDE except:

- (a) when included in Schedule 2; or
- (b) in preparations containing 5% or less of zinc chloride.
- ZINC para-PHENOLSULFONATE **except** in preparations containing 5% or less of zinc para-phenolsulfonate.
- ZINC LACTATE in toothpaste **except** in toothpaste preparations containing 2.5% or less of zinc lactate and labelled with the statement:

Not recommended for children under twelve years of age.

ZINC SULFATE except:

- (a) when included in or expressly excluded from Schedule 4; or
- (b) in other preparations containing 5% or less of zinc sulfate.

ZIRAM in granular preparations.

ule 7—Dangerous poisons

See section 16, subsection 54(4) and sections 55, 56, 62 and 65. ABAMECTIN **except** when included in Schedule 5 or 6. ACIBENZOLAR-S-METHYL. ACRIFLAVINIUM CHLORIDE for veterinary use except when in Schedule 5. ACROLEIN. ACRYLONITRILE. ALACHLOR. ALDICARB. ALDOXYCARB. ALLYL ALCOHOL except: (a) in preparations containing 5% or less of allyl esters with 0.1% or less of free allyl alcohological states of the second of by weight of allyl ester; or (b) when separately specified in these Schedules. ALPHA-CYPERMETHRIN except when included in Schedule 5 or 6. AMINOACRIDINE for veterinary use **except** when included in Schedule 5. AMINOCARB except when included in Schedule 6. 2-AMINO-5-METHYLPHENOL **except** when included in Schedule 10.

AMITON.

ARPRINOCID.

4-AMINOPROPIOPHENONE.

4-AMINOPYRIDINE except when included in Schedule 4.

ARSENIC except:

- (a) when separately specified in this Schedule; or
- (b) when included in Schedule 4 or 6; or
- (c) as selenium arsenide in photocopier drums; or
- (d) as 10,10'-oxydiphenoxarsine in silicone rubber mastic containing 120 mg/kg or less of arsenic; or
- (e) as 10,10'-oxydiphenoxarsine contained in polyvinyl chloride and polyurethane extruded and moulded articles containing 160 mg/kg or less of arsenic other than when included articles:
 - (i) in contact with foodstuffs, animal feeds or potable water; or
 - (ii) of clothing and footwear in contact with the skin; or
 - (iii) used as infant wear; or
 - (iv) intended for use as packaging materials; or
- (f) in animal feeds containing 75 g/tonne or less of arsenic; or
- (g) in paints containing 0.1% or less of arsenic calculated on the non-volatile content of the paint.

AZAFENIDIN.

AZINPHOS-ETHYL.

AZINPHOS-METHYL.

AZOCYCLOTIN.

AZO DYES that are derivatives by diazotisation of any of the following substances:

- (a) p-aminoazobenzene (CAS No. 60-09-3);
- (b) o-aminoazotoluene (CAS No. 97-56-3);
- (c) *o*-anisidine (CAS No. 90-04-0);
- (d) p-chloroaniline (CAS No. 106-47-8);
- (e) 4-chloro-o-toluidine (CAS No. 95-69-2);
- (f) 2,4-diaminoanisole (CAS No. 615-05-4);
- (g) 6-methoxy-*m*-toluidine (p-cresidine) (CAS No. 120-71-8);

- (h) 4,4-methylenedianiline (CAS No. 101-77-9);
- (i) 2-naphthylamine (CAS No. 91-59-8);
- (j) 5-nitro-o-toluidine (CAS No. 99-55-8);
- (k) 2,4-toluenediamine (CAS No. 95-80-7);
- (1) *o*-toluidine (CAS No. 95-53-4);
- (m) 2,4,5-trimethylaniline (CAS No. 137-17-7);

except for BASIC RED 76 (CAS No. 68391-30-0) when included in Schedule 6.

BENDIOCARB except when included in Schedule 5 or 6.

BENOMYL **except** in paints containing 0.5% or less of benomyl.

BENZENE (excluding its derivatives) except:

- (a) preparations containing 15 mL/L or less of benzene; or
- (b) petrol containing 50 mL/L or less of benzene.

BENZIDINE-BASED AZO DYES being:

- (a) 2,2'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[*N*-(4-chlorophenyl)-3-oxobutanamide] (CAS N 94249-03-3); or
- (b) Acid Red 85 (Acid Fast Red A): 1,3-Naphthalenedisulfonic acid, 7-hydroxy-8-[[4'-[[4-[[(4-methylphenyl)sulfonyl]oxy]phenyl]azo] [1,1'-biphenyl]-4-yl]azo]-, disodium salt (CAS No. 3567-65-5); or
- (c) C.I Acid Black 29: (CAS No. 12217-14-0); or
- (d) C.I. Direct Orange 1: (CAS No. 54579-28-1); or
- (e) Direct Black 38: 2,7-Naphthalenedisulfonic acid, 4-amino-3-[[4'-[(2,4-diaminophenyl)az [1,1'-biphenyl]-4-yl]azo]-5-hydroxy-6-(phenylazo)-, disodium salt (CAS No. 1937-37-7 or
- (f) Direct Blue 2: 2,7-Naphthalenedisulfonic acid, 5-amino-3-[[4'-[(7-amino-1-hydroxy-3-sulfo-2-naphthalenyl)azo] [1,1'-biphenyl]-4-yl]azo]-4-hydroxy-, trisodium salt (CAS No. 2429-73-4); or
- (g) Direct Blue 6: 2,7-Naphthalenedisulfonic acid, 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[5-amino-4-hydroxy-, tetrasodium salt (CAS N 2602-46-2); or

- (h) Direct Brown 2: 5-[[4'-[(7-amino-1-hydroxy-3-sulfo-2-naphthalenyl)azo] [1,1'-biphenyl]-4-yl]azo]-2-hydroxy- benzoic acid disodium salt (CAS No. 2429-82-5);
- (i) Direct Brown 95: Cuprate(2-), [5-[[4'-[[2,6-dihydroxy-3-[(2-hydroxy-5-sulfophenyl)azo]phenyl]azo] [1,1'-biphenyl]-4-yl]azo]-2-hydroxybenzoato(4-)]-, disodium salt (CAS No. 16071-86-6 or
- (j) Direct Green 1: 2,7-Naphthalenedisulfonic acid, 4-amino-5-hydroxy-3-[[4'-[(4-hydroxyphenyl)azo] [1,1'-biphenyl]-4-yl]azo]-6-(phenylazo)-, disodium salt (CAS No. 3626-28-6); or
- (k) Direct Green 6: 2,7-Naphthalenedisulfonic acid, 4-amino-5-hydroxy-6-[[4'-[(4-hydroxyphenyl)azo] [1,1'-biphenyl]-4-yl]azo]-3-[(4-nitrophenyl)azo]-, disodium salt (CAS No. 4335-09-5);
- (l) Direct Red 28 (Congo Red): 1-Naphthalenesulfonic acid, 3,3'-[[1,1'-biphenyl]-4,4'-diylbis(azo)]bis[4-amino-, disodium salt (CAS No. 573-58-0); or
- (m) Direct Red 37: 1,3-Naphthalenedisulfonic acid, 8-[[4'-[(4-ethoxyphenyl)azo] [1,1'-biphenyl]-4-yl]azo]-7-hydroxy-, disodium salt (CAS No. 3530-19-6).

BENZIDINE-CONGENER (3,3'-disubstituted) AZO DYES.

BETACYFLUTHRIN except when included in Schedule 5 or 6.

BIFENTHRIN except:

- (a) when included in Schedule 6; or
- (b) in preparations containing 0.5% or less of bifenthrin.

BIFLUORIDES (including ammonium, potassium and sodium salts) **except** when included in Schedule 5 or 6.

BORON TRIFLUORIDE except when included in Schedule 5 or 6.

BRODIFACOUM **except** when included in Schedule 6.

BROMADIOLONE except when included in Schedule 6.

BROMETHALIN except when included in Schedule 6.

BROMINE (excluding its salts and derivatives).

BRUCINE **except** in alcohol containing 0.02% or less of brucine as a denaturant.

CACODYLIC ACID except:

- (a) when included in Schedule 6; or
- (b) in animal feeds containing 75 g/tonne or less of arsenic.

CADUSAFOS except when included in Schedule 6.

CALCIFEROL for use as a rodenticide **except** when included in Schedule 6.

CAPTAFOL.

CARBADOX.

CARBENDAZIM **except** in paints, jointing compounds and sealants containing 0.1% or less of carbendazim.

CARBOFURAN.

CARBON TETRACHLORIDE **except** in chlorinated rubber based paint containing 1% or less of carbon tetrachloride.

CARBONYL SULFIDE when packed and labelled for use as a fumigant.

CARBOPHENOTHION.

CARBOSULFAN.

CHLORDECONE.

CHLORDIMEFORM.

CHLORFENAPYR except when included in Schedule 5 or 6.

CHLORFENVINPHOS.

CHLORINE (excluding its salts and derivatives).

CHLORHEXIDINE except:

- (a) when included in Schedule 5 or 6; or
- (b) in preparations containing 1% or less of chlorhexidine; or

(c) in solid preparations.

CHLOROMETHIURON.

5-CHLORO-3-METHYL-4-NITROPYRAZOLE.

4-CHLORO-o-TOLUIDINE.

CHLOROPICRIN except when included in Schedule 6.

CHLORTHIOPHOS.

COLECALCIFEROL for use as a rodenticide.

COUMAPHOS except when included in Schedule 6.

COUMATETRALYL **except** when included in Schedule 5 or 6.

CREOSOTE derived from coal.

CREOSOTE derived from beechwood.

CYANIDES, metallic except:

- (a) ferricyanides; or
- (b) ferrocyanides; or
- (c) when separately specified in these Schedules.

CYANOGEN.

CYCLOSILAZANES, DI-ME, ME HYDROGEN, POLYMERS WITH DI-ME, ME HYDROGEN SILAZANES, REACTION PRODUCTS WITH 3-(TRIETHOXYSILYL)-1-PROPANAMIN (CAS 475645-84-2) except when included in Schedule 6.

CYHALOTHRIN (aRS,1R,cis,Z):(aRS,1S,cis,Z) = 50:50.

CYHEXATIN.

DELTAMETHRIN except:

- (a) when included in Schedule 5 or 6; or
- (b) in factory prepared mosquito nets containing 1% or less of deltamethrin; or

Therapeutic Goods (Poisons Standard—June 2023) Instrument 2023 (c) in preparations containing 0.1% or less of deltamethrin. DEMETON. DEMETON-O-METHYL. DEMETON-S-METHYL. DIALIFOS. 4,4-DIAMINODIPHENYLMETHANE (Methylene dianiline). 1,2-DIBROMO-3-CHLOROPROPANE. 1,3-DICHLOROPROPENE except in biocidal preparations containing 0.3% or less of 1,3-dichloropropene. DICHLORVOS except when included in Schedule 5 or 6. DICROTOPHOS. DIFENACOUM except when included in Schedule 6. DIFETHIALONE **except** when included in Schedule 6. DIMEFOX. 4-DIMETHYLAMINOAZOBENZENE (*N*,*N*-dimethyl-4-[phenylazo]-benzenamine). DIMETHYL SULFATE. DIMETILAN. DINITROCRESOLS **except** when included in Schedule 4 or 6. DINITROPHENOLS except when included in Schedule 4, 6 or 10. DINOCAP.

https://www.legislation.gov.au/Details/F2023L00617

DIQUAT **except** when included in Schedule 6.

DINOSEB.

DISULFOTON except when included in Schedule 6.

DORAMECTIN except when included in Schedule 5 or 6.

DSMA except when included in Schedule 6.

EMAMECTIN **except** when included in Schedule 5 or 6.

ENDOSULFAN except when included in Schedule 6.

ENDOTHAL **except** when included in Schedule 6.

ENDRIN.

EPICHLOROHYDRIN.

EPIDERMAL GROWTH FACTOR except in preparations for human therapeutic use.

EPRINOMECTIN **except** when included in Schedule 5 or 6.

ETACONAZOLE.

ETHALFLURALIN.

ETHION.

ETHOPROPHOS except when included in Schedule 6.

2-ETHOXYETHANOL and its acetates **except** in preparations containing 0.5% or less of 2-ethoxyethanol.

ETHYLENE DIBROMIDE.

ETHYLENE OXIDE.

FAMPHUR **except** when included in Schedule 6.

FENAMIPHOS **except** when included in Schedule 6.

FENOXACRIM except:

- (a) when included in Schedule 6; or
- (b) in treated carpets.

FENSULFOTHION.

FENTHION except when included in Schedule 5 or 6.

FENTHION-ETHYL.

FLOCOUMAFEN except when included in Schedule 6.

FLUCOFURON except:

- (a) when included in Schedule 6; or
- (b) in treated carpets.

FLUCYTHRINATE.

FLUMIOXAZIN except when included in Schedule 6.

FLUOROACETAMIDE.

FLUOROACETIC ACID.

FOLPET.

FORMETANATE.

FOSTHIAZATE.

FURATHIOCARB except when included in Schedule 5.

GAMMA-CYHALOTHRIN except when included in Schedule 5.

HALOFUGINONE except when included in Schedule 4.

HALOGENATED DIBENZODIOXINS AND DIBENZOFURANS.

HCB.

HYDROCARBONS LIQUID AROMATIC (including aromatic extract oils), any fraction of which boils above 350°C **except**:

- (a) when in solid polymers; or
- (b) when containing 1% or less of total polycyclic aromatic compounds as measured by IP 346; or

(c) when having a Mutagenicity Index of zero as measured by ASTM E1687-95.

HYDROCYANIC ACID except:

- (a) when included in Schedule 4; or
- (b) its salts and derivatives other than cyanides separately specified in this Schedule.

HYDROFLUORIC ACID (excluding its salts and derivatives) **except** when included in Schedule 5 or 6.

HYDROGEN SULFIDE.

HYDROSILICOFLUORIC ACID (excluding its salts and derivatives) **except** when included in Schedule 5 or 6.

IODOMETHANE.

ISOCARBOPHOS.

ISOFENPHOS.

ISOPROTURON.

IVERMECTIN except when included in Schedule 4 or 5.

LAMBDA-CYHALOTHRIN except when included in Schedule 5 or 6.

LEPTOPHOS.

LITHIUM PERFLUOROOCTANE SULFONATE **except** in sealed bait stations containing 1% or less of lithium perfluorooctane sulfonate.

MADURAMICIN except:

- (a) when included in Schedule 5; or
- (b) in animal feeds containing 5 mg/kg or less of antibiotic substances.

MALACHITE GREEN for veterinary use **except** when included in Schedule 5.

MAZIDOX.

MECARBAM.

2-METHOXYETHANOL and its acetates **except** in preparations containing 0.5% or less of 2-methoxyethanol.

MERCURIC CHLORIDE when prepared for use for agricultural, industrial, pastoral or horticultur purposes.

MERCURY except:

- (a) when separately specified in this Schedule; or
- (b) when included in Schedule 2, 4 or 6; or
- (c) in preparations containing 0.01% or less of mercury in organic form as a preservative; or
- (d) mercury (metallic) in scientific instruments; or
- (e) dental amalgams; or
- (f) in a sealed device, for therapeutic use, which prevents access to the mercury.

METHACRIFOS except when included in Schedule 6.

METHAMIDOPHOS.

METHAPYRILENE.

METHAZOLE.

METHIDATHION.

METHIOCARB **except** when included in Schedule 5 or 6.

METHOMYL except when included in Schedule 6.

METHOXYETHYLMERCURIC ACETATE.

METHOXYETHYLMERCURIC CHLORIDE.

METHYL BROMIDE.

METHYLCYCLOPENTADIENYL MANGANESE TRICARBONYL except:

- (a) when included in Schedule 6; or
- (b) when used in laboratory analysis; or
- (c) when packed for industrial use in containers with a nominal capacity of 100 L or more.

4,4'-METHYLENEBIS[2-CHLOROANILINE] (MOCA).

METHYLENE BLUE for veterinary use **except** when included in Schedules 4 or 5.

MEVINPHOS.

MIPAFOX.

MIREX.

MOLINATE.

MONOCROTOPHOS.

MOXIDECTIN except when included in Schedule 4, 5 or 6.

MSMA except when included in Schedule 6.

NAPHTHALOPHOS except when included in Schedule 6.

NICOTINE except:

- (a) when included in Schedule 4; or
- (b) in preparations for oromucosal or transdermal administration for human therapeutic use an aid in withdrawal from tobacco smoking; or
- (c) in tobacco prepared and packed for smoking.

NIMIDANE except when included in Schedule 6.

NITROFEN.

NITROPRUSSIDES except when included in Schedule 4 or 6.

2-NITROTOLUENE.

OMETHOATE except when included in Schedule 5 or 6.

OXAMYL.

OXYDEMETON METHYL.

PARAQUAT.

PARATHION.

PARATHION-METHYL except when included in Schedule 6.

PENTACHLOROPHENOL except when included in Schedule 6.

PHENYLMERCURIC ACETATE **except** in preparations containing 0.01% or less of mercury as a preservative.

PHORATE.

PHOSFOLAN.

PHOSPHIDES, METALLIC.

PHOSPHINE.

PHOSPHORUS, YELLOW (excluding its salts and derivatives).

POTASSIUM NITRITE except:

- (a) when included in Schedule 5 or 6; or
- (b) in preparations containing 0.5% or less of potassium nitrite; or
- (c) when present as an excipient in preparations for therapeutic use; or
- (d) in aerosols containing 2% or less of potassium nitrite.

PROCYMIDONE.

PROPYLENE OXIDE.

PYRINURON.

QUININE for veterinary use **except** when included in Schedule 5.

SAFLUFENACIL except when included in Schedule 5.

SCHRADAN.

SELENIUM except:

- (a) when included in Schedule 6; or
- (b) as selenium arsenide in photocopier drums; or

- (c) in preparations for therapeutic use other than:
 - (i) drench concentrates containing 2.5% or less of selenium; or
 - (ii) pour-on preparations containing 0.5% or less of selenium; or
- (d) in paints or tinters containing 0.1% or less of selenium calculated on the non-volatile content of the paint or tinter; or
- (e) in fertilisers containing 200 g/tonne or less of selenium.

SEMDURAMICIN except:

- (a) when included in Schedule 6; or
- (b) in animal feeds containing 25 mg/kg or less of antibiotic substances.

SODIUM NITRITE except:

- (a) when included in Schedule 2, 5 or 6; or
- (b) in preparations containing 0.5% or less of sodium nitrite; or
- (c) when present as an excipient in preparations for therapeutic use; or
- (d) in aerosols containing 2% or less of sodium nitrite.

STRYCHNINE except when included in Schedule 4.

SULCOFURON except:

- (a) when included in Schedule 6; or
- (b) in treated carpets.

SULFENTRAZONE.

SULFOTEP.

TEFLUTHRIN except when included in Schedule 5.

TEPP.

TERBUFOS.

TETRACHLOROETHANE.

2,2',6,6'-TETRAISOPROPYL-DIPHENYL-CARBODIIMIDE except when included in Schedule

THALLIUM.

THIOFANOX.

TIN ORGANIC COMPOUNDS, being dialkyl, trialkyl and triphenyl tin compounds where the alk group is methyl, ethyl, propyl or butyl **except**:

- (a) when separately specified in this Schedule; or
- (b) in plastics; or
- (c) in semi-solid sealants, adhesives or elastomers containing 1% or less of the dialkyl, triall or triphenyl tin component; or
- (d) in paint containing 1% or less of such compounds calculated as tin in the non-volatile content of the paint.

o-TOLIDINE except in solid-state diagnostic therapeutic reagents.

TRIAMIPHOS.

TRIAZBUTIL.

TRIBUFOS (S,S,S-tributylphosphorotrithioate).

VINCLOZOLIN.

VINYL CHLORIDE.

ZETA-CYPERMETHRIN except when included in Schedule 6.

ZIRAM **except** when included in Schedule 6.

ule 8—Controlled drugs

| Note 1: See paragraph 7(b), sections 16, 17, 28, 31, 50 and subsection 57(1). |
|--|
| Note 2: Substances marked # are listed in Appendix D. |
| ACETYLDIHYDROCODEINE. |
| ACETYLMETHADOL. |
| ACETYLMORPHINES. |
| ALFENTANIL. |
| ALPHACETYLMETHADOL. |
| ALPHAPRODINE. |
| # ALPRAZOLAM. |
| AMFETAMINE. |
| AMOBARBITAL except when included in Schedule 4. |
| ANILERIDINE. |
| BENZYLMORPHINE. |
| BEZITRAMIDE. |
| BUPRENORPHINE. |
| BUTOBARBITAL. |
| BUTORPHANOL. |
| # CANNABIS (including seeds, extracts, resins and the plant, and any part of the plant) when prepared or packed for human therapeutic use, when: |
| (a) cultivated or produced, or in products manufactured, in accordance with the <i>Narcotic Drugs Act 1967</i> ; and/or |

(b) for use in products manufactured in accordance with the Narcotic Drugs Act 1967; and/c

- (c) imported as therapeutic goods, or for use in therapeutic goods, for supply, in accordance with the Act; and/or
- (d) in the rapeutic goods supplied in accordance with the Act;

except:

- (e) when it is in a product to which item 4, 8, 10, 11 or 12 of Schedule 5A to the Therapeutic *Goods Regulations 1990* applies; or
- (f) when separately specified in the NABIXIMOLS entry in this Schedule; or
- (g) when captured by the CANNABIDIOL entry in Schedule 4 or Schedule 3; or
- (h) hemp seed oil containing 75 mg/kg or less of cannabidiol and 10 mg/kg or less of tetrahydrocannabinols.

CARFENTANYL.

COCAINE.

CODEINE except when included in Schedule 4.

CODEINE-N-OXIDE.

CONCENTRATE OF POPPY STRAW (the material arising when poppy straw has entered into a process for concentration of its alkaloids).

4-CYANO-1-METHYL-4-PHENYLPIPERIDINE (Pethidine intermediate A).

CYCLOBARBITAL.

DEXAMFETAMINE.

DEXTROMORAMIDE.

DEXTROPROPOXYPHENE except when included in Schedule 4.

DIFENOXIN **except** when included in Schedule 4.

DIHYDROCODEINE except when included in Schedule 3 or 4.

DIHYDROMORPHINE.

DIPHENOXYLATE **except** when included in Schedule 3 or 4.

DIPIPANONE. # DRONABINOL (delta-9-tetrahydrocannabinol) when prepared and packed for therapeutic use. DROTEBANOL. ESKETAMINE. ETHYLAMFETAMINE. ETHYLMORPHINE **except** when included in Schedule 2 or 4. FENTANYL. # FLUNITRAZEPAM. HYDROCODONE. HYDROMORPHINOL. HYDROMORPHONE. KETAMINE. LEVAMFETAMINE. LEVOMETHAMFETAMINE. LEVOMORAMIDE. LEVORPHANOL (excluding its stereoisomers). LISDEXAMFETAMINE. METHADONE. METAMFETAMINE. METHYLDIHYDROMORPHINE.

METHYLPHENIDATE.

1-METHYL-4-PHENYLPIPERIDINE-4-CARBOXYLIC ACID (Pethidine intermediate C).

MORPHINE.

MORPHINE METHOBROMIDE.

MORPHINE-N-OXIDE.

NABILONE.

NABIXIMOLS (botanical extract of *Cannabis sativa* which includes the following cannabinoids tetrahydrocannabinols, cannabidiol, cannabinol, cannabigerol, cannabichromene, cannabidiolic acid, tetrahydrocannabinolic acids, tetrahydrocannabivarol, and cannabidivaro where tetrahydrocannabinols and cannabidiol (in approximately equal proportions) comprise not less than 90% of the total cannabinoid content) in a buccal spray for human therapeutic use.

NORCODEINE.

NORMETHADONE.

OPIUM **except** the alkaloids noscapine in Schedule 2 and papaverine when included in Schedule 2 or 4.

OXYCODONE.

OXYMORPHONE.

PENTAZOCINE.

PENTOBARBITAL except when included in Schedule 4.

PETHIDINE.

PHENDIMETRAZINE.

PHENMETRAZINE.

PHENOPERIDINE.

4-PHENYLPIPERIDINE-4-CARBOXYLIC ACID ETHYL ESTER (Pethidine intermediate B).

PHOLCODINE except when included in Schedule 2 or 4.

PIRITRAMIDE.

PROPIRAM.

RACEMORAMIDE.

REMIFENTANIL.

SECBUTOBARBITAL.

SECOBARBITAL.

SODIUM OXYBATE for human therapeutic use.

SUFENTANIL.

TAPENTADOL.

TETRAHYDROCANNABINOLS when extracted from cannabis for human therapeutic use, who

- (a) included in products manufactured in accordance with the *Narcotic Drugs Act 1967*; and/or
- (b) imported as therapeutic goods, or for use in therapeutic goods, for supply, in accordance with the Act; and/or
- (c) in therapeutic goods supplied in accordance with the Act;

except when:

- (d) it is in a product to which item 4, 8, 10, 11 or 12 of Schedule 5A to the *Therapeutic Goo Regulations 1990* applies; or
- (e) separately specified in the NABIXIMOLS entry in this Schedule; or
- (f) captured by the CANNABIDIOL entry in Schedule 4 or Schedule 3; or
- (g) in hemp seed oil at a concentration of 10 mg/kg or less.

THEBACON.

THEBAINE.

TILIDINE.

ule 9—Prohibited substances

Note 1: See paragraph 7(b) and subsection 57(2).

Note 2: Trivial or unofficial names are marked *.

ACETORPHINE.

ACETYL-ALPHA-METHYLFENTANYL.

ALKOXYAMFETAMINES and substituted alkoxyamfetamines **except** when separately specified these Schedules.

ALKOXYPHENYLETHYLAMINES and substituted alkoxyphenylethylamines **except** when separately specified in these Schedules.

ALKYLTHIOAMFETAMINES and substituted alkylthioamfetamines **except** when separately specified in these Schedules.

ALLYLPRODINE.

ALPHAMEPRODINE.

ALPHA-METHYLFENTANYL.

ALPHA-METHYLTHIOFENTANYL.

ALPHAMETHADOL.

ALPHA-PYRROLIDINOVALEROPHENONE *(ALPHA-PVP).

2-AMINO-1-(2,5-DIMETHOXY-4-METHYL)PHENYLPROPANE *(STP or DOM).

5-(2-AMINOPROPYL)INDAN and substituted 5-(2-aminopropyl)indans **except** when separately specified in these Schedules.

BENZETHIDINE.

BENZOYLINDOLES **except** when separately specified in these Schedules.

BENZYLPIPERAZINE *(BZP).

BETACETYLMETHADOL.

BETA-HYDROXYFENTANYL.

BETA-HYDROXY-3-METHYLFENTANYL.

BETAMEPRODINE.

BETAMETHADOL.

BETAPRODINE.

1-(8-BROMOBENZO[1,2-B;4,5-B]DIFURAN-4-YL)-2-AMINOPROPANE *(Bromo-Dragonfly).

4-BROMO-2,5-DIMETHOXYPHENETHYLAMINE *(BDMPEA).

BUFOTENINE.

CANNABIS (including seeds, extracts, resins, and the plant and any part of the plant when packed prepared), **except**:

- (a) when separately specified in these Schedules; or
- (b) processed hemp fibre containing 0.1% or less of tetrahydrocannabinols and hemp fibre products manufactured from such fibre; or
- (c) hemp seed oil containing 75 mg/kg or less of cannabidiol and 10 mg/kg or less of tetrahydrocannabinols.

CATHINONES except when separately specified in these Schedules.

CLONAZOLAM.

CLONITAZENE.

COCA LEAF.

CODOXIME.

4-CYANO-2-DIMETHYLAMINO-4,4'-DIPHENYLBUTANE.

CYCLOHEXYLPHENOLS except:

(a) when separately specified in these Schedules; or

(b) in preparations containing 0.5% or less of cyclohexylphenols.

DESCHLOROETIZOLAM.

DESOMORPHINE.

N,*N*-DIALKYLAMINOCYCLOHEXYL ALKYL BENZAMIDES **except** when separately specific in these Schedules.

N,*N*-DIALKYLAMINOCYCLOHEXYLMETHYL ALKYL BENZAMIDES except when separate specified in these Schedules.

DIAMPROMIDE.

DIBENZOPYRANS except when separately specified in these Schedules.

3,4-DICHLORO-N-[(1R,2R)-2-(DIMETHYLAMINO)CYCLOHEXYL]-*N*-METHYLBENZAMII (U-47700).

3,4-DICHLORO-N-{[1- (DIMETHYLAMINO)CYCLOHEXYL]METHYL}BENZAMIDE * (AH-7921).

DICLAZEPAM.

DIETHYLTHIAMBUTENE.

N,N-DIETHYLTRYPTAMINE *(DET).

2,5-DIHYDRO-2-(1-METHYL-1-PHENYLETHYL)-5-PENTYL-1H-PYRIDO[4,3-B]INDOL-1-(SGT-151).

DIMENOXADOL.

DIMEPHEPTANOL.

- 2,5-DIMETHOXYAMFETAMINE *(DMA).
- 2,5-DIMETHOXY-4-BROMOAMFETAMINE *(DOB).
- 2,5-DIMETHOXY-4-ETHYL-*a*-AMFETAMINE *(DOET).
- 2,5-DIMETHOXY-4-ETHYLTHIOPHENETHYLAMINE *(2C-T-2).

2,5-DIMETHOXY-4-IODOPHENETHYLAMINE *(2C-I).

2,5-DIMETHOXY-4-(N)-PROPYLTHIOPHENETHYLAMINE *(2C-T-7).

3-(2-DIMETHYLAMINOETHYL)-4-HYDROXYINDOLE *(PSILOCINE or PSILOTSIN).

3-(1,2-DIMETHYLHEPTYL)-1-HYDROXY-7,8,9,10-TETRAHYDRO-6,6,9-TRIMETHYL-6H-DIBENZO (b,d) PYRAN *(DMHP).

N, α -DIMETHYL-3,4-(METHYLENEDIOXY)PHENYLETHYLAMINE *(MDMA).

N,N-DIMETHYLAMFETAMINE (Dimetamfetamine).

DIMETHYLTHIAMBUTENE.

N,*N*-DIMETHYLTRYPTAMINE *(DMT).

DIOXAPHETYL BUTYRATE.

ECGONINE.

N-ETHYL-α-METHYL-3,4-(METHYLENEDIOXY)PHENETHYLAMINE *(*N*-ETHYL MDA).

ETHYLMETHYLTHIAMBUTENE.

ETICYCLIDINE *(PCE).

ETONITAZENE.

ETORPHINE.

ETOXERIDINE.

FENETYLLINE.

4-FLUORO-N-METHYLAMFETAMINE.

FLUBROMAZEPAM.

FLUBROMAZOLAM.

1-(5-FLUOROPENTYL)-3-(2-IODOBENZOYL)INDOLE *(AM-694).

FURETHIDINE.

HARMALA ALKALOIDS except in herbs, or preparations, for therapeutic use:

- (a) containing 0.1% or less of harmala alkaloids; or
- (b) in divided preparations containing 2 mg or less of harmala alkaloids per recommended daily dose.

HEROIN.

3-HEXYL-1-HYDROXY-7,8,9,10-TETRAHYDRO-6,6,9-TRIMETHYL-6H-DIBENZO (b,d) PYRAN *(PARAHEXYL).

4-HYDROXYBUTANOIC ACID and its salts **except** for sodium oxybate when in Schedule 8. * (GAMMA HYDROXYBUTYRATE (GHB)).

2-[(1*R*,3*S*)-3-HYDROXYCYCLOHEXYL]-5-(2-METHYLNONAN-2-YL)PHENOL * (Cannabicyclohexanol or CP 47,497 C8 homologue).

2-[(1R,3S)-3-HYDROXYCYCLOHEXYL]-5-(2-METHYLOCTAN-2-YL)PHENOL*(CP 47,497)

HYDROXYPETHIDINE.

ISOMETHADONE.

KETOBEMIDONE.

LEVOMETHORPHAN (excluding its stereoisomers).

LEVOPHENACYLMORPHAN.

LYSERGIC ACID.

LYSERGIDE.

MECLONAZEPAM.

MECLOQUALONE.

METAZOCINE.

METHAQUALONE.

METHCATHINONE.

- 5-METHOXY- α –METHYLTRYPTAMINE *(5-MeO-AMT).
- 5-METHOXY-3,4-METHYLENEDIOXYAMFETAMINE *(MMDA).
- 4-METHOXY- α –METHYLPHENYLETHYLAMINE *(PMA).
- 2-(2-METHOXYPHENYL)-1-(1-PENTYLINDOL-3-YL)ETHANONE *(JWH-250).
- METHYL (2S, 4aR, 6aR, 7R, 9S, 10aS, 10bR)-9-ACETOXY-6a,10b-DIMETHYL-4,10-DIOXO-DODECAHYDRO-2-(3-FURYL)-*(SALVINORIN A).
- 4-METHYLAMINOREX.

METHYLDESORPHINE.

- 3,4-METHYLENEDIOXYAMFETAMINE *(MDA).
- 3,4-METHYLENEDIOXYPYROVALERONE *(MDPV).
- 3-METHYLFENTANYL.
- 4-METHYLMETHCATHINONE *(MEPHEDRONE).
- N- α -[METHYL-3,4-(METHYLENEDIOXY)PHENETHYL]HYDROXYLAMINE * (N-HYDROXY MDA).
- N-METHYL-1-(3,4-METHYLENEDIOXYPHENYL)-2-BUTANAMINE *(MBDB).
- 2-METHYL-3-MORPHOLINO-1, 1-DIPHENYLPROPANE CARBOXYLIC ACID (Moramide intermediate).

METHYLONE *(MDMC).

- 1-METHYL-4-PHENYL-4-PIPERIDINOL PROPIONATE *(MPPP).
- 4-METHYLTHIOAMFETAMINE.
- 3-METHYLTHIOFENTANYL.

METOPON.

MITRAGYNA SPECIOSA. MITRAGYNINE. MORPHERIDINE. (1-(2-MORPHOLIN-4-YLETHYL)INDOL-3-YL)-NAPTHALEN-1-YLMETHANONE * (JWH-200). MUSCIMOL. MYROPHINE. NAPHTHOYLINDOLES except when separately specified in these Schedules. NAPHTHYLMETHYLINDOLES **except** when separately specified in these Schedules. NAPHTHOYLPYRROLES except when separately specified in these Schedules. NAPHTHYLMETHYLINDENES **except** when separately specified in these Schedules. NAPHTHALEN-1-YL-(1-BUTYLINDOL-3-YL)METHANONE *(JWH-073). NICOCODINE. NICODICODINE. NICOMORPHINE. NIFOXIPAM. NORACYMETHADOL. NORLEVORPHANOL. NORMORPHINE. NORPIPANONE. PARA-FLUOROFENTANYL. 1-PENTYL-3-(4-METHYL-1-NAPTHOYL)INDOLE. *(JWH-122).

1-PENTYL-3-(1-NAPHTHOYL)INDOLE *(JWH-018). PHENADOXONE. PHENAMPROMIDE. PHENAZOCINE. PHENCYCLIDINE *(PCP). PHENIBUT. *N*-PHENETHYL-4-PIPERIDONE. PHENOMORPHAN. PHENYLACETYLINDOLES except when separately specified in these Schedules. 1-PHENYLETHYL-4-PHENYL-4-PIPERIDINOL ACETATE *(PEPAP). PIMINODINE. PROHEPTAZINE. PROPERIDINE. PSILOCYBINE. PYRAZOLAM. RACEMETHORPHAN. RACEMORPHAN. ROLICYCLIDINE *(PHP or PCPY). SALVIA DIVINORUM. SYNTHETIC CANNABINOMIMETICS except when separately specified in these Schedules. TENOCYCLIDINE *(TCP). TETRAHYDROCANNABINOLS and their alkyl homologues, except:

- (a) when included in Schedule 4 or Schedule 8; or
- (b) processed hemp fibre containing 0.1% or less of tetrahydrocannabinols, and hemp fibre products manufactured from such fibre; or
- (c) in hemp seed oil at a concentration of 10 mg/kg or less.

THIOFENTANYL.

1-(3-TRIFLUOROMETHYLPHENYL)PIPERAZINE *(TFMPP).

TRIMEPERIDINE.

- 3,4,5-TRIMETHOXY- α –METHYLPHENYLETHYLAMINE *(TMA).
- 3,4,5-TRIMETHOXYPHENETHYLAMINE (mescaline) and other substances structurally derived from methoxy-phenylethylamine **except**:
 - (a) methoxyphenamine; or
 - (b) when separately specified in this Schedule.
- 1-(3,4,5-TRIMETHOXYPHENYL)-2-AMINOBUTANE.

ule 10—Substances of such danger to health as to warrant prohibition of supply and use

Note 1: See subsection 57(2) and section 63.

Note 2: Schedule 10 contains substances previously included in Appendix C.

ABRUS PRECATORIUS (Jequirity) seed or root for therapeutic use.

ACORUS CALAMUS (calamus) for human therapeutic use.

ALKALINE SALTS, being the carbonate, silicate or phosphate salts of sodium or potassium alone in any combination for domestic use:

- (a) in liquid or semi-solid food additive preparations, the pH of which is more than 11.5; or
- (b) in solid automatic dishwashing preparations, the pH of which in a 500 g/L aqueous solution or mixture is more than 12.5; or
- (c) in liquid or semi-solid automatic dishwashing preparations, the pH of which is more than 12.5.

ALKYLAMINES WITH STIMULANT PROPERTIES **except** when separately specified in these schedules.

2-AMINO-5-METHYLPHENOL in preparations for cosmetic use.

AMINOPHENAZONE (amidopyrine) and its derivatives for human therapeutic use.

AMYGDALIN for therapeutic use.

ANCHUSA OFFICINALIS for therapeutic use.

o-ANISIDINE (excluding derivatives) in preparations for skin colouration (including tattooing) an dyeing of hair, eyelashes or eyebrows **except** in preparations containing 0.001% or less of o-anisidine.

APRONAL for therapeutic use.

ARISTOLOCHIA spp. for therapeutic use.

ARISTOLOCHIC ACID(S) for human therapeutic use.

ASARUM spp. containing aristolochic acid(s) for human therapeutic use.

- AZADIRACHTA INDICA (neem) including its extracts and derivatives, in preparations for humar internal use **except** "debitterised neem seed oil".
- BASIC ORANGE 31 (2-[(4-aminophenyl)azo]-1,3-dimethyl-1H-imidazolium chloride) in preparations for skin colouration and dyeing of eyelashes or eyebrows.
- 1,2-BENZENEDIAMINE in preparations for cosmetic use and skin colouration (including tattooing).
- 1,3-BENZENEDIAMINE in preparations for cosmetic use and skin colouration (including tattooing).

BITHIONOL for human therapeutic use.

BORAGO OFFICINALIS (Borage) for therapeutic use **except** the fixed oil derived from the seeds Borago officinalis.

BRAGANTIA spp. containing aristolochic acid(s) for human therapeutic use.

BUCLOSAMIDE for therapeutic use.

BUNIODYL SODIUM for therapeutic use.

1,4-BUTANEDIOL (excluding its derivatives) in non-polymerised form in preparations for domest use.

BUTYL BENZYL PHTHALATE for cosmetic use.

CACALIA spp. for therapeutic use.

CARBAMIDE PEROXIDE (excluding its salts and derivatives) in teeth whitening preparations containing more than 18% of carbamide peroxide **except** in preparations manufactured for, and supplied solely by, registered dental practitioners as part of their dental practice.

CARDARINE.

CHRYSOIDINE BASE in preparations for use in hair dyes.

CINCHOPHEN and its derivatives for therapeutic use.

CLIOQUINOL and other halogenated derivatives of oxyquinoline for human internal use **except** o when being used solely for experimental purposes in humans and where such use:

- (a) is in accordance with:
 - (i) an approval granted under paragraph 19(1)(b) of the Act, including any conditions specified in the notice of approval; and
 - (ii) any conditions specified in the *Therapeutic Goods Regulations 1990* for the purpos of subsection 19(1A) of the Act; and
 - (iii) any conditions specified in the *Therapeutic Goods Regulations 1990* for the purpos of subsection 19(4A) of the Act; or
- (b) is in accordance with the requirements of item 3 of Schedule 5A to the *Therapeutic Goo* Regulations 1990.

COAL TAR for cosmetic use other than in therapeutic goods.

CONIUM MACULATUM (coniine) for therapeutic use.

COTARNINE for therapeutic use.

CROTALARIA spp. for therapeutic use.

CROTON TIGLIUM for therapeutic use.

CYNOGLOSSUM spp. for therapeutic use.

DIBUTYL PHTHALATE for cosmetic use.

DICOPHANE (DDT) for therapeutic use.

DIETHYLENE GLYCOL for use in toothpastes or mouthwashes **except** in preparations containing 0.25% or less of diethylene glycol.

DIETHYLENE GLYCOL MONOMETHYL ETHER for cosmetic use.

DIETHYLHEXYL PHTHALATE for cosmetic use.

DIETHYLPHTHALATE in sunscreens, personal insect repellents or body lotion preparations for human use **except** in preparations containing 0.5% or less of diethylphthalate.

5,6-DIHYDROXYINDOLINE for cosmetic use in preparations containing more than 2% of 5,6-dihydroxyindoline.

DIIODOHYDROXYQUINOLINE (iodoquinol) for human internal use.

DIISOBUTYL PHTHALATE for cosmetic use.

1,3-DIMETHYLAMYLAMINE (DMAA).

1,3-DIMETHYLBUTYLAMINE (DMBA) except when separately specified in these schedules.

1-(1,1-DIMETHYLETHYL)-2-METHOXY-4-METHYL-3,5-DINITROBENZENE (musk ambrette).

1,5-DIMETHYLHEXYLAMINE (DMHA) except when separately specified in these schedules.

1,4-DIMETHYLPENTYLAMINE (DMPA).

DIMETHYLPHTHALATE in sunscreens, personal insect repellents or body lotion preparations fo human use **except** in preparations containing 0.5% or less of dimethylphthalate.

DI(METHYLOXYETHYL) PHTHALATE for cosmetic use.

2,4-DINITROPHENOL for human use.

DISPERSE YELLOW 3 for use in hair dyes.

DULCIN for therapeutic use.

ETHYLENE GLYCOL for use in toothpastes or mouthwashes **except** in preparations containing 0.25% or less of ethylene glycol.

EUPATORIUM CANNABINUM (Hemp Agrimony) for therapeutic use.

FARFUGIUM JAPONICUM for therapeutic use.

FORMALDEHYDE (excluding its derivatives):

- (a) in oral hygiene preparations containing more than 0.1% of free formaldehyde; or
- (b) in aerosol sprays for cosmetic use containing 0.005% or more of free formaldehyde; or
- (c) in nail hardener cosmetic preparations containing 5% or more of free formaldehyde; or
- (d) in all other cosmetic preparations containing 0.05% or more of free formaldehyde **excep** in preparations containing 0.2% or less of free formaldehyde when labelled with the warning statement:

CONTAINS FORMALDEHYDE.

GAMMA BUTYROLACTONE (excluding its derivatives) in non-polymerised form in preparatior for domestic and cosmetic use.

HELIOTROPIUM spp. for therapeutic use.

HYDROGEN PEROXIDE (excluding its salts and derivatives) in teeth whitening preparations containing more than 6% (20 volume) of hydrogen peroxide **except** in preparations manufactured for, and supplied solely by, registered dental practitioners as part of their denta practice.

ISOPROPYL NITRITE.

JUNIPERUS SABINE [savin(e)] for therapeutic use.

KAMBO.

LEAD COMPOUNDS:

- (a) in anti-fouling or anti-corrosive paints **except** in preparations containing 0.1% or less of lead calculated on the non-volatile content of the paint; or
- (b) in paints (other than anti-fouling or anti-corrosive paints), tinters, inks or ink additives **except** in preparations containing 0.009% or less of lead calculated on the non-volatile content of the paint, tinter, ink or ink additive.

LIGULARIA DENTATA for therapeutic use.

MELIA AZEDARACH including its extracts and derivatives.

METHANOL in hand sanitiser preparations containing more than 5% methanol.

METHYLDIBROMO GLUTARONITRILE in preparations intended to be in contact with the skin including cosmetic use.

METHYL METHACRYLATE for cosmetic use **except** in preparations containing 1% or less of methyl methacrylate as residual monomer in a polymer.

METHYLROSANILINIUM CHLORIDE (formerly known as crystal violet CAS No. 548-62-9) at the following TRIARYLMETHANE DYES – for use in hair dyes:

- (a) Acid Violet 49 (CAS No. 1694-09-3); or
- (b) Ethyl Violet (CAS No. 2390-59-2); or

- (c) Basic Blue 7 (CAS No. 2390-60-5); or
- (d) Basic Blue 26 (CI 44045) (CAS No. 2580-56-5).
- NAPHTHALENE (excluding derivatives) in preparations in block, ball, disc, pellet or flake form f domestic use **except** when enclosed in a device which, in normal use, prevents removal or ingestion of its contents.

OXYPHENISATIN for therapeutic use.

PARAFORMALDEHYDE (excluding its derivatives):

- (a) in oral hygiene preparations containing more than 0.1% of free formaldehyde; or
- (b) in aerosol sprays for cosmetic use containing 0.005% or more of free formaldehyde; or
- (c) in nail hardener cosmetic preparations containing 5% or more of free formaldehyde; or
- (d) in all other cosmetic preparations containing 0.05% or more of free formaldehyde **excep** in preparations containing 0.2% or less of free formaldehyde when labelled with the warning statement:

CONTAINS FORMALDEHYDE.

PETASITES spp. for therapeutic use.

PHENPROMETHAMINE.

PHENYLENEDIAMINES, including alkylated, arylated, halogenated and nitro derivatives, in preparations for skin colouration, tattooing and dyeing of eyelashes or eyebrows **except** whe included in Schedule 6.

POTASSIUM HYDROXIDE (excluding its salts and derivatives), in liquid or semi-solid food additive preparations, for domestic use, the pH of which is more than 11.5.

n-PROPYL NITRITE.

PTERIDIUM spp. for therapeutic use.

PULMONARIA spp. for therapeutic use.

SAFROLE for internal therapeutic use **except** in preparations containing 0.1% or less of safrole.

SANGUINARIA CANADENSIS (bloodroot) in preparations for human use **except** in preparations containing 0.01% or less of SANGUINARINE.

SENECIO spp. for therapeutic use.

SILICONES for injection or implantation except when included in Schedule 4.

SODIUM HYDROXIDE (excluding its salts and derivatives), in liquid or semi-solid food additive preparations, for domestic use, the pH of which is more than 11.5.

SYMPHYTUM spp. (Comfrey) in preparations for human or animal use except when in Schedule

2,4-TOLUENEDIAMINE in preparations for skin colouration (including tattooing) and dyeing of hair, eyelashes or eyebrows.

TOLUENEDIAMINES in preparations for skin colouration (including tattooing) and dyeing of eyelashes or eyebrows **except** when included in Schedule 6.

o-TOLUIDINE (excluding derivatives) in preparations for skin colouration (including tattooing) at dyeing of hair, eyelashes or eyebrows **except** in preparations containing 0.001% or less of o-toluidine.

1,1,1-TRICHLOROETHANE in pressurised spray packs for therapeutic use.

TRICHODESMA AFRICANA for therapeutic use.

TRIPARANOL for therapeutic use.

TUSSILAGO FARFARA for therapeutic use.

dix A—General exemptions

Note: See paragraph 11(a).

t preparations and products

The following table specifies preparations and products for the purposes of paragraph 11(a).

| Exemp | ot preparations and products |
|-------|--|
| Item | Column 1 Preparation or product |
| 1 | ALGICIDES, BACTERIOCIDES OR SLIMICIDES for industrial use that are not agricultural chemical products or veterinary chemical products |
| 2 | BACTERIAL CULTURE MEDIA containing antibiotics |
| 3 | CERAMICS |
| 4 | CHEMISTRY SETS for toy and educational use, when complying with the requirements of Australian Standard AS 8124.4-2003, Safety of toys, Part 4: Experimental sets for chemistry and related activities |
| 5 | COPPER COMPOUNDS in paints |
| 6 | DEXTRANS, GELATIN - SUCCINYLATED & ETHERIFIED STARCHES used as plasma substitutes/blood volume expanders |
| 7 | ELECTRICAL ACCUMULATORS, BATTERIES, COMPONENTS or LAMPS |
| 8 | ELECTRONIC COMPONENTS |
| 9 | ENHANCING AGENTS for use in ultrasonic and magnetic resonance imaging |
| 10 | EXPLOSIVES |
| 11 | FOOD except: |
| | (a) food additives before incorporation into food; or |
| | (b) when used as a means of administering a poison for therapeutic use |
| 12 | FRITTED GLAZING OR ENAMELLING PREPARATIONS in which the poison is confined as a non-migratory component of glassy solid flakes or granules |
| 13 | GLASS (including CRYSTAL WARE) |
| 14 | GLAZED POTTERY |
| 15 | HUMAN BLOOD PRODUCTS including: |
| | (a) whole blood; |

| Exem | ot preparations and products |
|------|--|
| Item | Column 1 |
| | Preparation or product |
| | (b) blood components including red cells, white cells, platelets and plasma (including cryoprecipitate); and |
| | |
| | (c) the following plasma-derived therapeutic proteins; and their equivalent recombinant alternatives: |
| | (i) albumin; |
| | (ii) anticoagulation complex; |
| | (iii) C1 esterase inhibitors; |
| | (iv) clotting factors; |
| | (v) fibrinogen; |
| | (vi) protein C;(vii) prothrombin complex concentrate (PCC); |
| | (viii) thrombin |
| 16 | IN VITRO DIAGNOSTIC AND ANALYTICAL PREPARATIONS containing 0.001% or |
| | less of a poison included in Schedules 1 to 8 |
| 17 | INTRAOCULAR VISCOELASTIC PRODUCTS |
| 18 | LUBRICANTS in preparations that provide a lubricating action between machinery parts, |
| | except soluble oils and solvent-deposited lubricating agents |
| 19 | MATCHES |
| 20 | MEDICAL AND VETERINARY ADHESIVES, GLUES AND CEMENTS |
| 21 | MEDICAL DEVICES classified as Class III by the classification rules set out in Schedule 2 to the <i>Therapeutic Goods (Medical Devices) Regulation 2002</i> , except the following: |
| | (a) injectable tissue reconstructive, augmentation and restoration materials, including collagen; |
| | (b) medical devices which include anticoagulants; |
| | (c) artificial tears; |
| | (d) urinary catheters; |
| | (e) intra-articular fluids |
| 22 | MOTOR, HEATING or FURNACE FUELS except the following: |
| | (a) when the contrary intention appears in any Schedule; |
| | (b) when containing methanol; |
| | (c) toy or hobby fuels; or |
| | (d) petrol or kerosene when packed in containers having a capacity of 20 L or less |
| 23 | NUTRITION REPLACEMENT PREPARATIONS FOR PARENTERAL ADMINISTRATION |
| 24 | PAPER except: |
| | - |

| Exemp | Exempt preparations and products | | | |
|-------|---|--|--|--|
| Item | Column 1 Preparation or product | | | |
| | (a) when prepared for pesticidal use; or | | | |
| | (b) when containing a poison included in Schedule 8 or 9 | | | |
| 25 | PHOTOGRAPHIC PAPER or FILM | | | |
| 26 | PIGMENTS when immobilised in a polymer | | | |
| 27 | PORCELAIN | | | |
| 28 | PRINTING INKS or INK ADDITIVES except: | | | |
| | (a) when containing a pesticide; or | | | |
| | (b) preparations containing more than 0.1% of lead calculated on the non-volatile content of the ink or ink additive | | | |
| 29 | RADIOGRAPHIC CONTRAST MEDIA (radiopaques) for therapeutic use | | | |
| 30 | RADIOISOTOPES for therapeutic use | | | |
| 31 | SEEDS treated with seed protectants | | | |
| 32 | SINGLE-USE TUBES for the estimation of alcohol content of breath | | | |
| 33 | TERMITE BARRIERS consisting of an active ingredient, other than arsenic, approved by the relevant registration authority, and laminated between impervious sheeting | | | |
| 34 | TIMBER or WALLBOARD | | | |
| 35 | VITREOUS ENAMELS | | | |
| 36 | WRITING CORRECTION PENS which do not allow ingestion of the contents and which contain no scheduled poison other than designated solvents included in Schedule 5 | | | |

dix B—Substances considered not to require control by scheduling

Note: See paragraph 11(b).

s for including substances in the table in clause 3

For the purposes of the table in clause 3, the letter specified in column 1 of an item of t following table represents the reason specified in column 2 of the item.

| Reason | Reasons for including substances in the table in clause 3 | | | | |
|--------|---|---|--|--|--|
| Item | Column 1 Letter | Column 2 Reason | | | |
| 1 | a | Low Toxicity | | | |
| 2 | b | Use pattern restricts hazard | | | |
| 3 | c | Presentation/packaging restricts hazard | | | |
| 4 | d | Industrial use only | | | |

of use in relation to substances included in the table in clause 3

For the purposes of the table in clause 3, the number specified in column 1 of an item of the following table represents the area, sub-area or sub-sub-area of use specified in column 2, 3 or 4 (as applicable) of the item.

| Item | Column 1 Number | Column 2 Area | Column 3 Sub-area | Column 4 Sub-sub-area |
|------|--------------------|------------------|----------------------|------------------------------|
| 1 | 1 | Agriculture | | |
| 2 | 1.1 | - | Herbicide | |
| 3 | 1.2 | | Insecticide | |
| 4 | 1.2.1 | | | Insecticide for codling moth |
| 5 | 1.2.2 | | | Termiticide |
| 6 | 1.3 | | Fungicide | |
| 7 | 1.3.1 | | | On seed fungicide |
| 8 | 1.4 | | Bird Repellent | |
| 9 | 1.5 | | Fertiliser | |

| Areas | Areas of use in relation to substances included in the table in clause 3 | | | | | |
|-------|--|-----------------------|-----------------------------------|--------------------------|--|--|
| Item | Column 1 Number | Column 2 Area | Column 3 Sub-area | Column 4 Sub-sub-area | | |
| 10 | 1.6 | | Plant Growth Regulator | | | |
| 11 | 1.7 | | Insect Pheromone | | | |
| 12 | 1.8 | | Mushroom Bactericide | | | |
| 13 | 1.9 | | Acaricide | | | |
| 14 | 1.10 | | Biological control agent | | | |
| 15 | 1.11 | | Adjuvant in agricultural products | | | |
| 16 | 2 | Veterinary | | | | |
| 17 | 2.1 | | For animal use | | | |
| 18 | 2.2 | | Treatment of mastitis in cows | | | |
| 19 | 2.3 | | Coccidiostat | | | |
| 20 | 2.4 | | Feed additive | | | |
| 21 | 2.5 | | Antiseptic | | | |
| 22 | 2.6 | | Scabicide | | | |
| 23 | 2.7 | | Anthelmintic | | | |
| 24 | 2.8 | | Vitamin/Mineral | | | |
| 25 | 2.9 | | Growth Promotant | | | |
| 26 | 2.10 | | Ectoparasiticide | | | |
| 27 | 3 | Domestic | | | | |
| 28 | 3.1 | | Aromatherapy | | | |
| 29 | 3.2 | | Food additive | | | |
| 30 | 3.3 | | Cosmetic | | | |
| 31 | 3.4 | | Human use | | | |
| 32 | 3.5 | | Miticide | | | |
| 33 | 4 | Industrial | | | | |
| 34 | 4.1 | | Water treatment | | | |
| 35 | 4.2 | | Biological control agent | | | |
| 36 | 5 | Environmental | | | | |
| 37 | 5.1 | | Mosquito control | | | |
| 38 | 6 | Human therapeutic use | | | | |

| Areas | Areas of use in relation to substances included in the table in clause 3 | | | | | |
|-------|--|------------------|---------------------------|--------------------------|--|--|
| Item | Column 1 Number | Column 2 Area | Column 3 Sub-area | Column 4 Sub-sub-area | | |
| 39 | 6.1 | | Diagnostic agent | | | |
| 40 | 6.2 | | Medical device | | | |
| 41 | 6.3 | | Antiseptic | | | |
| 42 | 6.4 | | Sunscreen | | | |
| 43 | 6.5 | | External use | | | |
| 44 | 6.6 | | Laxative | | | |
| 45 | 6.7 | | Antiseborrheic | | | |
| 46 | 6.8 | | Cytoprotective | | | |
| 47 | 6.9 | | Vitamin/Mineral | | | |
| 48 | 6.10 | | Eye Drops | | | |
| 49 | 7 | General | | | | |
| 50 | 7.1 | | Any use | | | |
| 51 | 7.2 | | Excipient | | | |
| 52 | 7.3 | | Synergist | | | |
| 53 | 7.4 | | Flux | | | |
| 54 | 7.5 | | Pesticide | | | |
| 55 | 7.6 | | Insect repellent | | | |
| 56 | 7.7 | | Solvent | | | |
| 57 | 7.8 | | Disinfectant | | | |
| 58 | 7.9 | | Preservative | | | |
| 59 | 7.10 | | Antioxidant | | | |
| 60 | 7.11 | | Resin activator/acceleran | nt | | |
| 61 | 7.12 | | Sweetener artificial | | | |
| 62 | 7.13 | | Food additive | | | |

nces exempt in certain uses

For the purposes of paragraph 11(b), the following table specifies:

- (a) substances; and
- (b) areas, sub-areas and sub-sub-areas of use in relation to those substances.

Note: Columns 3 and 4 of the table are included for information only.

| Subst | ances exempt in certain uses | | | |
|-------|--|--|--|----------------------------------|
| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
| 1 | 4-[4-(ACETYLOXY)PHENYL]-2-BUTANONE | 1.7 | b | Feb 2005 |
| 2 | AFIDOPYROPEN | 1.2 | b | Jun 2018 |
| 3 | ALCOHOL, DEHYDRATED | 6 | b | Aug 2000 |
| 4 | ALUM | 7.1 | a | May 1997 |
| 5 | ALUMINIUM AMMONIUM SULFATE | 7.1 | a | May 1997 |
| 6 | ALUMINIUM POTASSIUM SULFATE | 7.1 | a | May 1997 |
| 7 | ALUMINIUM SILICATE | 7.1 | a | Nov 1974 |
| 8 | ALUMINIUM tris (ETHYLPHOSPHONATE) | 1 | a | Aug 1986 |
| 9 | AMETOCTRADIN | 1.3 | a | May 2012 |
| 10 | AMMONIUM PHOSPHATE | 7.1 | a | Nov 1974 |
| 11 | AMMONIUM THIOSULPHATE | 7.1 | a | Nov 1974 |
| 12 | AMPROLIUM | 2.3 | a | Jun 1969 |
| 13 | AMYL ACETATE | 7.1 | a | Nov 1974 |
| 14 | α -AMYLASE derived from Aspergillus niger | 2.4 | a | Feb 2005 |
| 15 | AMYL CINNAMALDEHYDE | 3.3 | a, b | Feb 2017 |
| 16 | ANDROSTENEDIONE ALBUMEN CONJUGATE WITH DEA DEXTRAN ADJUNCT | 2.1 | a | Jun 2004 |
| 17 | ASPARTIC ACID | 6 | a | = |
| 18 | ASULAM | 1 | a | May 1986 |
| 19 | AUREOBASIDIUM PULLULANS (strains DSM14940 and DSM14941) | 1.3 | a | Oct 2017 |
| 20 | AZIMSULFURON | 1.1 | a | Jun 2003 |
| 21 | BACILLUS AMYLOLIQUEFACIENS | 1.3 | a | Jun 2018 |
| 22 | BACILLUS SPHAERICUS, STRAIN 2362 | 5.1 | a | Feb 2003 |
| 23 | BACILLUS THURINGIENSIS | 5.1 | a | May 1992 |
| 24 | BACILLUS THURINGIENSIS (excluding endotoxin) | 2.10 | a | Jun 2003 |
| 25 | BACILLUS TOYOI | 2.9 | a | Aug 1980 |
| | | · · · · · · · · · · · · · · · · · · · | | |

| Substa | ances exempt in certain uses | | | |
|--------|--|--|--|---------------------------------------|
| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
| 26 | BACULOVIRUS CYDIA POMONELLA | 1.2 | a | Jun 2006 |
| 27 | BENFLURALIN | 1.1 | a | - |
| 28 | BENSULFURON-METHYL | 1 | a | Aug 1987 |
| 29 | BENTONITE | 7.1 | a | Jun 2002 |
| 30 | BENZYL BENZOATE | 1.2 | a | Aug 1989 |
| 31 | BETAINE HYDROCHLORIDE | 7.1 | a | Nov 1974 |
| 32 | BIFENAZATE | 1.9 | a | Oct 2002 |
| 33 | BISMUTH SUBNITRATE | 2.1 | b, c | Nov 1999 |
| 34 | BISTRIFLURON | 1.2.2 | a | Feb 2014 |
| 35 | BIURET | 2.4 | a | Nov 1974 |
| 36 | BIXLOZONE | 1.1 | a | Feb 2020 |
| 37 | BLAD (banda de Lupinus albus doce) | 1.3 | a | Feb 2016 |
| 38 | BOSCALID | 1.3 | a | June 2003 |
| 39 | BOVINE SOMATOTROPHIN | 2 | a | May 1992 |
| 40 | BROMACIL | 1 | a | Aug 1987 |
| 41 | BROMOPROPYLATE | 1 | a | Nov 1994 |
| 42 | BUPIRIMATE | 1 | a | Nov 1990 |
| 43 | BUTAFENACIL | 1 | a | May 2000 |
| 44 | BUTOXYPOLYPROPYLENE GLYCOL | 7.7 | a | Nov 1974 |
| 45 | n-BUTYL BUTYRATE | 7.1 | a | - |
| 46 | n-BUTYL LACTATE | 7.1 | a | - |
| 47 | CARBOXIN | 1 | a | Aug 1987 |
| 48 | CARFENTRAZONE-ETHYL | 1 | a | Aug 1998 |
| 49 | CELLULASE derived from Aspergillus niger | 2.4 | a | Feb 2005 |
| 50 | CETYL ALCOHOL | 7.1 | a | Nov 1974 |
| 51 | CHAMOMILE OIL | 3.1 | a | Feb 2000 |
| 52 | CHINA CLAY | 1.2 | a | Sep 2008 |
| 53 | CHLORANTRANILIPROLE | 1.2 | a | Sep 2008 |
| | | · | · | · · · · · · · · · · · · · · · · · · · |

| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
|------|--|--|--|----------------------------------|
| 54 | CHLORFLUAZURON | 1.2.2 | a | Oct 2005 |
| 55 | CHLORFLURENOL | 1.6 | a | Feb 1974 |
| 56 | CHLORIDAZON | 1 | a | May 1988 |
| 57 | CHLOROXYLENOLS | 7.8 | a | Feb 1975 |
| 58 | CITRONELLA OIL | 7.1 | a | Feb 2000 |
| 59 | CLARY SAGE OIL | 7.1 | a | Feb 2000 |
| 60 | CLITORIA TERNATEA EXTRACT | 1.2 | a | Feb 2016 |
| 61 | CLOPIDOL | 2.3 | d | Nov 1974 |
| 62 | COBALT NAPHTHENATE | 7.1 | d | - |
| 63 | CROSPOVIDONE | 2 | a | Aug 1996 |
| 64 | CULICINOMYCES CLAVOSPORUS | 5.1 | a | Nov 1982 |
| 65 | CYCLAMIC ACID | 7.1 | a | Nov 1971 |
| 66 | CYCLANILIPROLE | 1.2 | a | Oct 2016 |
| 67 | CYCLOBUTRIFLURAM | 1.3, 1.3.1 | a | Oct 2022 |
| 68 | CYCLOHEXANE | 7.7 | a | Nov 1974 |
| 69 | CYCLOHEXANOL ACETATE | 7.7 | a | = |
| 70 | CYPRINID HERPESVIRUS-3 | 1.10 | a | Oct 2018 |
| 71 | CYROMAZINE | 2 | a | Nov 1980 |
| 72 | DICLAZURIL | 2.3 | a | Nov 2001 |
| 73 | DIETHYL CARBONATE | 7.1 | a | - |
| 74 | DIFLUFENICAN | 1 | a | Feb 1987 |
| 75 | DIKEGULAC-SODIUM | 1.6 | a | Mar 1980 |
| 76 | DIMETHYL ETHER | 4 | d | Nov 1988 |
| 77 | DIMETICONE | 7.1 | a | - |
| 78 | DIPHENYLAMINE | 1 | a | Feb 1988 |
| 79 | DIPROPYLENE GLYCOL MONOMETHYL ETHER | 4 | a | Nov 1987 |
| 80 | DISODIUM MANGANESE EDTA | 2.1 | a | Feb 2022 |
| 81 | DIURON | 1 | a | Nov 1987 |
| | | • | • | • |

| Substa | ances exempt in certain uses | | | |
|--------|---|--|--|----------------------------------|
| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
| 82 | DOCUSATE SODIUM (DIOCTYL SODIUM SULFOSUCCINATE) | 7.1 | a | Feb 1970 |
| 83 | 2,2-DPA | 1 | a | Nov 1989 |
| 84 | DROMETRIZOLE TRISILOXANE | 6.4 | a | Oct 2003 |
| 85 | <i>DUDDINGTONIA FLAGRANS</i> , STRAIN IAH 1297 | 2.7 | a | Feb 2018 |
| 86 | EPSIPRANTEL | 2 | a | Nov 1991 |
| 87 | ETHAMETSULFURON-METHYL | 1.1 | a | Nov 2000 |
| 88 | ETHOPABATE | 2.3 | d | Jun 1969 |
| 89 | ETHYL ACETATE | 7.1 | a | Nov 1974 |
| 90 | ETHYL ALCOHOL | 7.1 | a | Nov 1974 |
| 91 | ETHYLBUTYLACETYL AMINOPROPRIONATE | 3.4 | a | Aug 2000 |
| 92 | ETHYL BUTYRATE | 7.1 | a | - |
| 93 | ETHYL LACTATE | 7.1 | a | = |
| 94 | ETOFENPROX | 1.2 | a | Jun 2018 |
| 95 | ETOXAZOLE | 1.2 | a | Oct 2003 |
| 96 | EUBACTERIUM sp. strain DSM11798 | 2.4 | a | Sep 2013 |
| 97 | FENFURAM | 1.3.1 | a | May 1977 |
| 98 | FENHEXAMID | 1 | a | Feb 1999 |
| 99 | FENOXYCARB | 1 | a | Feb 1988 |
| 100 | FLORPYRAUXIFEN-BENZYL | 1, 1.1 | a | Feb 2018 |
| 101 | FLORYLPICOXAMID | 1.3 | a | Feb 2021 |
| 102 | FLUFENOXURON | 1 | a | Feb 1997 |
| 103 | FLUMETSULAM | 1 | a | Feb 1992 |
| 104 | FLUOMETURON | 1 | a | Aug 1989 |
| 105 | FLUOPICOLIDE | 1.3 | a | Oct 2016 |
| 106 | FLUOXAPIPROLIN | 1.3 | a | Feb 2022 |
| 107 | FLUTOLANIL | 1.3 | a | Nov 2001 |

| Substa | ances exempt in certain uses | | | |
|--------|---|--|--|----------------------------------|
| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
| 108 | FLUROXYPYR | 1 | a, c | May 1986 |
| 109 | FORCHLORFENURON | 1.6 | a | Feb 2005 |
| 110 | FULLERS EARTH | 7.1 | a | Nov 1974 |
| 111 | FUNGAL PROTEASE derived from Aspergillus niger | 2.4 | a | Feb 2005 |
| 112 | GERANIUM OIL | 7.1 | a | Feb 2000 |
| 113 | GIBBERELLIC ACID | 1.6 | a | Nov 1974 |
| 114 | α-GLUCANASE derived from Aspergillus niger | 2.4 | a | Feb 2005 |
| 115 | HALAUXIFEN METHYL | 1, 1.1 | a | Oct 2014 |
| 116 | HELIONAL | 7 | a | Feb 2023 |
| 117 | HEXAFLURON | 1 | a | Nov 1988 |
| 118 | HEXYL ACETATE | 7.7 | a | - |
| 119 | HEXYL CINNAMALDEHYDE | 3.3 | a, b | Feb 2017 |
| 120 | HEXYTHIAZOX | 1 | a | Feb 1988 |
| 121 | HUMAN OSTEOGENIC PROTEIN-1 (OP-1) | 6.2 | b | Aug 2001 |
| 122 | HYDROPRENE | 1 | a | Feb 1988 |
| 123 | HYDROXYPROPYL CELLULOSE | 7.1 | a | Nov 1982 |
| 124 | ICODEXTRIN | 6 | b | Nov 2000 |
| 125 | INDOLE-3-ACETIC ACID | 1.6 | b | Feb 1985 |
| 126 | IPFLUFENOQUIN | 1.3, 1.3.1 | a | Sep 2022 |
| 127 | ISOPRENE ALCOHOL | 7.1 | a | - |
| 128 | IPRODIONE | 1 | a | Feb 1997 |
| 129 | ISETHIONATE, as mixed ammonium and ethanolamine salts of 2-hydroxyethanesulfonic acid | 1.11 | a, b | Jun 2016 |
| 130 | ISOFETAMID | 1.3 | a | Feb 2018 |
| 131 | ISOSTEARYL ALCOHOL ETHOXYLATE | 5.1 | a | Nov 1999 |
| 132 | KAOLIN | 7.1 | a | Nov 1974 |
| 133 | KINETIN | 1.6 | a | Feb 2022 |

| Iben Substance Column 1 Substance Area, sub-area prior sub-sub-area prior sub-sub-sub-area prior sub-sub-sub-area prior sub-sub-sub-area prior sub-sub-sub-area prior sub-sub-sub-sub-sub-sub-sub-sub-sub-sub- | Substa | ances exempt in certain uses | | | |
|---|--------|---|--------------------------------------|------------|----------|
| 135 KUNZEA OIL 7.1 a Feb 2000 136 LAURIC ACID 7.1 a Oct 2005 137 LAURYL ALCOHOL (1-DODECANOL) 7.1 a Nov 1974 138 LAVANDIN OIL 7.1 a Feb 2000 139 LAVENDER OIL 7.1 a Feb 2000 140 LEAD METALLIC 7.1 a - 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONERE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a May 1999 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 | Item | | Area, sub-area or sub-sub-area | Reason for | Date of |
| 136 LAURIC ACID 7.1 a Oct 2005 137 LAURYL ALCOHOL (1-DODECANOL) 7.1 a Nov 1974 138 LAVANDIN OIL 7.1 a Feb 2000 139 LAVENDER OIL 7.1 a Feb 2000 140 LEAD METALLIC 7.1 a - 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONENE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Nov 1992 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 <td>134</td> <td>KRESOXIM-METHYL</td> <td>1</td> <td>a</td> <td>Aug 1999</td> | 134 | KRESOXIM-METHYL | 1 | a | Aug 1999 |
| 137 LAURYL ALCOHOL (1-DODECANOL) 7.1 a Nov 1974 138 LAVANDIN OIL 7.1 a Feb 2000 139 LAVENDER OIL 7.1 a Feb 2000 140 LEAD METALLIC 7.1 a - 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONENE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a May 1999 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-ME | 135 | KUNZEA OIL | 7.1 | a | Feb 2000 |
| 138 LAVANDIN OIL 7.1 a Feb 2000 139 LAVENDER OIL 7.1 a Feb 2000 140 LEAD METALLIC 7.1 a - 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONEI (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2000 152 METARHIZIUM ANISOPLIAE <td>136</td> <td>LAURIC ACID</td> <td>7.1</td> <td>a</td> <td>Oct 2005</td> | 136 | LAURIC ACID | 7.1 | a | Oct 2005 |
| 139 LAVENDER OIL 7.1 a Feb 2000 140 LEAD METALLIC 7.1 a - 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONENE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM AN | 137 | LAURYL ALCOHOL (1-DODECANOL) | 7.1 | a | Nov 1974 |
| 140 LEAD METALLIC 7.1 a - 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONENE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2002 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 MET | 138 | LAVANDIN OIL | 7.1 | a | Feb 2000 |
| 141 LEPIDOPTEROUS SEX PHEROMONES 1 a Nov 1990 142 LIMONENE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METOAMIFEN 1.1 a Feb 2020 155 <td< td=""><td>139</td><td>LAVENDER OIL</td><td>7.1</td><td>a</td><td>Feb 2000</td></td<> | 139 | LAVENDER OIL | 7.1 | a | Feb 2000 |
| 142 LIMONENE (DIPENTENE) 7.1 a Jun 2002 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHYL ACETATE <td>140</td> <td>LEAD METALLIC</td> <td>7.1</td> <td>a</td> <td>-</td> | 140 | LEAD METALLIC | 7.1 | a | - |
| 143 LINOLEIC ACID 7.1 a Oct 2005 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE | 141 | LEPIDOPTEROUS SEX PHEROMONES | 1 | a | Nov 1990 |
| 144 LINSEED FATTY ACIDS 2.1 a Aug 1990 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHORYFENOZIDE 1 a Aug 1987 156 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYL CYCLOPROPENE 1.6 a Jun 2003 160 METHYL | 142 | LIMONENE (DIPENTENE) | 7.1 | a | Jun 2002 |
| 145 LINURON 1 a Feb 1990 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYL P-HYDROXYBENZOATE | 143 | LINOLEIC ACID | 7.1 | a | Oct 2005 |
| 146 LIQUORICE, DEGLYCYRRHISINISED 7.1 a May 1999 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYL P-HYDROXYBENZOATE 7.9 a Nov 1974 | 144 | LINSEED FATTY ACIDS | 2.1 | a | Aug 1990 |
| 147 MAGNESIUM HYDROXIDE 7.1 a Jun 2021 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYL CYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 145 | LINURON | 1 | a | Feb 1990 |
| 148 MALEIC HYDRAZIDE 1 a Nov 1992 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYL CYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 146 | LIQUORICE, DEGLYCYRRHISINISED | 7.1 | a | May 1999 |
| 149 MANGANESE DIOXIDE 1 b May 1999 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 147 | MAGNESIUM HYDROXIDE | 7.1 | a | Jun 2021 |
| 150 MEGASPHAERA ELSDENII strain 41125 2.4 a Sep 2013 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 148 | MALEIC HYDRAZIDE | 1 | a | Nov 1992 |
| 151 MESOSULFURON-METHYL 1.1 a Feb 2002 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 149 | MANGANESE DIOXIDE | 1 | b | May 1999 |
| 152 METARHIZIUM ANISOPLIAE 4.2 b Feb 2000 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 150 | MEGASPHAERA ELSDENII strain 41125 | 2.4 | a | Sep 2013 |
| 153 METARHIZIUM ANISOPLIAE 1.10 a Jun 2003 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 151 | MESOSULFURON-METHYL | 1.1 | a | Feb 2002 |
| 154 METCAMIFEN 1.1 a Feb 2020 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 152 | METARHIZIUM ANISOPLIAE | 4.2 | b | Feb 2000 |
| 155 METHOPRENE 1 a Aug 1987 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 153 | METARHIZIUM ANISOPLIAE | 1.10 | a | Jun 2003 |
| 156 METHOXYFENOZIDE 1 a Nov 2000 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 154 | METCAMIFEN | 1.1 | a | Feb 2020 |
| 157 METHYL ACETATE 7.7 a - 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 155 | METHOPRENE | 1 | a | Aug 1987 |
| 158 METHYL BENZOQUATE 2.3 d Nov 1974 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 156 | METHOXYFENOZIDE | 1 | a | Nov 2000 |
| 159 1-METHYLCYCLOPROPENE 1.6 a Jun 2003 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 157 | METHYL ACETATE | 7.7 | a | - |
| 160 METHYL p-HYDROXYBENZOATE 7.9 a Nov 1974 | 158 | METHYL BENZOQUATE | 2.3 | d | Nov 1974 |
| 1 | 159 | 1-METHYLCYCLOPROPENE | 1.6 | a | Jun 2003 |
| 161 METSULFURONMETHYL 1.1 a Nov 1985 | 160 | $\overline{METHYLp}\text{-}HYDROXYBENZOATE$ | 7.9 | a | Nov 1974 |
| | 161 | METSULFURONMETHYL | 1.1 | a | Nov 1985 |

| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
|------|--|--|--|----------------------------------|
| 162 | MYRISTIC ACID | 7.1 | a | Oct 2005 |
| 163 | NAPROPAMIDE | 1 | a | Aug 1987 |
| 164 | NAPTHYL ACETAMIDE | 1.6 | a | Nov 1974 |
| 165 | NEROLI OIL | 7.1 | a | Feb 2000 |
| 166 | NICARBAZIN | 2.3 | d | Jun 1969 |
| 167 | NISIN | 3.2 | a | Jun 2003 |
| 168 | NORFLURAZON | 1.1 | a | Nov 1983 |
| 169 | NOVALURON | 1 | a | Nov 2000 |
| 170 | NUCLEAR POLYHEDROSIS VIRUS of Helicoverpa armigera occlusion bodies | 1.2 | a | Feb 2004 |
| 171 | OCTYL ALCOHOLS | 7.1 | a | Nov 1974 |
| 172 | OLEIC ACID | 7.1 | a | Oct 2005 |
| 173 | ORANGE OIL, SWEET | 7.1 | a | Aug 2000 |
| 174 | OXABETRINIL | 1 | a | Feb 1987 |
| 175 | OXATHIAPIPROLIN | 1.3 | a | Jun 2016 |
| 176 | OXYFLUORFEN | 1 | a | May 2001 |
| 177 | PALMAROSA OIL | 7.1 | a | Feb 2000 |
| 178 | PALMITIC ACID | 7.1 | a | Oct 2005 |
| 179 | PATCHOULI OIL | 7.1 | a | Feb 2000 |
| 180 | PECTINASE derived from Aspergillus niger | 2.4 | a | Feb 2005 |
| 181 | PEGBOVIGRASTIM | 2.1 | a | Jun 2017 |
| 182 | PENCYCURON | 1 | a | Aug 1994 |
| 183 | PENTADECANOIC ACID | 7.1 | a | Oct 2005 |
| 184 | PEPPERMINT OIL | 7.1 | a | Feb 2000 |
| 185 | PHENMEDIPHAM | 1.1 | a | May 1989 |
| 186 | D -PHENOTHRIN | 7.5, 1.2 | a | Feb 1982 |
| 187 | PHYTASE | 2.4 | a | Feb 1996 |
| 188 | PICLORAM | 1 | a | Aug 1987 |
| 189 | PICOLINAFEN | 1 | a | May 2000 |

| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
|------|--|--|--|----------------------------------|
| 190 | PIMELIC ACID | 7.1 | a | Oct 2005 |
| 191 | PIPERONYL BUTOXIDE | 7.5 | a | Aug 1991 |
| 192 | POLOXALENE | 7.1 | a | Nov 1974 |
| 193 | POLY DIALLYL DIMETHYL AMMONIUM CHLORIDE (PolyDADMAC) | 4.1 | a | Nov 1997 |
| 194 | POLYHEDROSIS VIRUS of <i>Helico zea</i> occlusion bodies | 1 | a | Nov 1996 |
| 195 | POLY (GNRF) OVALBUMIN | 2 | a | Feb 1990 |
| 196 | POLYSORBATE 20 | 1 | a | May 2001 |
| 197 | PORCINE SOMATOTROPHIN | 2 | c | Nov 1991 |
| 198 | POTASSIUM SORBATE | 1.3 | a | Oct 2004 |
| 199 | POTASSIUM BICARBONATE | 1 | a | Jun 2004 |
| 200 | PROPYL ACETATES | 7.1 | a | - |
| 201 | PROPYLENE GLYCOL | 7.1 | a | Nov 1974 |
| 202 | 2-PROPYLENE GLYCOL 1-MONOMETHYL ETHER | 4 | a | Nov 1987 |
| 203 | PROTHIOCONAZOLE | 1.3.1 | a | Jun 2005 |
| 204 | PSEUDOMONAS FLUORESCENS | 1.8 | a | May 1985 |
| 205 | PYDIFLUMETOFEN | 1.3 | a | Feb 2018 |
| 206 | PYRIMETHANIL | 1 | a | Feb 1996 |
| 207 | PYRIPROXYFEN | 1 | a | Aug 1994 |
| 208 | QUASSIA | 6, 2.1 | d | Nov 1974 |
| 209 | QUINOXYFEN | 1.3 | a | Nov 2001 |
| 210 | RHIZOBIUM RHIZOGENES | 1 | b | Nov 1989 |
| 211 | ROSEMARY OIL | 7.1 | a | Feb 2000 |
| 212 | SAGE OIL (Spanish) | 7.1 | a | Feb 2000 |
| 213 | SANDALWOOD OIL | 7.1 | a | Feb 2000 |
| 214 | SEAWEED & UNFRACTIONED SEAWEED EXTRACTS | 1.5 | d | Feb 1985 |

| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion |
|------|---------------------------------------|--|--|----------------------------------|
| 215 | SILVER OXIDE | 7.14 | b | Jun 2018 |
| 216 | SIMAZINE | 1.1 | a | Nov 1987 |
| 217 | SODIUM BICARBONATE | 1 | a | Jun 2004 |
| 218 | SODIUM PROPIONATE | 1.3 | a | Oct 2004 |
| 219 | STERIC ACID | 7.1 | a | Oct 2005 |
| 220 | STREPTOMYCES LYDICUS WYEC 108 | 1.3 | a | Oct 2016 |
| 221 | SUCRALFATE | 6.8 | a | Aug 1982 |
| 222 | SULESOMAB | 6.1 | b | Jun 2002 |
| 223 | SULFOSULFURON | 1 | a | Feb 1998 |
| 224 | SULPHATED POLYSACCHARIDES | 7.1 | a | - |
| 225 | TANNIC ACID | 7.1 | a | Dec 1965 |
| 226 | TANNIC ACID/BENZYL ALCOHOL PRODUCT | 7.1 | a | Nov 1993 |
| 227 | TERBACIL | 1 | a | Aug 1987 |
| 228 | THAUMATIN | 3.2 | a | Nov 1990 |
| 229 | THIDIAZURON | 1 | a | Nov 1989 |
| 230 | TIAFENACIL | 1 | a | June 2019 |
| 231 | TRIASULFURON | 1 | a | Feb 1988 |
| 232 | TRICHODERMA HARZIANUM | 1 | a | May 1996 |
| 233 | (Z)-9-TRICOSENE | 1 | a | Aug 1991 |
| 234 | TRIETHYLENE GLYCOL | 7.1 | a | Nov 1974 |
| 235 | TRIFLOXYSULFURON | 1.1 | a | Feb 2002 |
| 236 | TRIFLURALIN | 1 | a | Aug 1990 |
| 237 | TRIFORINE | 1 | a | Aug 1987 |
| 238 | ULOCLADIUM OUDEMANSII | 1.10 | a | Oct 2003 |
| 239 | UREA | 7.1 | a | Nov 1974 |
| 240 | ¹³ C-UREA | 6.1 | a | May 2001 |
| 241 | VETIVER OIL | 7.1 | a | Feb 2000 |
| 242 | VINYL ETHER | 6 | b | Nov 1987 |

| Subst | Substances exempt in certain uses | | | | |
|-------|---|--|--|----------------------------------|--|
| Item | Column 1 Substance | Column 2 Area, sub-area or sub-sub-area of use | Column 3 Reason for inclusion | Column 4 Date of inclusion | |
| 243 | VITAMIN K | 6.9, 2.8 | a | Jul 1963 | |
| 244 | XANTHOPHYLL (lutein) | 7.1 | a | Nov 1974 | |
| 245 | XYLANASE derived from Aspergillus niger | 2.4 | a | Feb 2005 | |
| 246 | YLANG YLANG OIL | 7.1 | a | Feb 2000 | |
| 247 | ZINC NAPHTHENATE | 1.3 | a | | |

dix C—Blank

Note 1: Appendix C is intentionally blank.

Note 2: Appendix C previously included poisons now included in Schedule 10.

dix D—Additional controls on possession or supply of poisons included in Schedule 4 or 8

Note: See section 64.

available for human use only from or on the prescription or order of an authorised medical practitioner

A poison specified in the following table may be supplied for human use only by, on th prescription or order of, an authorised medical practitioner.

| Item | Poison |
|------|--|
| 1 | CANNABIS for human use |
| 2 | CLOMIFENE for human use |
| 3 | CLOZAPINE for human use |
| 4 | CORIFOLLITROPIN ALFA (recombinant follicle stimulant) for human use |
| 5 | CYCLOFENIL for human use |
| 6 | DINOPROST for human use |
| 7 | DINOPROSTONE for human use |
| 8 | FOLLITROPIN ALFA (recombinant human follicle-stimulating hormone) for human use |
| 9 | FOLLITROPIN BETA (recombinant human follicle-stimulating hormone) for human use |
| 10 | FOLLITROPIN DELTA (recombinant human follicle-stimulating hormone) for human use |
| 11 | LUTEINISING HORMONE for human use |
| 12 | NABIXIMOLS for human use |
| 13 | SODIUM OXYBATE for human use |
| 14 | TETRAHYDROCANNABINOLS for human use |
| 15 | TERIPARATIDE for human use |
| 16 | UROFOLLITROPIN (human follicle-stimulating hormone) for human use |

available for human use only from or on the prescription or order of a specialist physician or a dermatologist

A poison specified in the following table may be supplied for human use:

(a) only by, or on the prescription or order of, a specialist physician or a dermatologis and

- (b) if the person to whom the poison is to be supplied is a woman of child-bearing ag —only if the specialist physician or dermatologist has:
 - (i) ensured that the possibility of pregnancy has been excluded prior to commencement of treatment; and
 - (ii) if the poison is acitretin or etretinate—advised the patient to avoid becoming pregnant during or for a period of 36 months after completion of treatment and
 - (iii) if the poison is bexarotene, isotretinoin or thalidomide—advised the patient avoid becoming pregnant during or for a period of 1 month after completio of treatment.

| Item | Poison |
|------|---------------------------------|
| 1 | ACITRETIN for human use |
| 2 | BEXAROTENE for human use |
| 3 | ETRETINATE for human use |
| 4 | ISOTRETINOIN for human oral use |
| 5 | THALIDOMIDE for human use |

available only from or on the prescription or order of a medical practitioner approved or authorised under section 19 of the Act

A poison specified in the following table may be supplied only by, or on the prescriptic or order of, a medical practitioner for whom an approval or authority under section 19 of the Act that covers the poison is in force.

| Item | Poison |
|------|---|
| 1 | DRONABINOL (delta-9-tetrahydrocannabinol) |

available only from or on the order of a specialist physician

A poison specified in the following table may be supplied:

- (a) only by, or on the prescription or order of, a specialist physician; and
- (b) if the person to whom the poison is to be supplied is a woman of child-bearing ag —only if the specialist physician has:
 - (i) ensured that the possibility of pregnancy has been excluded prior to commencement of treatment; and
 - (ii) advised the patient to avoid becoming pregnant during or for a period of 1 month after completion of treatment.

| Item | Poison |
|------|------------------------------|
| 1 | LENALIDOMIDE |
| 2 | POMALIDOMIDE |
| 3 | RIOCIGUAT for human use |
| 4 | TRETINOIN for human oral use |

for which possession without authority is illegal

The following table specifies poisons that must not be possessed by a person without authority (for example, possession other than in accordance with a legal prescription).

| Item | Poison |
|------|---|
| 1 | ANABOLIC STEROIDAL AGENTS, including those separately specified in Schedule 4 |
| 2 | ANDROGENIC STEROIDAL AGENTS, including those separately specified in Schedule 4 |
| 3 | AOD-9604 (CAS No. 221231-10-3) |
| 4 | BENZODIAZEPINE DERIVATIVES, including those separately specified in Schedule 4 and Schedule 8 |
| 5 | CJC-1295 (CAS No. 863288-34-0) |
| 6 | DARBEPOETIN |
| 7 | DEXTROPROPOXYPHENE |
| 8 | EPHEDRINE |
| 9 | EPOETINS |
| 10 | ERYTHROPOIETIN |
| 11 | ERYTHROPOIETINS except when separately specified in this Appendix |
| 12 | FIBROBLAST GROWTH FACTORS |
| 13 | FOLLISTATIN |
| 14 | GLUTETHIMIDE |
| 15 | GROWTH HORMONE RELEASING HORMONES (GHRHs) including those separately specified in Schedule 4 |
| 16 | GROWTH HORMONE RELEASING PEPTIDES (GHRPs) including those separately specified in Schedule 4 |
| 17 | GROWTH HORMONE RELEASING PEPTIDE-6 (GHRP-6) |
| 18 | GROWTH HORMONE SECRETAGOGUES including those separately specified in Schedule 4 |
| 19 | HEXARELIN |

| Item | Poison |
|------|---|
| 20 | IBUTAMOREN |
| 21 | INSULIN-LIKE GROWTH FACTORS |
| 22 | IPAMORELIN |
| 23 | NICOTINE |
| 24 | PERAMPANEL for human use |
| 25 | PHENTERMINE |
| 26 | PRALMORELIN ((GROWTH HORMONE RELEASING PEPTIDE-2) (GHRP-2)) |
| 27 | SELECTIVE ANDROGEN RECEPTOR MODULATORS (SARM), including those separately specified in Schedule 4 |
| 28 | SOMATROPIN (human growth hormone) |
| 29 | STENABOLIC (SR9009) and other synthetic REV-ERB agonists |
| 30 | TB-500 |
| 31 | THYMOSIN BETA 4 (THYMOSIN β4) |
| 32 | TIANEPTINE |

available for human use only from or on the prescription or order of a specialist physician

A poison specified in the following table may be supplied for human use:

- (a) only by, or on the prescription or order of, a specialist physician; and
- (b) if the person to whom the poison is to be supplied is a woman of child-bearing ag —only if the specialist physician has:
 - (i) ensured that the possibility of pregnancy has been excluded prior to commencement of treatment; and
 - (ii) advised the patient to avoid becoming pregnant during and for a period of 3 months after completion of treatment.

| Item | Poison |
|------|----------------------------|
| 1 | AMBRISENTAN for human use |
| 2 | BOSENTAN for human use |
| 3 | ENZALUTAMIDE for human use |
| 4 | MACITENTAN for human use |
| 5 | SITAXENTAN for human use |

available for human use only from or on the prescription or order of a dermatologist

A poison specified in the following table may be supplied for human use only by, or on the prescription or order of, a dermatologist.

| Item | Poison |
|------|-------------------------|
| 1 | ALEFACEPT for human use |

available for initial treatment of a patient only if authorised by certain health practitioners

HYDROXYCHLOROQUINE may be supplied, for human use, for the initial treatmen of a patient only if that treatment is authorised by:

- (a) a medical practitioner registered under State or Territory legislation that forms par of the Health Practitioner Regulation National Law as a specialist in any of the following specialties or fields of specialty practice:
 - (i) dermatology;
 - (ii) emergency medicine;
 - (iii) intensive care medicine;
 - (iv) paediatrics and child health;
 - (v) physician; or
- (b) a dental practitioner registered under State or Territory legislation that forms part the Health Practitioner Regulation National Law as a specialist in the specialty of oral medicine.

Poisons which must be stored in a locked container to prevent unauthorised access

The following table specifies poisons that must be stored in a locked container to prevent unauthorised access.

| Item | Poison |
|------|--|
| 1 | PENTOBARBITAL in injectable preparations |

dix E—First aid instructions for poisons

Note: See section 31.

rd statements for first aid instructions

For the purposes of the table in clause 3, the statement code specified in column 2 of a item of the following table represents:

- (a) the statement specified in column 3 of the item; or
- (b) a different statement that has the same intent as the statement specified in column of the item.

| Stand | Standard statements for first aid instructions | | | |
|-------|--|-------------------------------|--|--|
| Item | Column 1 Category | Column 2 Statement code | Column 3 Statement | |
| 1 | Basic | A | For advice, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor (at once). | |
| 2 | Basic | Z | First aid is not generally required. If in doubt, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. | |
| 3 | General | G1 | Urgent hospital treatment is likely to be needed. | |
| | | | (Note - the words "at once" to be added to instruction A). | |
| 4 | General | G2 | If swallowed, give activated charcoal if instructed. | |
| | | | (Note - the words "at once" to be added to instruction A). | |
| 5 | General | G3 | If swallowed, do NOT induce vomiting. | |
| 6 | General | G4 | Immediately give a glass of water. | |
| 7 | General | G5 | Avoid giving milk or oils. | |
| 8 | General | G6 | If sprayed in mouth, rinse mouth with water. | |
| 9 | Eyes | E1 | If in eyes wash out immediately with water. | |
| 10 | Eyes | E2 | If in eyes, hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor, or for at least 15 minutes. | |
| 11 | Respiratory system | R1 | If inhaled, remove from contaminated area. Apply artificial respiration if not breathing. | |

| Standard statements for first aid instructions | | | |
|--|-----------------------|-------------------------------|---|
| Item | Column 1 Category | Column 2 Statement code | Column 3 Statement |
| 12 | Respiratory system | R2 | If swallowed or inhaled, remove from contaminated area. Apply artificial respiration if not breathing. Do not give direct mouth-to-mouth resuscitation. To protect rescuer, use air-viva, oxy-viva or one-way mask. Resuscitate in a well-ventilated area. |
| 13 | Skin | S1 | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. |
| 14 | Skin | S2 | If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Continue flushing with water until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
| 15 | Skin | S3 | If on skin, remove any contaminated clothing, wash skin thoroughly with soap and water, then methylated spirit if available. Contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
| 16 | Skin | S4 | If on skin, immediately remove any contaminated clothing, wash skin with methylated spirit or PEG (polyethylene glycol) 300 or 400 if available, then flush under running water until advised to stop by a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor. |
| 17 | Skin | S5 | If skin contact occurs, immediately remove contaminated clothing. Flush skin under running water for 15 minutes. Then apply calcium gluconate gel. Contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766). |
| 18 | Special Purpose | SP1 | If swallowed, splashed on skin or in eyes, or inhaled, contact a Poisons Information Centre (e.g. phone Australia 13 11 26; New Zealand 0800 764 766) or a doctor at once. Remove any contaminated clothing and wash skin thoroughly. If swallowed, activated charcoal may be advised. Give atropine if instructed. |

information centre contact information in statements

A statement required for a poison that includes a reference to a Poisons Information Centre must include:

- (a) the telephone number that is appropriate to the country or countries in which the poison is to be supplied; and
- (b) immediately following the reference to a Poisons Information Centre:

- (i) the national telephone number for the Poisons Information Centre in Austral (13 11 26); or
- (ii) the telephone number for another poisons information centre:
 - (A) that is attended by adequately trained staff for 24 hour emergency poisons information; and
 - (B) calls to which are logged and submitted for incorporation into the official collection of poisoning data.

Note: For subparagraph (b)(ii), in 2022 the Poisons Information Centre telephone number in New Zealand was 0800 764 766.

d instructions for poisons

- (1) For the purposes of subsection 31(1), and subject to subclause (2), the statement represented by each statement code specified in column 2 of an item of the following table is required for the poison specified in column 1 of the item.
- (2) A statement required for a poison must:
 - (a) be modified for its use in relation to that poison as appropriate for the poison (for example if the poison is combined with other substances (whether toxic or non-toxic) or is in a particular physical form or presentation); and
 - (b) if the statement refers to a Poisons Information Centre—comply with clause 2.

| Poiso | Poisons that must be labelled with first aid instructions | | |
|-------|---|-----------------------|--|
| Item | Column 1 Poison | Co Sta | |
| 1 | ACETIC ACID | coc A, S1 | |
| 2 | ACETIC ANHYDRIDE | A, S1 | |
| 3 | ACETONE | Α, | |
| 4 | ACROLEIN | A, G2 E2, S2 | |
| 5 | ALKALINE SALTS | A, S1 | |
| 6 | ALKYL NITRITES | A | |

| Poiso | ns that must be labelled with first aid instructions | | |
|-------|--|------------|--|
| Item | Column 1 | | |
| | Poison | Sta coo | |
| 7 | AMIDOPROPYL BETAINES—in cosmetic wash-off preparations when included in Schedule 6 | E1 | |
| 8 | AMIDOPROPYL BETAINES—in other preparations when included in Schedule 6 | E1 | |
| 9 | AMINES for use as curing agents | A, S1 | |
| 10 | 2-AMINO-6-CHLORO-4-NITROPHENOL | A, | |
| 11 | 4-AMINO-m-CRESOL | A, | |
| 12 | 2-AMINO-5-ETHYLPHENOL | A | |
| 13 | 4-AMINO-2-HYDROXYTOLUENE | A, | |
| 14 | 4-AMINO-3-NITROPHENOL | A | |
| 15 | 2,2'-[(4-AMINO-3-NITROPHENYL)IMINO]BISETHANOL | E1 | |
| 16 | m-AMINOPHENOL | A, | |
| 17 | p-AMINOPHENOL | A, | |
| 18 | 4-AMINOPYRIDINE | A, | |
| | | G2 S1 | |
| 19 | AMMONIA—5% or less | A | |
| 20 | AMMONIA—above 5% | A, R1 | |
| 21 | AMMONIUM COCOYL ISETHIONATE | E1 | |
| 22 | AMMONIUM PERSULFATE | A, | |
| 23 | AMMONIUM THIOCYANATE | A | |
| 24 | AMYL NITRITE | A | |
| 25 | ANHYDRIDES, organic acid, for use as curing agents for epoxy resins | A, S1 | |
| 26 | ANILINE | A, S1 | |
| 27 | ANISE OIL | A, | |
| 28 | ANITMONY CHLORIDE | A, | |
| 29 | ANTIMONY COMPOUNDS, except antimony chloride | A | |
| 30 | ARBUTIN when included in Schedule 6 | A, G3 | |

| Poisons that must be labelled with first aid instructions | | | | |
|---|---|-----------|--|--|
| Item | Column 1 Poison | Co Sta | | |
| | | R2 | | |
| 31 | AZADIRACHTA INDICA (neem) including its extracts and derivatives when included in Schedule 6 | A, | | |
| 32 | AZO DYES (derivatives by diazotisation) | A | | |
| 33 | BARIUM SALTS, except barium sulfate | A | | |
| 34 | BASIC RED 76 | A | | |
| 35 | BASIL OIL | A, | | |
| 36 | BAY OIL | A, | | |
| 37 | BENZALKONIUM CHLORIDE—when included in Schedule 5 | A, | | |
| 38 | BENZALKONIUM CHLORIDE—when included in Schedule 6 | A, S1 | | |
| 39 | BENZENE | A, R1 | | |
| 40 | 1,2-BENZENEDIOL (Catechol) | A, | | |
| 41 | BENZOYL PEROXIDE—above 20% | A, | | |
| 42 | BENZOYL PEROXIDE—above 10% up to 20% | A, | | |
| 43 | BENZOYL PEROXIDE—10% or less | A | | |
| 44 | BERGAMOT OIL | A, | | |
| 45 | BIFLUORIDES (including ammonium, potassium and sodium salts)—when included in Schedule 5 | A | | |
| 46 | BIFLUORIDES (including ammonium, potassium and sodium salts)—when included in Schedule 6 or 7 | A, S5 | | |
| 47 | 1,3-BIS(2,4-DIAMINOPHENOXY)PROPANE | E1, | | |
| 48 | BIS-ISOBUTYL PEG/PPG-20/35/AMODIMETICONE COPOLYMER | A, | | |
| 49 | BORAX | A | | |
| 50 | BORIC ACID | A | | |
| 51 | BORON TRIFLUORIDE—when included in Schedule 5 | A | | |
| 52 | BORON TRIFLUORIDE—when included in Schedule 6 or 7 | A, S5 | | |
| 53 | BROMOFORM | A, R1 | | |

| Poiso | ns that must be labelled with first aid instructions | |
|-------|---|-----------|
| Item | Column 1 Poison | Co Sta |
| | 1 Olson | co |
| 54 | BRUCINE | A, |
| | | G2 R2 |
| 55 | 2-BUTOXYETHANOL and its acetates | Α, |
| 56 | n-BUTYL ALCOHOL | Α, |
| 57 | BUTYL NITRITE | A |
| 58 | CADMIUM COMPOUNDS | A |
| 59 | CAJUPUT OIL | A, |
| 60 | CAMPHOR | A, |
| | | G3 |
| 61 | CARBAMIDE PEROXIDE—more than 9% up to 60% | A, S1 |
| 62 | CARBAMIDE PEROXIDE—more than 60% | A, |
| | | G3 |
| | | E2 |
| 63 | CARBON DISULFIDE | A, R1 |
| 64 | CARBON TETRACHLORIDE | A, |
| | | R1 |
| 65 | CASSIA OIL | A, |
| 66 | CHLORINATING COMPOUNDS, except when separately specified—containing above 4% and below 10% of available chlorine | A, S1 |
| 67 | CHLORINATING COMPOUNDS, except when separately specified—containing 10% or more of available chlorine | A, S1 |
| 68 | CHLORIDE (gas) | A, |
| 69 | CHLOROACETAMIDE | A |
| 70 | CHLOROCRESOL | A, S2 |
| 71 | 2-CHLORO-6-(ETHYLAMINO)-4-NITROPHENOL | A, |
| 72 | CHLOROFORM | A, |
| | | R1 |
| 73 | CHROMATES | A, |
| | | S1 |

| | ns that must be labelled with first aid instructions Column 1 | Co |
|------|---|-----------|
| Item | Poison | Co Sta |
| | 1 Olson | CO |
| 74 | CHROMIUM TRIOXIDE | A, |
| | | S1 |
| 75 | CHRYSOIDINE BASE | A, |
| 76 | CINEOLE | A, |
| 77 | CINNAMON BARK OIL | A, |
| 78 | CINNAMON LEAF OIL | A, |
| 79 | CLIMBAZOLE | A |
| 80 | CLOVE OIL | A, G3 |
| 81 | COCOYL GLYCINATE | E1 |
| 82 | COPPER SULFATE | Α, |
| | | S1 |
| 83 | CREOSOTE | A, |
| | | S1 |
| 84 | CRESOLS | A, S3 |
| 85 | CRESOLS in pressurised spray packs | A, |
| | | S1 |
| 86 | CYANIDES | A, R2 |
| 87 | CYANOACRYLIC ACID ESTERS | A |
| 88 | CYANURIC ACID | A |
| 89 | CYCLOHEXANONE PEROXIDE | A, |
| | | S1 |
| 90 | CYCLOSILAZANES, DI-ME, ME HYDROGEN, POLYMERS WITH DI-ME, ME HYDROGEN SILAZANES, REACTION PRODUCTS WITH 3-(TRIETHOXYSILYL)-1-PROPANAMINE (CAS 475645-84-2) | A, |
| 91 | CYCTEAMINE | E1 |
| 92 | 1-DEOXY-1-(METHYLAMINO)-d-GLUCITOL N-COCO ACYL DERIVATIVES | E1 |
| 93 | 2,4-DIAMINOPHENOXYETHANOL | A, |
| 94 | o-DICHLOROBENZENE | A, |
| | | S1 |
| 95 | para-DICHLOROBENZENE (PDB) | A |
| | | |

| | ns that must be labelled with first aid instructions | |
|------|---|-----------|
| Item | Column 1 | Co |
| | Poison | Sta co |
| 96 | DICHLOROETHYL ETHER | Α, |
| | | R1 |
| 97 | DICHLOROISOCYANURATES | A, |
| | | S1 |
| 98 | DICHLOROMETHANE (methylene chloride) | A, G5 |
| | | R1 |
| 99 | DICHLOROMETHANE (methylene chloride)—in pressurised spray packs | A, |
| 100 | DICHROMATES | A, |
| | | G3 |
| | | S1 |
| 101 | DIDECYLDIMETHYLAMMONIUM SALTS | Α, |
| 102 | DIESEL (distillate) | <u>A,</u> |
| 103 | DIETHANOLAMINE—when included in Schedule 5 | Α, |
| 104 | DIETHANOLAMINE—when included in Schedule 6 | A, S1 |
| 105 | DIETHYLENE GLYCOL MONOBUTYL ETHER | A, |
| 106 | 5,6-DIHYDROXYINDOLINE | |
| 107 | DIMETHYLFORMAMIDE—less than 75% | A |
| 108 | DIMETHYLFORMAMIDE—75% or more | A, |
| | | S1 |
| 109 | 4,4-DIMETHYL-1-CYCLOHEXENE-1-PROPANAL | A, |
| 110 | 3,7-DIMETHYL-2,6-OCTADIEN-1-OL | A, |
| 111 | DIMETHYL SULFOXIDE | A, |
| | | S1 |
| 112 | DINITROCRESOLS | A, S1 |
| 113 | DINITROPHENOLS | A, |
| 113 | BINTROTHENOES | S1 |
| 114 | DIOXANE | A, |
| | | R1 |
| 115 | DISPERSE YELLOW 3 | A, |
| 116 | DISTILLATE | A, |

| | ns that must be labelled with first aid instructions | |
|------|---|-----------|
| Item | Column 1 Poison | Co Sta |
| | 1 OISOII | co |
| 117 | N-(N-DODECYL)-2-PYRROLIDONE—when included in Schedule 5 | A, |
| 118 | N-(N-DODECYL)-2-PYRROLIDONE—when included in Schedule 6 | A, |
| | | S1 |
| 119 | EPOXY RESINS liquid | Α, |
| 120 | Essential ails containing CAMPHOD as natural commonant unless otherwise specified | S1 |
| 120 | Essential oils containing CAMPHOR as natural component unless otherwise specified | Α, |
| 121 | ETHER | A, R1 |
| 122 | ETHYL BROMIDE | A, |
| | | R1 |
| 123 | ETHYLENE GLYCOL | A |
| 124 | ETHYLENE GLYCOL MONOALKYL ETHERS and their acetates, except when | A, |
| | separately specified | S1 |
| 125 | ETHYLENE OXIDE | A, |
| 126 | ETHYLHEXANEDIOL | A, |
| 127 | 2-ETHYLHEXANOIC ACID | A |
| 128 | EUCALYPTUS OIL | A, |
| 129 | EUGENOL | Α, |
| 120 | PENAIST OF | G3 |
| 130 | FENNEL OIL | A, |
| 131 | FLUORIDES except when separately specified—when included in Schedule 5 | A |
| 132 | FLUORIDES except when separately specified—when included in Schedule 6 | A, G3 |
| | | S1 |
| 133 | FORMALDEHYDE (see also paraformaldehyde) | A, |
| | | R1 |
| 134 | FORMIC ACID | A, |
| | | S1 |
| 135 | FURFURAL | Α, |
| 136 | GLUTARAL—below 5% | <u>A,</u> |
| 137 | GLUTARAL—5% or more | A, S1 |
| 138 | GLYCOLIC ACID | A, |
| 150 | CLI COLIC NOID | 11, |

| Item | Column 1 Poison | Co Sta |
|------|---|----------------|
| 139 | GUANIDINE when included in Schedule 6 | A, S1 |
| 140 | HC VIOLET 1 | E1 |
| 141 | HEXACHLOROPHENE when included in Schedule 6 | A |
| 142 | HEXYLOXYETHANOL | A, S1 |
| 143 | HYDRAZINE | A, G3 R1 |
| 144 | HYDROCARBONS, liquid | A, |
| 145 | HYDROCHLORIC ACID | A, S1 |
| 146 | HYDROCHLORIC ACID—when included in Schedule 5 | A, |
| 147 | HYDROFLUORIC ACID and admixtures that generate hydrofluoric acid—when included in Schedule 5 | A |
| 148 | HYDROFLUORIC ACID and admixtures that generate hydrofluoric acid—when included in Schedule 6 or 7 | A, S5 |
| 149 | HYDROGEN PEROXIDE—more than 3% up to 20% | A, S1 |
| 150 | HYDROGEN PEROXIDE—more than 20% | A, G3 E2 |
| 151 | HYDROQUINONE—when included in Schedule 2 | A |
| 152 | HYDROQUINONE—when included in Schedule 4 or 6 | A, G3 R2 |
| 153 | HYDROSILICOFLUORIC ACID—when included in Schedule 5 | A |
| 154 | HYDROSILICOFLUORIC ACID—when included in Schedule 6 or 7 | A, S5 |
| 155 | 2-HYDROXYETHYL METHACRYLATE | A, |
| 156 | HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE | E1. |
| 157 | IODINE (excluding salts, derivatives and iodophors)—2.5% or more for human external use | A, |

| Poisor | ns that must be labelled with first aid instructions | |
|--------|---|----------------|
| Item | Column 1 Poison | Co Sta |
| 158 | IODINE (excluding salts, derivatives and iodophors)—2.5% or more for other uses | A, |
| 159 | IODINE (excluding salts, derivatives and iodophors)—below 2.5% | A |
| 160 | IODOPHORS | A |
| 161 | ISOAMYL NITRITE | A |
| 162 | ISOBUTYL NITRITE | A |
| 163 | ISOCYANATES, free organic | A, |
| 164 | ISOEUGENOL | A, |
| 165 | ISOPHORONE | A, S1 |
| 166 | KEROSENE | A, |
| 167 | LAURETH CARBOXYLIC ACIDS—leave-on or wash-off preparations above 5% | E1 |
| 168 | LAURETH CARBOXYLIC ACIDS—other preparations above 5% | E1 |
| 169 | LAURYL ISOQUINOLINIUM BROMIDE | A, |
| 170 | LEAD COMPOUNDS—in hair cosmetics | A |
| 171 | LEAD COMPOUNDS—in other preparations | A, |
| 172 | LEMON OIL | A, |
| 173 | LEPTOSPERMUM SCOPARIUM OIL (manuka oil) | A, |
| 174 | LIME OIL | A, |
| 175 | MAGNESIUM CHLORATE | A |
| 176 | MALATHION at 20% or less | A |
| 177 | MARJORAM OIL | A, |
| 178 | MELALEUCA OIL | A, |
| 179 | MERCAPTOACETIC ACID | A, |
| 180 | MERCURIC CHLORIDE—for external therapeutic use | A |
| 181 | MERCURIC CHLORIDE—for other uses | A, G3 R2 |
| 182 | MERCURIC IODIDE | A, G3 R2 |

| Item | Column 1 Poison | Co Sta |
|------|---|----------------|
| 183 | MERCURIC NITRATE | A, G3 R2 |
| 184 | MERCURIC OXIDE | A, |
| 185 | MERCURIC POTASSIUM IODIDE | A, G3 R2 |
| 186 | MERCURIC THIOCYANATE | A, G3 R2 |
| 187 | MERCUROCHROME | A |
| 188 | MERCUROUS CHLORIDE | A |
| 189 | MERCURY—metallic | A |
| 190 | MERCURY—organic compounds | A, |
| 191 | MERCURY—organic compounds in preparations for human external use | A |
| 192 | METALDEHYDE | A, |
| 193 | METHANOL—above 10% | A, |
| 194 | METHANOL—10% or less | A |
| 195 | METHYLATED SPIRIT(S) | A, |
| 196 | METHYLATED SPIRIT(S)—when packed and labelled as a "biofuel" suitable for use in "spirit burners" | A, |
| 197 | METHYL ETHYL KETONE | A, |
| 198 | METHYL ETHYL KETONE OXIME | A, |
| 199 | METHYL ETHYL KETONE PEROXIDE | A, S1 |
| 200 | METHYLEUGENOL | A |
| 201 | METHYL ISOAMYL KETONE | A, |
| 202 | METHYL ISOBUTYL KETONE | A, |
| 203 | N-METHYL-2-PYRROLIDONE—when included in Schedule 5 | A, |
| 204 | N-METHYL-2-PYRROLIDONE—when included in Schedule 6 | A, |
| 205 | 2-METHYLRESORCINOL | A, |
| 206 | METHYL SALICYLATE LIQUID when included in Schedule 5 or 6 | A, |

| Poisor | ns that must be labelled with first aid instructions | |
|--------|---|----------|
| Item | Column 1 | Co |
| | Poison | Sta |
| 207 | MONOETHANOLAMINE—when included in Schedule 5 | |
| | MONOETHANOLAMINE—when included in Schedule 6 | A, |
| 208 | MONOE I HANOLAMINE—when included in Schedule 6 | A, S1 |
| 209 | 1,5-NAPHTHALENEDIOL | A, |
| 210 | 2,7-NAPHTHALENEDIOL | A, |
| 211 | NAPHTHALENE | A, |
| 212 | 1-NAPHTHOL | A, |
| 213 | NITRIC ACID | A, |
| | | S1 |
| 214 | NITROBENZENE | Α, |
| 215 | 2 NITRO :: HVDROVVETHVI AMINORHENOI | S1 |
| 215 | 3-NITRO-p-HYDROXYETHYLAMINOPHENOL | E1 |
| 216 | NITROPHENOL | A, S1 |
| 217 | NITROPRUSSIDES—in aerosols | A, |
| 218 | NITROPRUSSIDES—in other preparations | A, |
| 219 | NITROUS OXIDE | A |
| 220 | NONOXINOL 9 | A, |
| 221 | NUTMEG OIL | A, |
| 222 | OCTHILINONE | A, |
| | | S1 |
| 223 | OCTYL NITRITE | A |
| 224 | N-(N-OCTYL)-2-PYRROLIDONE—when included in Schedule 5 | A, |
| 225 | N-(N-OCTYL)-2-PYRROLIDONE—when included in Schedule 6 | A, |
| 226 | ORANGE OIL (bitter) | A, |
| 227 | OXALIC ACID | A, |
| 228 | PARAFORMALDEHYDE | S1 |
| 220 | TAKATOKWIALDEITTDE | A, R1 |
| 229 | PENNYROYAL OIL | A, |
| 230 | PERACETIC ACID—when included in Schedule 5 | Α, |
| | | S1 |

| Item | Column 1 Poison | Co Sta |
|------|--|----------------|
| | | co |
| 231 | PERACETIC ACID—when included in Schedule 6 | A, S1 |
| 232 | PETROL | Α, |
| 233 | 2-PHENOXYETHANOL | A, |
| 234 | PHENOL when included in Schedule 6 | A, |
| 235 | PHENOLS—25% and less | A, S3 |
| 236 | PHENOLS—above 25% | A, S4 |
| 237 | PHENOLS—in pressurised spray packs | A, |
| 238 | PHENOXYMETHYL OXIRANE | A, |
| 239 | PHENYLENEDIAMINES including alkylated, arylated, halogenated and nitro derivatives —in hair dyes | A, |
| 240 | PHENYLENEDIAMINES including alkylated, arylated, halogenated and nitro derivatives —in preparations other than hair dyes | A, G3 S1 |
| 241 | PHENYL METHYL KETONE as such, or in preparations of similar viscosity | A, |
| 242 | PHENYL METHYL PYRAZOLONE | A, |
| 243 | <i>N,N</i> -BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,5-DIMETHANAMINE | A, |
| 244 | <i>N,N</i> -BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,6-DIMETHANAMINE | A, |
| 245 | o-PHENYLPHENOL | A, S1 |
| 246 | o-PHENYLPHENOL—in pressurised spray packs | A, S1 |
| 247 | PHOSPHONIC ACID | A, S1 |
| 248 | PHOSPHONIC ACID—neutralised to pH 6 (approx) | A |
| 249 | PHOSPHONIC ACID—in spray packs | A, |
| 250 | PHOSPHORIC ACID | A, S1 |
| 251 | PHOSPHORUS, YELLOW | A, G3 R2 |

| Poiso | ns that must be labelled with first aid instructions | |
|-------|---|----------------|
| Item | Column 1 Poison | Co Sta |
| | | coc |
| 252 | o-PHTHALALDEHYDE—when included in Schedule 5 | A, |
| 253 | o-PHTHALALDEHYDE—when included in Schedule 6 | A, S1 |
| 254 | PICRAMIC ACID including its salts (excluding other derivatives) | Α, |
| 255 | PICRIC ACID | A, G3 R1 |
| 256 | POLIHEXANIDE | E1 |
| 257 | POLYETHANOXY (15) TALLOW AMINE | A, |
| 258 | POLY(OXY-1,2-ETHANEDIYL), A -[2-[(2-HYDROXYETHYL)AMINO]-2-OXOETHYL]- A -HYDROXY-,MONO-C13-15-ALKYL ETHERS | A, |
| 259 | POTASSIUM BROMATE | A |
| 260 | POTASSIUM CHLORATE | A |
| 261 | POTASSIUM CYANATE | A, |
| 262 | POTASSIUM HYDROXIDE | A, S1 |
| 263 | POTASSIUM METABISULPHITE | A |
| 264 | POTASSIUM NITRITE—when included in Schedule 7 | A, |
| 265 | POTASSIUM NITRITE—when included in Schedule 5 or 6 | A, |
| 266 | POTASSIUM PEROXOMONOSULFATE TRIPLE SALT—when included in Schedule 5 | A, |
| 267 | POTASSIUM PEROXOMONOSULFATE TRIPLE SALT—when included in Schedule 6 | A, S1 |
| 268 | POTASSIUM PERSULFATE | A, |
| 269 | POTASSIUM SULFIDE | A, S1 |
| 270 | PROPIONIC ACID | A, S1 |
| 271 | n-PROPYL ALCOHOL | Α, |
| 272 | D -PULEGONE | Α, |
| 273 | PYRITHIONE ZINC | Α, |
| 1 | | |

| Item | Column 1 Poison | Co Sta |
|------|--|----------------|
| 274 | QUATERNARY AMMONIUM COMPOUNDS except when separately specified—above 20% | A, |
| 275 | QUATERNARY AMMONIUM COMPOUNDS except when separately specified—20% and below | A, |
| 276 | QUATERNARY AMMONIUM COMPOUNDS except when separately specified—in pressurised spray packs | A, |
| 277 | QUINOLINE | A, |
| 278 | RESORCINOL | A, |
| 279 | SAFROLE | A, |
| 280 | SAGE OIL (Dalmatian) | A, |
| 281 | SASSAFRAS OIL | A, |
| 282 | SELENIUM COMPOUNDS | A, S1 |
| 283 | SILICOFLUORIDES—when included in Schedule 5 | A |
| 284 | SILICOFLUORIDES—when included in Schedule 6 | A, G3 S1 |
| 285 | SILVER SALTS | Α, |
| 286 | SODIUM ALUMINATE | A, S1 |
| 287 | SODIUM BROMATE | A, |
| 288 | SODIUM CHLORATE | A |
| 289 | SODIUM DIACETATE | A, S1 |
| 290 | SODIUM DICHLOROISOCYANURATE | A, S1 |
| 291 | SODIUM DODECYLBENZENE SULFONATE | A, S1 |
| 292 | SODIUM HYDROGEN SULFATE | A, S1 |
| 293 | SODIUMHYDROSULFITE | A, S1 |

| Item | Column 1 Poison | Co Sta |
|------|---|----------------|
| 294 | SODIUM HYDROXIDE | A, S1 |
| 295 | SODIUM LAURETH-6 CABOXYLATE | A |
| 296 | LAURYL SULFATE SALTS—leave-on or wash-off preparations above 5% | E1 |
| 297 | LAURYL SULFATE SALTS—other preparations above 5% | E1, |
| 298 | SODIUM METABISULPHITE | A, |
| 299 | SODIUM NITRITE—when included in Schedule 7 | A, |
| 300 | SODIUM NITRITE—when included in Schedule 5 or 6 | A, |
| 301 | SODIUM PERCARBONATE—when included in Schedule 5 | A, |
| 302 | SODIUM PERCARBONATE—when included in Schedule 6 | A, S1 |
| 303 | SODIUM PERSULFATE | A, |
| 304 | SODIUM STANNATE | A, |
| 305 | SODIUM SULFIDE | A, S1 |
| 306 | SODIUM TRICHLOROACETATE | A |
| 307 | STRYCHNINE | A, G2 R2 |
| 308 | STYRENE | A, E1 |
| 309 | SULCOFURON | A |
| 310 | SULFAMIC ACID | A, S1 |
| 311 | SULFURIC ACID | A, S1 |
| 312 | TERPENES, chlorinated | A, |
| 313 | TETRACHLOROETHANE | A, R1 |
| 314 | TETRACHLOROETHYLENE | A, R1 |
| 315 | THIOUREA | A |

| Poisons that must be labelled with first aid instructions | | |
|---|--|-----------|
| Item | Column 1 | Со |
| | Poison | Sta |
| 216 | THUONE | coc |
| 316 | THUJONE | <u>A,</u> |
| 317 | THYME OIL | <u>A,</u> |
| 318 | o-TOLIDINE | <u>A</u> |
| 319 | TOLUENE—above 75% | A, R1 |
| 320 | TOLUENE—75% and below | A, |
| 321 | TOLUENE—in pressurised spray packs | A |
| 322 | TOLUENEDIAMINES—in hair dyes | A, |
| 323 | TOLUENEDIAMINES—in other preparations | A, |
| | | G3 |
| | TRIGHT OF CASETYS A STR | <u>S1</u> |
| 324 | TRICHLOROACETIC ACID | A, S1 |
| 325 | TRICHLOROACETIC ACID ALKALI SALTS | A |
| 326 | 1,1,1-TRICHLOROETHANE | Α, |
| | | R1 |
| 327 | TRICHLOROETHYLENE | A, |
| | | R1 |
| 328 | TRICHLOROISOCYANURIC ACID | A, |
| 220 | TRICTINA DIACONATE | <u>S1</u> |
| 329 | TRIETHYL PHOSPHATE | A, |
| 330 | TRIFLUOROMETHANESULFONIC ACID | A, |
| 331 | TRIISOPROPANOLAMINE LAURYL ETHER SULFATE | A, |
| 332 | TROLAMINE | A, S1 |
| 333 | TURPENTINE (mineral) | Α, |
| 334 | TURPENTINE OIL (vegetable) | A, |
| 335 | VINYL ACETATE MONOMER | A, |
| 336 | WHITE SPIRIT | A, |
| 337 | XYLENE—above 75% | A, |
| | | R1 |
| 338 | XYLENE—75% and below | A, |

| Poiso | Poisons that must be labelled with first aid instructions | | |
|-------|---|------------------|--|
| Item | Column 1 Poison | Co Sta coo | |
| 339 | XYLENE—in pressurised spray packs | A, S1 | |
| 340 | XYLENOLS in pressurised spray packs | A, | |
| 341 | ZINC CHLORIDE | A, S1 | |
| 342 | ZINC SULFATE | A, S1 | |

dix F—Warning statements and general safety directions for poisons

Note: See sections 29 and 30, subsection 33(2) and section 42.

ig statements

For the purposes of the table in clause 4 of this Appendix and the table in clause 2 of Appendix L, the item number of an item of the following table represents the warning statement specified in column 1 of the item.

Note: See section 30.

| Warni | Warning statements | | |
|-------|--|--|--|
| Item | Column 1 Warning statement | | |
| 1 | Highly corrosive. | | |
| 2 | Corrosive. | | |
| 3 | Corrosive liquid. | | |
| 4 | Strongly alkaline. | | |
| 5 | Irritant. | | |
| 6 | May cause cancer. | | |
| 7 | WARNING – Causes birth defects. | | |
| 8 | WARNING – May be fatal to children. | | |
| 9 | Can be fatal to children if sucked or swallowed. | | |
| 10 | May produce severe burns. | | |
| 11 | WARNING – Vapour may be harmful. | | |
| 12 | Vapour is harmful to health on prolonged exposure. | | |
| 13 | May be fatal if inhaled, swallowed or absorbed through skin. | | |
| 14 | Dust will irritate and burn eyes, nose and skin. | | |
| 15 | Liquid will cause burns. | | |
| 16 | Forms dangerous gas near radiators or naked flames. | | |
| 17 | Contact with eyes even for short periods can cause blindness. | | |
| 18 | Product will irritate the eyes, nose, throat and skin. | | |
| 19 | WARNING – Skin contact may be dangerous. Take every precaution to avoid contact – wash off after spillage and after use. | | |

| Warning statements | | |
|--------------------|--|--|
| Item | Column 1 Warning statement | |
| 20 | May give off dangerous gas if mixed with other products. | |
| 21 | WARNING – This product contains ingredients which may cause skin irritation to certain individuals. A preliminary test according to accompanying directions should be made before use. This product must not be used for dyeing eyelashes or eyebrows; to do so may be injurious to the eye. | |
| 22 | Highly reactive oxidising chlorine compound. | |
| 23 | May cause fire or explosion. | |
| 24 | For external washing only. Rinse skin thoroughly after use. | |
| 25 | Do not use on broken skin. Wash hands thoroughly after use. | |
| 26 | (Powder) (and) (concentrated solutions) are dangerous if swallowed. | |
| 27 | Not for therapeutic use. | |
| 28 | (Over) (Repeated) exposure may cause sensitisation. | |
| 29 | If congestion persists, consult your doctor or pharmacist. | |
| 30 | WARNING – Do not use on face or on anal or genital areas. | |
| 31 | WARNING - Do not use on face or on anal or genital areas except on doctor's advice. | |
| 32 | This preparation should be part of an overall treatment plan regularly assessed with your doctor. | |
| 33 | Do not take for periods longer than four weeks except on medical advice. | |
| 34 | WARNING – This medication may be dangerous when used in large amounts or for a long time (period). | |
| 35 | CAUTION – This preparation is for the relief of minor and temporary ailments and should be used strictly as directed. Prolonged use without medical supervision could be harmful. | |
| | or | |
| | CAUTION – This preparation is for the relief of minor and temporary ailments and should be used strictly as directed. Prolonged or excessive use without medical supervision could be harmful. | |
| 36 | For use under medical supervision only. | |
| 37 | Consult a doctor before giving this medication to children or teenagers with chicken pox, influenza or fever. | |
| 38 | CAUTION – Do not use for children under 2 years unless a doctor has told you to. | |
| 39 | This medication may cause drowsiness. If affected do not drive a vehicle or operate machinery. Avoid alcohol. | |

| Warni | ng statements |
|-------|--|
| Item | Column 1 Warning statement |
| 40 | This medication may cause drowsiness and may increase the effects of alcohol. If affected do not drive a motor vehicle or operate machinery. |
| 41 | Do not give to children under 12 years of age. Do not use beyond 48 hours or in pregnancy or lactation except on doctor's advice. |
| 42 | WARNING – Overuse may stain the skin or mouth. |
| 43 | Use of this product is not necessary in areas supplied with fluoridated water. |
| 44 | WARNING – May be dangerous, particularly to children, if you use large amounts on the skin, clothes or bedding or on large areas of the body, especially if you keep using it for a long time. |
| 45 | WARNING – If a pigmented spot or mole has recently become darker, changed colour, become enlarged or itchy, or bleeds, do not use this product, see your doctor immediately. Do not use on children. Do not use near the eyes. Mild irritation may occur; stop use if it becomes severe. If fading is not evident in three months, seek doctor's advice. |
| 46 | WARNING – Contains (name of substance) which causes birth defects in laboratory animals. Women of child bearing age should avoid contact with (name of substance). |
| 47 | WARNING – This product contains (name of substance) which causes birth defects in certain laboratory animals. Women of child bearing age are advised not to mix, load or spray this product. They should keep out of crops being sprayed. |
| 48 | WARNING – This product forms cyhexatin which causes birth defects in certain laboratory animals. Women of child bearing age are advised not to mix, load or spray this product. They should keep out of crops being sprayed. |
| 49 | WARNING – Do not mix with other medication except on veterinarian's advice. |
| 50 | Unless adequately fired, utensils glazed with this preparation must not be used as containers for food or beverages; to do so may cause lead poisoning. |
| 51 | Irritant to skin, eyes, mucous membranes and upper respiratory tract. |
| 52 | Breathing vapour or spray mist is harmful and may cause an asthma-like reaction. |
| 53 | CAUTION – (Name of substance) should not be used by pregnant women. |
| 54 | Seek medical advice before first course of treatment. |
| 55 | Keep from eyes, lips, mouth and sensitive areas of the neck. If excessive swelling, irritation, redness or peeling occurs, discontinue use. If these persist, consult a physician. Avoid excessive exposure to sunlight and other sources of ultra violet light. |
| 56 | WARNING – Can cause elevated blood pressure and interact adversely with other medication. |
| 57 | Not to be applied to infants under 12 months of age unless on doctor's advice. |
| 58 | Highly reactive oxidising bromine and chlorine compound. |

| Warni | Warning statements | | |
|-------|---|--|--|
| Item | Column 1 Warning statement | | |
| 59 | May cause allergy. | | |
| 60 | Do not mix with detergents or other chemicals. | | |
| 61 | WARNING - Can react with other medicines. Ask your doctor or pharmacist before taking. | | |
| 62 | Do not use if pregnant. | | |
| 63 | See a doctor if you are pregnant or diabetic. | | |
| 64 | See a doctor (or) (dentist) if no better after (Insert number of days as per approved Product Information) days. | | |
| 65 | If getting better, keep using for (Insert number of days as per approved Product Information) days. | | |
| 66 | See a doctor if problem returns. | | |
| 67 | Do not use if pregnant or likely to become pregnant. | | |
| 68 | If symptoms persist beyond 5 days consult a doctor (or) (dentist). | | |
| 69 | If symptoms recur within two weeks of completing the course, consult a doctor. | | |
| 70 | Use only under medical supervision if you are taking other medicines. | | |
| 71 | Do not use during the last three months of pregnancy. | | |
| 72 | Do not use in the eyes. | | |
| 73 | Do not use for acne. | | |
| 74 | Do not use under waterproof bandages unless a doctor has told you to. | | |
| 75 | Do not use for more than 7 days unless a doctor has told you to. | | |
| 76 | Do not become pregnant during use or within (Insert number of months as per approved Product Information) month(s) of stopping treatment. | | |
| 77 | WARNING - May cause birth defects. | | |
| 78 | Attacks skin and eyes. | | |
| 79 | Will irritate eyes. | | |
| 80 | WARNING: Do not attempt to refill burner while it is in use or still warm; it could lead to serious burn injury. | | |
| 81 | (Intentionally blank) | | |
| 82 | (Intentionally blank) | | |
| 83 | This paint is dangerous to health, even when dry. | | |
| | For industrial use only. | | |
| | Do not use on toys or furniture. | | |
| | Do not use on, in or around the home. | | |

| Warning statements | | |
|--------------------|---|--|
| Item | Column 1 Warning statement | |
| 84 | Breathing the vapour is dangerous. | |
| | Provide adequate ventilation during application. | |
| | Do not use in the presence of a naked flame. | |
| | Do not smoke. | |
| 85 | This paint contains lead and is dangerous to health, even when dry. | |
| | For industrial use only. | |
| | Do not use on toys or furniture. | |
| | Do not use for painting any building or fixed structure. | |
| | Do not use where contact with food or drinking water is possible. | |
| 86 | This tinter contains lead. | |
| | Do not add to any paint which is for application to any toy, furniture, building (interior or exterior), fixed structure or to anything which may contact food or drinking water. | |
| 87 | (Insert brand name) remains in the body for many months after treatment has stopped. Do not become pregnant or father a child before consulting your doctor. | |
| 88 | This product is not recommended for dyeing eyelashes or eyebrows. To do so may be injurious to the eye. | |
| 89 | Application to skin may increase sensitivity to sunlight. | |
| 90 | This preparation is to aid sleep. Drowsiness may continue the following day. If affected do not drive or operate machinery. Avoid alcohol. | |
| 91 | CAUTION – Total iodine intake may exceed recommended level when taking this preparation. | |
| 92 | WARNING – Contains iodine - do not take when pregnant except on physician's advice. | |
| 93 | Causes severe burns, which are not likely to be immediately painful or visible. | |
| 94 | WARNING – Contains nitrite. Substitution for table or cooking salt may be dangerous, particularly for young children. | |
| 95 | CAUTION – Do not use for children under 12 years unless a doctor has told you to. | |
| 96 | CAUTION – This preparation is for the relief of minor and temporary ailments and should be used strictly as directed. If symptoms persist or recur within two weeks, consult a doctor | |
| 97 | Adults: Keep to the recommended dose. Don't take this medicine for longer than a few days at a time unless advised to by a doctor. | |
| 98 | Children and adolescents: Keep to the recommended dose. Do not give this medicine for longer than 48 hours at a time unless advised to by a doctor. | |

| Warni | Varning statements | |
|-------|--|--|
| Item | Column 1 Warning statement | |
| 99 | If an overdose is taken or suspected, ring the Poisons Information Centre (Australia 13 11 26; New Zealand 0800 764 766) or go to a hospital straight away even if you feel well because of the risk of delayed, serious liver damage. | |
| 100 | Do not take with other products containing paracetamol, unless advised to do so by a doctor or pharmacist. | |
| 101 | Don't use [this product/name of the product]: | |
| | If you have a stomach ulcer. | |
| | In the last 3 months of pregnancy. [This statement may be omitted in preparations used exclusively for the treatment of dysmenorrhoea.] | |
| | If you are allergic to (name of substance) or anti-inflammatory medicines. | |
| 102 | Unless a doctor has told you to, don't use [this product/name of the product]: | |
| | For more than a few days at a time. | |
| | With other medicines containing aspirin or other anti-inflammatory medicines. | |
| | If you have asthma. | |
| | In children under 12 years of age. | |
| | In children 12-16 years of age with or recovering from chicken pox, influenza or fever. | |
| | If you are pregnant. | |
| 103 | See a doctor before taking [this product/name of the product] for thinning the blood or for your heart. [This statement may be omitted in products for inhibition of platelet aggregation or with additional active ingredients.] | |
| 104 | Unless a doctor has told you to, don't use [this product/name of the product]: | |
| | For more than a few days at a time. | |
| | With other medicines containing (name of substance) or other anti-inflammatory medicines. | |
| | If you have asthma. | |
| | If you are pregnant. [This statement may be omitted in preparations used exclusively for the treatment of dysmenorrhoea.] | |
| 105 | Do not use on the bedding or clothing of infants or in the bedrooms of children 3 years of age or less. | |
| 106 | Contains formaldehyde. | |
| 107 | Not recommended for children under twelve years of age. | |
| 108 | Breathing of solder fumes is harmful and may cause asthma or sensitisation. | |
| 109 | See your healthcare provider if you consider that you may be at risk of a Sexually Transmitted Infection (STI). | |
| 110 | See a doctor if you plan to become pregnant, or are breastfeeding or plan to breastfeed. | |

| Warni | Warning statements | |
|-------|---|--|
| Item | Column 1 Warning statement | |
| 111 | Do not use if breastfeeding or planning to breastfeed. | |
| 112 | WARNING – May cause irreversible nerve damage if inhaled. | |

directions—general

For the purposes of the table in clause 4, the item number of an item of the following table represents the safety direction specified in column 1 of the item.

Note: See section 29.

| Safety | Safety directions | |
|--------|--|--|
| Item | Column 1 Safety direction | |
| 1 | Avoid contact with eyes. | |
| 2 | Attacks eyes - protect eyes when using. | |
| 3 | Wear eye protection when mixing or using. | |
| 4 | Avoid contact with skin. | |
| 5 | Wear protective gloves when mixing or using. | |
| 6 | Wash hands after use. | |
| 7 | Wash hands thoroughly after use. | |
| 8 | Avoid breathing dust (or) vapour (or) spray mist. | |
| 9 | Use only in well ventilated area. | |
| 10 | Ensure adequate ventilation when using. | |
| 11 | No smoking. | |
| 12 | Do not allow product to come into contact with other chemicals, especially acids. | |
| 13 | Do not allow product to come into contact with combustible materials such as paper, fabric, sawdust or kerosene. | |
| 14 | Do not allow to get damp. | |
| 15 | Store under cover in a dry, clean, cool, well ventilated place away from sunlight. | |
| 16 | Store and transport in an upright container. | |
| 17 | Do not mix with other chemicals. | |
| 18 | Do not mix with different types of chlorinating chemicals. | |
| 19 | Use clean containers for dispensing. | |

| Safety | Safety directions | | |
|--------|---|--|--|
| Item | Column 1 Safety direction | | |
| 20 | Mix with water only. | | |
| 21 | Do not add water to product - add product to water, but in case of fire drench with water. | | |
| 22 | In case of spillage flush with large quantities of water. | | |
| 23 | Keep away from heat, sparks and naked flames. | | |
| 24 | Avoid contact of the crystals or strong solutions with the eyes, mouth, nose and other mucous membranes. | | |
| 25 | Avoid contact with food. | | |
| 26 | Avoid contact with clothing. | | |
| 27 | Wear a positive-pressure air-supplied full-face respirator whilst spraying and until spray mist has been effectively dispersed. | | |
| 28 | Do not mix with hot water. | | |
| 29 | Obtain a supply of calcium gluconate gel. | | |
| 30 | (Intentionally blank) | | |
| 31 | Do not use on broken skin. | | |
| 32 | Do not use under occlusive dressing. | | |
| 33 | Mix strictly according to instructions. | | |
| 34 | May cause fire if it comes into contact with other chemicals, paper or other flammable materials. | | |
| 35 | Wash gloves thoroughly, immediately after use. | | |
| 36 | Protect cuticles with grease or oil. | | |
| 37 | Avoid breathing solder fumes. | | |
| 38 | Do not intentionally inhale contents. | | |

information centre contact information in statements

A statement required for a poison that includes a reference to a Poisons Information Centre must include:

- (a) the telephone number that is appropriate to the country or countries in which the poison is to be supplied; and
- (b) immediately following the reference to a Poisons Information Centre:
 - (i) the national telephone number for the Poisons Information Centre in Austral (13 11 26); or
 - (ii) the telephone number for another poisons information centre:

- (A) that is attended by adequately trained staff for 24 hour emergency poisons information; and
- (B) calls to which are logged and submitted for incorporation into the official collection of poisoning data.

Note: For subparagraph (b)(ii), in 2022 the Poisons Information Centre telephone number in New Zealand was 0800 764 766.

that must be labelled with warning statements and safety directions

- (1) For the purposes of subsections 29(1) and 30(1), and subject to subclauses (2) and (3), the following are required for a poison specified in column 1 of an item of the following table:
 - (a) the warning statement represented by each item number specified in column 2 of the item;
 - (b) the safety direction represented by each item number specified in column 3 of the item.
- (2) A warning statement or safety direction required for a poison must:
 - (a) be completed or modified for its use in relation to that poison if the statement or direction indicates that such completion is required or such modification is appropriate; and
 - (b) if the statement includes a reference to a Poisons Information Centre—comply with clause 3.

Note: For paragraph (a), for example:

- (a) a statement or direction may require completion by including the name of the poison; ar
- (b) a statement or direction may indicate that modification is appropriate by including different options for the text, or by stating that certain text is not needed in certain circumstances.
- (3) If more than one statement or direction is required for a poison, the statements and directions may be combined to form simple sentences (if appropriate).

| Poisons that must be labelled with warning statements and safety directions | | |
|---|--|---------------------------------------|
| Item | Column 1 Poison | Col 2 Wa stat iten nur |
| 1 | ACETIC ACID in concentrations of 80% or more except when included in Schedule 2 | 2 |
| 2 | ACETIC ANHYDRIDE | 2 |
| 3 | ACETONE in concentrations greater than 75% | |

| Item | n Column 1 Poison | |
|------|---|---------------------------|
| | | Wa stat iten nur |
| 4 | ACITRETIN—for oral use | 7, 6 |
| 5 | ACITRETIN—for topical use | 62, |
| 6 | ADAPALENE for topical use | 62, |
| 7 | ALCLOMETASONE when included in Schedule 3 | 38, 73, |
| 8 | ALKALINE SALTS | 4 |
| 9 | AMBRISENTAN | 7, 6 |
| 10 | AMINES used as curing agents for epoxy resins | |
| 11 | 2-AMINO-6-CHLORO-4-NITROPHENOL | 28 |
| 12 | 4-AMINO-m-CRESOL | 28 |
| 13 | 2-AMINO-5-ETHYLPHENOL | 21 |
| 14 | 4-AMINO-2-HYDROXYTOLUENE | 28 |
| 15 | 4-AMINO-3-NITROPHENOL | 28 |
| 16 | 2,2'-[(4-AMINO-3-NITROPHENYL)IMINO] BISETHANOL | 28 |
| 17 | <i>m</i> -AMINOPHENOL | 28 |
| 18 | p-AMINOPHENOL | 28 |
| 19 | AMMONIA/AMMONIUM HYDROXIDE in concentrations greater than 20% ammonia except in smelling salts | 4 |
| 20 | AMMONIUM PERSULFATE | 5, 2 |
| 21 | ANHYDRIDES, organic acid, for use as curing agents for epoxy resins | |
| 22 | ANILINE | 13 |
| 23 | ANTIHISTAMINES not separately specified in this Appendix except the following: | 39 (|
| | (a) dermal, ocular, parenteral and paediatric preparations; | |
| | (b) oral preparations of astemizole, azelastine, bilastine, desloratadine, fexofenadine, loratadine, terfenadine or cetirizine; | |
| | (c) nasal preparations of azelastine; | |

| Item | ns that must be labelled with warning statements and safety directions Column 1 | Col |
|------|---|--------------|
| | Poison | 2 |
| | | Wa |
| | | stat iten |
| | | nur |
| | (d) preparations for the treatment of animals | |
| 24 | ARBUTIN when included in Schedule 6 | 45 |
| 25 | AROMATIC EXTRACT OILS | |
| 26 | ASPIRIN—for inhibition of platelet aggregation | 36 |
| 27 | ASPIRIN—in sustained release preparations containing 650 mg or more of aspirin | 36 |
| 28 | ASPIRIN—in other preparations | 101 103 |
| 29 | ASTEMIZOLE | 61 |
| 30 | ASTODRIMER SODIUM—for the treatment and relief of bacterial vaginosis | 63, |
| | | 69, 109 |
| 31 | ASTODRIMER SODIUM—for the prevention of recurrent bacterial vaginosis | 63, |
| | | 109 |
| 32 | AZADIRACHTA INDICA including its extracts and derivatives when included in Schedule 6 | 67 |
| 33 | AZOCYCLOTIN | 48 |
| 34 | AZO DYES (derivatives by diazotisation) | 6 |
| 35 | BASIC RED 76 | |
| 36 | BENOMYL | 46 |
| 37 | BENZENE | 12 |
| 38 | 1,2-BENZENEDIOL (Catechol) | 51, |
| 39 | BENZOYL PEROXIDE—when included in Schedule 2 | 55 |
| 40 | BENZOYL PEROXIDE—when included in Schedule 5 | |
| 41 | BERGAMOT OIL | 89 |
| 42 | BERYLLIUM | |
| 43 | BEXAROTENE—for human use | 7, 6 |
| 44 | BEXAROTENE—for topical use | 62, |

| Item | Column 1 Poison | Col 2 |
|------|--|---------------------------|
| | | Wa star iter nur |
| 45 | BIFLUORIDES (including ammonium, potassium and sodium salts)—when included in Schedule 5 | 1, 4 |
| 46 | BIFLUORIDES (including ammonium, potassium and sodium salts)—when included in Schedule 6 or 7 | 1, 1 |
| 47 | 1,3-BIS(2,4-DIAMINOPHENOXY)PROPANE | 28, |
| 48 | BIS-ISOBUTYL PEG/PPG-20/35/AMODIMETICONE COPOLYMER | |
| 49 | BITHIONOL for the treatment of animals | |
| 50 | BORIC ACID when used in Schedule 5 | 25, |
| 51 | BORON TRIFLUORIDE (including mixtures that generate boron trifluoride)—when included in Schedule 5 | 2 |
| 52 | BORON TRIFLUORIDE (including mixtures that generate boron trifluoride)—when included in Schedule 6 or 7 | 1, 1 |
| 53 | BOSENTAN | 7, 6 |
| 54 | BROMOFORM | 1, 4 |
| 55 | 2-BUTOXY-2'-THIOCYANODIETHYL ETHER | |
| 56 | 2-BUTOXYETHANOL and its acetates | |
| 57 | n-BUTYL ALCOHOL | 5 |
| 58 | CAMPHOR—in block, ball, disc, pellet or flake form, enclosed in a device which, in normal use, prevents removal or ingestion of its contents | 9 |
| 59 | CAMPHOR—in other forms | 9 |
| 60 | CANNABIDIOL when included in Schedule 3 | 67, |
| 61 | CARBAMIDE PEROXIDE—more than 9% up to 30% | 5 |
| 62 | CARBAMIDE PEROXIDE—more than 30% up to 60% | 5 |
| 63 | CARBAMIDE PEROXIDE—more than 60% | 2 |
| 64 | CARBON DISULFIDE | 12 |
| 65 | CARBON TETRACHLORIDE | 12 |
| 66 | CASSIA OIL | |
| 67 | CHLORINATING COMPOUNDS—in household cleaning or bleaching preparations | 20 |

| Poisoi Item | ns that must be labelled with warning statements and safety directions Column 1 | Co |
|----------------|---|------------|
| item | Poison | Co. |
| | 2 0.001 | Wa |
| | | sta |
| | | iter |
| | | nur |
| 68 | CHLORINATING COMPOUNDS—in preparations containing less than 10% of available chlorine | 11 |
| 69 | CHLORINATING COMPOUNDS—in liquid preparations containing 10% or more of available chlorine | 3, 1 |
| | | |
| 70 | CHLORINATING COMPOUNDS—in dry preparations containing 10% or more of available chlorine | 10, 22, |
| 71 | | 10, |
| /1 | | 10, |
| | CHLORINATING COMPOUNDS—in dry preparations containing 10% or more of available chlorine certified by a relevant State or Territory authority as not being a | |
| | Dangerous Good of Class 5, Division 5.1: Oxidising substances, as specified in the Australian Dangerous Goods Code | |
| 72 | CHLORINATING COMPOUNDS—in compressed block or tablets containing 10% or | 10, |
| | more of available chlorine except in preparations for use in toilet cisterns only, containing 15 g or less of trichloroisocyanuric acid | |
| 73 | CHLORINATING COMPOUNDS—in other compressed blocks or tablets containing 10% or more of available chlorine certified by a relevant State or Territory authority as not being | 10, |
| | a Dangerous Good of Class 5, Division 5.1: Oxidising substances, as specified in the Australian Dangerous Goods Code except in preparations for use in toilet cisterns only, | |
| | containing 15 g or less of trichloroisocyanuric acid | |
| 74 | CHLOROACETAMIDE | 28 |
| 75 | 2-CHLORO-6-(ETHYLAMINO)-4-NITROPHENOL | 28 |

| Item | Column 1 Poison | Col 2 |
|------|---|------------|
| | | Wa stat |
| | | iten |
| | | nur |
| 76 | CHLOROFORM when included in Schedule 6 | |
| 77 | alpha-CHLOROHYDRIN | 13, |
| 78 | CHROMATES (including dichromates) of alkali metals or ammonia | |
| 79 | CHROMIUM TRIOXIDE | 2, 1 |
| | | 23 |
| 80 | CIMETIDINE when included in Schedule 3 | 70, |
| 81 | CINNAMON BARK OIL | |
| 82 | CLOBETASONE when included in Schedule 3 | 72, |
| | | 74, |
| 83 | CLOTRIMAZOLE in vaginal preparations when included in Schedule 3 | 54, |
| 9.1 | CLOVE OIL | 64, |
| 84 | CYANIDES when included in Schedule 7 | 13 |
| 86 | CYANURIC ACID | 13 |
| 87 | CYCLOHEXANONE PEROXIDE | |
| | | 2 1 |
| 88 | CYCLOSILAZANES, DI-ME, ME HYDROGEN, POLYMERS WITH DI-ME, ME HYDROGEN SILAZANES, REACTION PRODUCTS WITH | 2, 1 |
| | 3-(TRIETHOXYSILYL)-1-PROPANAMINE (CAS 475645-84-2) | |
| 89 | CYCTEAMINE | |
| 90 | 1-DEOXY-1-(METHYLAMINO)-D-GLUCITOL N-COCO ACYL DERIVATIVES | 79 |
| 91 | 4,4-DIAMINODIPHENYLMETHANE (methylene dianiline) | |
| 92 | 2,4-DIAMINOPHENOXYETHANOL | 28, |
| 93 | o-DICHLOROBENZENE | |
| 94 | para-DICHLOROBENZENE | |
| 95 | DICHLOROETHYLENE | |
| 96 | DICHLOEOETHYL ETHER | |
| 97 | DICHLOROISOCYANURATES—in household cleaning or bleaching preparations | 20 |
| 98 | DICHLOROISOCYANURATES—in preparations containing less than 10% of available chlorine | 11 |

| Item | Column 1 Poison | Col 2 Wa star iter |
|------|---|--------------------------------|
| 99 | DICHLOROISOCYANURATES—in liquid preparations containing 10% or more of available chlorine | nur 3, 1 |
| 100 | DICHLOROISOCYANURATES—in dry preparations containing 10% or more of available chlorine | 10, 22, |
| 101 | DICHLOROISOCYANURATES—in dry preparations containing 10% or more of available chlorine certified by a relevant State or Territory authority as not being a Dangerous Good of Class 5, Division 5.1: Oxidising substances, as specified in the Australian Dangerous Goods Code | 10, |
| 102 | DICHLOROISOCYANURATES—in anti-bacterial tablets containing 2.5 g or less of sodium dichloroisocyanurate | 60 |
| 103 | DICHLOROISOCYANURATES—in other compressed blocks or tablets containing 10% or more of available chlorine except in preparations containing 21 g or less of sodium dichloroisocyanurate for use in toilet cisterns only | 10, |
| 104 | DICHLOROISOCYANURATES—in other compressed blocks or tablets containing 10% or more of available chlorine certified by a relevant State or Territory authority as not being a Dangerous Good of Class 5, Division 5.1: Oxidising substances, as specified in the Australian Dangerous Goods Code except in preparations containing 21 g less of sodium dichloroisocyanurate for use in toilet cisterns only | 10, |
| 105 | DICHLOROISOCYANURATES—in other compressed blocks or tablets containing 10% or more of available chlorine in preparations containing 5 g or less of sodium dichloroisocyanurate for use in toilet bowls only—during storage | 10, |

| Item | Column 1 Poison | | | |
|------|---|---------------------------|--|--|
| | | Wa stat iter nui | | |
| | | | | |
| 106 | DICHLOROISOCYANURATES—in other compressed blocks or tablets containing 10% or more of available chlorine in preparations containing 5 g or less of sodium dichloroisocyanurate for use in toilet bowls only—during use | 5 | | |
| 107 | DICHLOROISOCYANURATES—in other compressed blocks or tablets containing 10% or more of available chlorine certified by a relevant State or Territory authority as not being a Dangerous Good of Class 5, Division 5.1: Oxidising substances, as specified in the Australian Dangerous Goods Code in preparations containing 5 g or less of sodium dichloroisocyanurate for use in toilet bowls only—during storage | 10, | | |
| 108 | DICHLOROISOCYANURATES—in other compressed blocks or tablets containing 10% or more of available chlorine certified by a relevant State or Territory authority as not being a Dangerous Good of Class 5, Division 5.1: Oxidising substances, as specified in the Australian Dangerous Goods Code in preparations containing 5 g or less of sodium dichloroisocyanurate for use in toilet bowls only—during use | 5 | | |
| 109 | DICHLOROMETHANE (methylene chloride)—in paint or lacquer removers | 12, | | |
| 110 | DICHLOROMETHANE (methylene chloride)—other than in paint or lacquer removers | | | |
| 111 | DICLOFENAC | 101 | | |
| 112 | DIENESTROL | 67 | | |
| 113 | DIETHANOLAMINE—when included in Schedule 5 | 5 | | |
| 114 | DIETHANOLAMINE—when included in Schedule 6 | 2, 1 | | |
| 115 | DIETHYLTOLUAMIDE for human use | 44 | | |
| 116 | DIETHYLENE GLYCOL MONOBUTYL ETHER | 5 | | |
| 117 | 5,6-DIHYDROXYINDOLINE | 21, | | |
| 118 | 2,6-DIMETHOXY-3,5-PYRIDINEDIAMINE | 28 | | |
| 119 | DIMETHYLFORMAMIDE | | | |
| 120 | 4,4-DIMETHYL-1-CYCLOHEXENE-1-PROPANAL | 5, 2 | | |
| 121 | 3,7-DIMETHYL-2,6-OCTADIEN-1-OL | 5 | | |
| 122 | DIMETHYL SULFATE | 2 | | |

| Item | Column 1 Poison | Co 2 |
|------|---|--------------------------|
| | | Wa sta itei nui |
| 123 | DIMETHYL SULFOXIDE—when not packed and labelled for therapeutic use | 27 |
| 124 | DIMETHYL SULFOXIDE—when packed and labelled for the treatment of animals | 49 |
| 125 | DINITROCRESOLS (and their homologues) except when for therapeutic use | |
| 126 | DINITROPHENOLS (and their homologues) except when for therapeutic use | |
| 127 | DINOCAP | 47 |
| 128 | DIOXANE | |
| 129 | DIPHENOXYLATE when included in Schedule 3 | 39 d 41 |
| 130 | DISPERSE YELLOW 3 | 28 |
| 131 | ECONAZOLE in vaginal preparations when included in Schedule 3 | 54, 64, |
| 132 | ENZALUTAMIDE | 7, 6 |
| 133 | EPHEDRINE in nasal preparations for topical use | 29 |
| 134 | EPICHLOROHYDRIN | 2 |
| 135 | EPOXY RESINS, liquid | |
| 136 | ETHER when included in Schedule 5 or 6 | |
| 137 | 2-ETHOXYETHANOL | 77 |
| 138 | ETHOXYETHYLMERCURIC CHLORIDE | |
| 139 | ETHYL BROMIDE | |
| 140 | ETHYLENE CHLOROHYDRIN | |
| 141 | ETHYLENE GLYCOL MONOALKYL ETHERS and their acetates except when separately specified | |
| 142 | ETHYLENE OXIDE | |
| 143 | ETHYLHEXANEDIOL | 79 |
| 144 | 2-ETHYLHEXANOIC ACID | 53 |
| 145 | ETHYLMERCURIC CHLORIDE | |
| 146 | ETHYL METHACRYLATE | 28 |
| 147 | ETRETINATE | 7, 6 |

| Item | Column 1 Poison | Col 2 Wa |
|------|--|--------------------|
| | | sta iter nur |
| 148 | EUGENOL | |
| 149 | FAMOTIDINE when included in Schedule 2 | 96 |
| 150 | FENTEROL in metered aerosols | 32 |
| 151 | FLUCONAZOLE in oral preparations when included in Schedule 3 | 64 |
| 152 | FLUORIDES (including silicofluorides) when included in Schedule 5 or 6 except when separately specified | |
| 153 | FORMALDEHYDE—in nail hardener cosmetics | 106 |
| 154 | FORMALDEHYDE—in other preparations | 106 |
| 155 | FORMIC ACID | |
| 156 | FURFURAL | 5 |
| 157 | Glazing preparations containing LEAD COMPOUNDS | 50 |
| 158 | GLUTARAL except when included in Schedule 2—25% or less | 5, 5 |
| 159 | GLUTARAL except when included in Schedule 2—more than 25% | 3, 5 |
| 160 | GLYCOLIC ACID | 79 |
| 161 | HC VIOLET 1 | 28 |
| 162 | HEXACHLOROPHENE in preparations for skin cleansing purposes containing 3% or less of hexachlorophene | 24 |
| 163 | HEXYLOXYETHANOL | 2 |
| 164 | HYDRAZINE | |
| 165 | HYDROCHLORIC ACID—30% or less of HCl | |
| 166 | HYDROCHLORIC ACID—more than 30% of HCl | |
| 167 | HYDROCORTISONE—for dermal use when included in Schedule 2 or 3 | 38, 73, |
| 168 | HYDROCORTISONE—for topical rectal use when included in Schedule 2 or 3 | 38, |
| 169 | HYDROCYANIC ACID when included in Schedule 7 | 13 |
| 170 | HYDROFLUORIC ACID (including mixtures that generate hydrofluoric acid)—when included in Schedule 5 | 2 |

| Item | Column 1 Poison | Col 2 Wa |
|------|--|---------------------|
| | | stat iter nui |
| 171 | HYDROFLUORIC ACID (including mixtures that generate hydrofluoric acid)—when included in Schedule 6 or 7 | 1, 1 |
| 172 | HYDROGEN PEROXIDE—more than 3% up to 10% | 5 |
| 173 | HYDROGEN PEROXIDE—more than 10% up to 20% | 5 |
| 174 | HYDROGEN PEROXIDE—more than 20% | 2 |
| 175 | HYDROQUINONE—when included in Schedule 2 | 45 |
| 176 | HYDROQUINONE—except when included in Schedule 2 or 4 | |
| 177 | HYDROSILICOFLUORIC ACID (including mixtures that generate hydrosilicofluoric acid) —when included in Schedule 5 | 2 |
| 178 | HYDROSILICOFLUORIC ACID (including mixtures that generate hydrosilicofluoric acid) —when included in Schedule 6 or 7 | 1, 1 |
| 179 | 2-HYDROXYETHYL METHACRYLATE | 28 |
| 180 | HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE | 28 |
| 181 | IBUPROFEN | 101 |
| 182 | IODINE—more than 20% | |
| 183 | IODINE—in preparations for human internal therapeutic use containing 300 micrograms or more of iodine per recommended daily dose | 91, |
| 184 | IPRATROPIUM BROMIDE in metered aerosols | 32 |
| 185 | ISOCYANATES (free organic)—when in paint | 28, |
| 186 | ISOCYANATES (free organic)—other than in paint | 28, |
| 187 | ISOEUGENOL | 19, |
| 188 | ISOPRENALINE in metered aerosols | 32 |
| 189 | ISOTRETINOIN—for human oral use | 7, 6 |
| 190 | ISOTRETINOIN—for topical use | 62, |
| 191 | LEAD COMPOUNDS—in hair cosmetics | 25 |
| 192 | LEAD COMPOUNDS—when included in Schedule 6 | |
| 193 | LEFLUNOMIDE | 7, 6 |
| 194 | LEMON OIL | 89 |

| Item | Column 1 Poison | Col 2 |
|------|---|-------------|
| | | Wa |
| | | stat |
| | | iten nur |
| 195 | LENALIDOMIDE | 7, 6 |
| 196 | LEVOCABASTINE—in eye or nasal preparations containing 0.5 mg/mL or less of levocabastine | 62 |
| 197 | LEVOCABASTINE—in other preparations | 62 a |
| | | eith |
| | | or 4 |
| 198 | LIME OIL | 89 |
| 199 | LOPERAMIDE when included in Schedule 2 | 41 |
| 200 | MAGNESIUM CHLORATE | |
| 201 | MEFENAMIC ACID | 101 |
| 202 | MERCAPTOACETIC ACID | 5, 2 |
| 203 | MERCURIC THIOCYANATE | |
| 204 | METACRESOLSULPHONIC ACID and formaldehyde condensation product for the treatment of animals | |
| 205 | METHANOL except in methylated spirit | |
| 206 | METHOXAMINE in nasal preparations for topical use | 29 |
| 207 | 2-METHOXYETHANOL | 77 |
| 208 | METHYLATED SPIRIT(S) when packed and labelled as a "biofuel" suitable for use in "spirit burners" | 80 |
| 209 | p-METHYLAMINOPHENOL | 28 |
| 210 | METHYL CHLORIDE | |
| 211 | METHYL ETHYL KETONE | 5 |
| 212 | METHYL ETHYL KETONE OXIME | 5, 2 |
| 213 | METHYL ETHYL KETONE PEROXIDE | 2 |
| 214 | METHYL ISOAMYL KETONE | |
| 215 | METHYL ISOBUTYL KETONE | |
| 216 | METHYL ISOTHIOCYANATE | 5, 1 |
| 217 | METHYL METHACRYLATE | 28 |
| 218 | METHYLCHLOROISOTHIAZOLINONE | 28 |

| Item | Column 1 Poison | Col 2 Wa |
|------|--|---------------------|
| | | stat iter nur |
| 219 | METHYLDIBROMO GLUTARONITRILE | 28 |
| 220 | METHYLENE BISTHIOCYANATE | |
| 221 | METHYLEUGENOL | |
| 222 | METHYLISOTHIAZOLINONE | 28 |
| 223 | METHYLNORBORNYLPYRIDINE | 59 |
| 224 | 2-METHYLRESORCINOL | |
| 225 | 1-(BETA-METHYL SULPHONAMIDOETHYL)- 2-AMINO-3-N,N-DIETHYLAMINOBENZENE | |
| 226 | MICONAZOLE in vaginal preparations when included in Schedule 3 | 54, 64, |
| 227 | MISOPROSTOL | 53 |
| 228 | MONOETHANOLAMINE when included in Schedule 5 | 5 |
| 229 | MONOETHANOLAMINE when included in Schedule 6 | 2, 1 |
| 230 | NAPHAZOLINE in nasal preparations for topical use | 29 |
| 231 | NAPHTHALENE—in block, ball, disc, pellet or flake form, enclosed in a device which, in normal use, prevents removal or ingestion of its contents | 9, 1 |
| 232 | NAPHTHALENE—in other forms | 9, 1 |
| 233 | 1,5-NAPHTHALENEDIOL | 28 |
| 234 | 2,7-NAPHTHALENEDIOL | 28 |
| 235 | 1-NAPHTHOL | 28 |
| 236 | NAPROXEN | 101 |
| 237 | NICOTINE except when in tobacco | |
| 238 | NITRIC ACID—75% or less HNO ₃ | 2 |
| 239 | NITRIC ACID—more than 75% HNO ₃ | 2 |
| 240 | NITROBENZENE | |
| 241 | 3-NITRO-p-HYDROXYETHYLAMINOPHENOL | 28 |
| 242 | NITROPHENOLS | |
| 243 | NITROPRUSSIDES in aerosols | 84 |

| Item | Column 1 Poison | Col 2 Wa stat iten nur | | | |
|------------|--|---------------------------------------|-----|--|-----|
| | | | 244 | NITROUS OXIDE | 112 |
| | | | 245 | NIZATIDINE when included in Schedule 2 | 96 |
| | | | 246 | NORADRENALINE in metered aerosols | 32 |
| 247 | NYSTATIN in vaginal preparations when included in Schedule 3 | 54, 64, | | | |
| 248 | ORANGE OIL (bitter) | 89 | | | |
| 249 | ORCIPRENALINE in metered aerosols | 32 | | | |
| 250 | OXALATES, metallic | | | | |
| 251 | OXALIC ACID | 2 | | | |
| 252 | OXYMETAZOLINE in nasal preparations for topical use | 29 | | | |
| 253 | OXYQUINOLINE (including salts and derivatives) when prepared for internal use | 33 | | | |
| 254 | PAINT—first group paints | 83 | | | |
| 255 | PAINT—second group paints | 84 | | | |
| 256 | PARACETAMOL | 97 a | | | |
| | | 98, | | | |
| | DENITA CHI ODODHENOI | 100 | | | |
| 257 | PENTACHLOROPHENOL PER A CETTIC A CID | | | | |
| 258 | PERACETIC ACID REPMANICANIATES | 2 | | | |
| 259 | PERMANGANATES 2 PHENOVYETHANOL | 2 | | | |
| 260 | 2-PHENOXYETHANOL | 5 | | | |
| 261 | PHENOL and any other homologue of phenol PHENOL when included in Schedule 6 | 2.5 | | | |
| 262 | | 3, 5 | | | |
| 263 264 | PHENOLS PHENOXYMETHYL OXIRANE | 12, | | | |
| 204 | THENOX INETITE GAIRANE | 12, | | | |
| 265 | PHENYLENEDIAMINES including alkylated, arylated, halogenated and nitro derivatives —in hair dyes | 21 | | | |
| 266 | PHENYLENEDIAMINES including alkylated, arylated, halogenated and nitro derivatives —in preparations other than hair dyes | 28 | | | |

| Item | Column 1 Poison | Col 2 Wa |
|------|---|---------------------|
| | | stat iter nur |
| 267 | PHENYL METHYL PYRAZOLONE | 28 |
| 268 | PHENYLEPHRINE in nasal preparations for topical use | 29 |
| 269 | POMALIDOMIDE | 7, 6 |
| 270 | <i>N,N</i> -BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,5-DIMETHANAMINE | 5, 2 |
| 271 | o-PHENYLPHENOL except when in antiseptics | |
| 272 | PHENYLPROPANOLAMINE | 56 |
| 273 | PHENYTOIN in pastes for the treatment of horses | 9 |
| 274 | PHOSPHONIC ACID | |
| 275 | PHOSPHORIC ACID | |
| 276 | PHOSPHORUS (yellow) | 2 |
| 277 | o-PHTHALALDEHYDE—when included in Schedule 5 | 51, |
| 278 | o-PHTHALALDEHYDE—when included in Schedule 6 | 51, |
| 279 | PICRAMIC ACID including its salts (excluding other derivatives) | 28 |
| 280 | PICRIC ACID (more than 20%) | |
| 281 | PODOPHYLLIN—in preparations specifically for use on anal or genital area | 36 |
| 282 | PODOPHYLLIN—in other liquid preparations when included in Schedule 2 or 3 | 31 |
| 283 | PODOPHYLLIN—in other solid or semi-solid preparations when included in Schedule 2 | 30 |
| 284 | PODOPHYLLOTOXIN—in preparations specifically for use on anal or genital area | 36 |
| 285 | PODOPHYLLOTOXIN—in other liquid preparations when included in Schedule 2 or 3 | 31 |
| 286 | PODOPHYLLOTOXIN—in other solid or semi-solid preparations when included in Schedule 2 | 30 |
| 287 | POLIHEXANIDE | 28 |
| 288 | POLYETHANOXY (15) TALLOW AMINE | |
| 289 | POLY(OXY-1,2-ETHANEDIYL), A -[2-[(2-HYDROXYETHYL)AMINO] -2-OXOETHYL]- A -HYDROXY-,MONO- C_{13-15} -ALKYL ETHERS | 5, 8 |

| Item | Column 1 Poison | Col 2 Wa |
|------|---|---------------------|
| | | stat iter nur |
| 290 | POTASSIUM HYDROXIDE—in preparations containing 0.5% or less of potassium hydroxide | 5 |
| 291 | POTASSIUM HYDROXIDE—in solid preparations containing more than 0.5% of potassium hydroxide | 2, 1 |
| 292 | POTASSIUM HYDROXIDE—in liquid preparations containing more than 0.5% of potassium hydroxide | 2, 1 |
| 293 | POTASSIUM PERSULFATE | 5, 2 |
| 294 | POTASSIUM SULFIDE | 2 |
| 295 | PROPIONIC ACID when included in Schedule 6 | 2 |
| 296 | n-PROPYL ALCOHOL | 5 |
| 297 | QUININE | 28 |
| 298 | QUINOLINE | 79 |
| 299 | RANITIDINE when included in Schedule 2 | 96 |
| 300 | RESORCINOL | 19, |
| 301 | ROSIN | 108 |
| 302 | SAFROLE—in preparations for therapeutic use | |
| 303 | SAFROLE—other than for therapeutic use | |
| 304 | SALBUTAMOL in metered aerosols or in dry powder formulations | 32 |
| 305 | SALICYLAMIDE | 34 (|
| 306 | SASSAFRAS OIL—in preparations for therapeutic use | |
| 307 | SASSAFRAS OIL—other than for therapeutic use | |
| 308 | SELENIUM COMPOUNDS except when for therapeutic use (human or animal) | |
| 309 | SILVER in smoking deterrents | 42 |
| 310 | SITAXENTAN | 7, 6 |
| 311 | SODIUM ALUMINATE | 2 |
| 312 | SODIUM CHLORATE | |
| 313 | SODIUM DODECYLBENZENE SULFONATE | 79 |
| 314 | SODIUM FLUORIDE in preparations for human ingestion when included in Schedule 2 | 43 |

| Item | Column 1 Poison | Col 2 Wa star |
|------|---|------------------------|
| | | iter nui |
| 315 | SODIUM HYDROGEN SULFATE | |
| 316 | SODIUM HYDROSULFITE (more than 50%) | 5, 2 |
| 317 | SODIUM HYDROXIDE—in preparations containing 0.5% or less of sodium hydroxide | 5 |
| 318 | SODIUM HYDROXIDE—in solid preparations containing more than 0.5% of sodium hydroxide | 2, 1 |
| 319 | SODIUM HYDROXIDE—in liquid preparations containing more than 0.5% of sodium hydroxide | 2, 1 |
| 320 | SODIUM LAURETH-6 CARBOXYLATE | 79 |
| 321 | SODIUM METABISULPHITE (more than 50%) | 5, 2 |
| 322 | SODIUM NITRITE in pickling or curing salts | 94 |
| 323 | SODIUM PERSULFATE | 5, 2 |
| 324 | SODIUM SULFIDE | 2 |
| 325 | STYRENE | |
| 326 | SULFAMIC ACID | 2 |
| 327 | SULFURIC ACID | 2 |
| 328 | SYMPHYTUM SPP. (Comfrey) when included in Schedule 5 | |
| 329 | TAZAROTENE for topical use | 77, |
| 330 | TERBUTALINE in metered aerosols or in dry powder formulations | 32 |
| 331 | TERFENADINE | |
| 332 | TERIFLUNOMIDE | 7, 6 |
| 333 | TERPENES, chlorinated | |
| 334 | TETRACHLOROETHANE | 12 |
| 335 | TETRACHLOROETHYLENE when included in Schedule 5 or 6 | 12, |
| 336 | TETRYZOLINE in nasal preparations for topical use | 29 |
| 337 | THALIDOMIDE | 7, 6 |
| 338 | THIOUREA | |
| 339 | TOLUENE | |

| Item | Column 1 Poison | Col |
|------|--|-------------------------------|
| | Poison | 2 Wa sta iter nur |
| 340 | TOLUENEDIAMINES—in hair dyes | 21 |
| 341 | TOLUENEDIAMINES—in preparations other than hair dyes | |
| 342 | TRAMAZOLINE in nasal preparations for topical use | 29 |
| 343 | TRETINOIN—for human oral use | 7, 6 |
| 344 | TRETINOIN—for topical use | 62, |
| 345 | TRIAMCINOLONE when in topical preparations for the treatment of mouth ulcers | 64 (|
| 346 | TRICHLOROACETIC ACID except when for therapeutic use | 2 |
| 347 | 1,1,1-TRICHLOROETHANE | |
| 348 | TRICHLOROETHYLENE except when for therapeutic use | 12 |
| 349 | TRICHLOROPHENOL | |
| 350 | TRIETHYL PHOSPHATE | |
| 351 | TRIFLUOROMETHANESULFONIC ACID—more than 10% | 1, 1 |
| 352 | TRIFLUOROMETHANESULFONIC ACID—10% or less | |
| 353 | TRIISOPROPANOLAMINE LAURYL ETHER SULFATE | |
| 354 | 3,6,9-TRIOXAUNDECANEDIOIC ACID | 5 |
| 355 | TROLAMINE | 5 |
| 356 | TYMAZOLINE in nasal preparations for topical use | 29 |
| 357 | VINCLOZOLIN | 46 |
| 358 | VINYL ACETATE MONOMER | 11 |
| 359 | XYLENE | |
| 360 | XYLOMETAZOLINE in nasal preparations for topical use | 29 |
| 361 | ZINC CHLORIDE | |
| 362 | ZINC LACTATE | 107 |
| 363 | ZINC SULFATE when included in Schedule 6 | |

dix G—Dilute preparations

Note: See paragraph 11(c).

nces exempt at or below certain concentrations

For the purposes of paragraph 11(c), the following table specifies:

- (a) substances; and
- (b) concentrations in relation to those substances.

| Item | Column 1 | Column 2 |
|------|--------------------------------|--|
| | Substance | Concentration (quantity per litre or kilogram) |
| 1 | ACETYLCHOLINE | 1 mg |
| 2 | ALDOSTERONE | 10 micrograms |
| 3 | ANTIMONY COMPOUNDS | 1 mg |
| 4 | APOMORPHINE | 1 mg |
| 5 | ARSENIC | 1 mg |
| 6 | ATROPA BELLADONNA (belladonna) | 300 micrograms |
| 7 | ATROPINE | 300 micrograms |
| 8 | CANTHARIDIN | 10 micrograms |
| 9 | CHLORINE | 5 mg |
| 10 | CROTON TIGLIUM (croton oil) | 1 mg |
| 11 | DIOXANE | 100 mg |
| 12 | EPIDERMAL GROWTH FACTOR | 2 mg |
| 13 | ERYSIMUM spp. | 1 mg |
| 14 | ESTRADIOL | 10 micrograms |
| 15 | ESTRONE | 100 micrograms |
| 16 | FOLLICLE-STIMULATING HORMONE | 100 micrograms |
| 17 | GELSEMIUM SEMPERVIRENS | 1 mg |
| 18 | GLUCAGON | 100 micrograms |
| 19 | GLYCERYL TRINITRATE | 100 micrograms |
| 20 | GROWTH HORMONE | 10 micrograms |
| 21 | HALOPERIDOL | 1 mg |

| Substa | Substances and concentrations | | |
|--------|---------------------------------|---|--|
| Item | Column 1 Substance | Column 2 Concentration (quantity per litre or kilogram) | |
| 22 | HYDROCYANIC ACID | 1 microgram | |
| 23 | HYOSCINE | 300 micrograms | |
| 24 | HYOSCYAMINE | 300 micrograms | |
| 25 | HYOSCYAMUS NIGER | 300 micrograms | |
| 26 | HYPOTHALAMIC RELEASING FACTORS | 10 micrograms | |
| 27 | INDOMETACIN | 1 mg | |
| 28 | MERCURY | 1 mg | |
| 29 | METHYLMERCURY | 300 micrograms | |
| 30 | NAPHTHALENE | 1 mg | |
| 31 | NERIUM OLEANDER | 1 mg | |
| 32 | OXYTOCIN | 1 microgram | |
| 33 | PHOSPHORUS | 1 mg | |
| 34 | PODOPHYLLUM RESIN (podophyllin) | 1 mg | |
| 35 | PROGESTERONE | 1 mg | |
| 36 | PROPRANOLOL | 1 mg | |
| 37 | SELENIUM | 100 micrograms | |
| 38 | STROPHANTHUS spp. | 1 mg | |
| 39 | STRYCHNINE | 1 mg | |
| 40 | TESTOSTERONE | 1 mg | |
| 41 | THYROXINE | 10 micrograms | |

dix H—Schedule 3 medicines permitted to be advertised

Note: See paragraph 57(1)(a).

le 3 medicines permitted to be advertised

The following table specifies poisons for the purposes of paragraph 57(1)(a).

| Schedule 3 medicines permitted to be advertised | | |
|---|---|--|
| Item | Column 1 Poison | |
| 1 | ADAPALENE | |
| 2 | ADRENALINE | |
| 3 | ASTODRIMER SODIUM—for the treatment and relief of bacterial vaginosis and for the prevention of recurrent bacterial vaginosis | |
| 4 | BILASTINE | |
| 5 | BUTOCONAZOLE | |
| 6 | CICLOPIROX | |
| 7 | CLOBETASONE | |
| 8 | CLOTRIMAZOLE | |
| 9 | DICLOFENAC | |
| 10 | DIMENHYDRINATE—for the prevention and relief of motion sickness | |
| 11 | DIPHENOXYLATE | |
| 12 | ECONAZOLE | |
| 13 | ELETRIPTAN | |
| 14 | ESOMEPRAZOLE | |
| 15 | FAMCICLOVIR | |
| 16 | FLUCONAZOLE | |
| 17 | FLUORIDES | |
| 18 | GLUCAGON | |
| 19 | GLYCERYL TRINITRATE | |
| 20 | HYDROCORTISONE | |
| 21 | HYOSCINE BUTYLBROMIDE | |

| Schedu | Schedule 3 medicines permitted to be advertised | | |
|--------|--|--|--|
| Item | Column 1 Poison | | |
| 22 | IBUPROFEN | | |
| 23 | ISOCONAZOLE | | |
| 24 | KETOPROFEN | | |
| 25 | LANSOPRAZOLE | | |
| 26 | LEVONORGESTREL | | |
| 27 | MELATONIN | | |
| 28 | MICONAZOLE | | |
| 29 | NALOXONE | | |
| 30 | NAPROXEN | | |
| 31 | NYSTATIN | | |
| 32 | OMEPRAZOLE | | |
| 33 | OXICONAZOLE | | |
| 34 | PANTOPRAZOLE | | |
| 35 | PARACETAMOL | | |
| 36 | PODOPHYLLOTOXIN | | |
| 37 | PODOPHYLLUM EMODI (podophyllin) | | |
| 38 | PODOPHYLLUM PELTATUM (podophyllin) | | |
| 39 | RABEPRAZOLE | | |
| 40 | RIZATRIPTAN | | |
| 41 | SALICYLIC ACID | | |
| 42 | SUMATRIPTAN | | |
| 43 | TIOCONAZOLE | | |
| 44 | TRIAMCINOLONE | | |
| 45 | ULIPRISTAL—for emergency post-coital contraception | | |
| 46 | VITAMIN D | | |
| 47 | ZOLMITRIPTAN | | |

dix I—Blank

Note 1: Appendix I is intentionally blank.

Note 2: Appendix I previously included poisons now dealt with in Division 9 of Part 2.

Conditions for availability and use of certain poisons dix J—included in Schedule 7

Note: See subsection 62(6).

ions for supply of certain poisons included in Schedule 7

For the purposes of subsection 62(6), a poison included in Schedule 7 that is specified column 1 of an item of the following table may be supplied:

- (a) only to a person who is appropriately authorised or licensed under the law of the jurisdiction where the person will receive the poison; and
- (b) if "a" appears in column 2 of the item—only for analytical or research purposes; and
- (c) if "p" appears in column 2 of the item—only to a person who is authorised or licensed, under the law of the jurisdiction where the person will receive the poison, to possess and use the poison.

| Conditions for supply of certain poisons included in Schedule 7 | | |
|---|----------------------|-----------------------|
| Item | Column 1 Poison | Column 2 Condition |
| 1 | ABAMECTIN | |
| 2 | ACIBENZOLAR-S-METHYL | |
| 3 | ACROLEIN | |
| 4 | ACRYLONITRILE | |
| 5 | ALACHLOR | a |
| 6 | ALLYL ALCOHOL | |
| 7 | 4-AMINOPROPIOPHENONE | p |
| 8 | 4-AMINOPYRIDINE | |
| 9 | ARPRINOCID | a |
| 10 | ARSENIC | p |
| 11 | AZOCYCLOTIN | a |
| 12 | BENZENE | |
| 13 | BIFLUORIDE | |
| 14 | BORON TRIFLUORIDE | |
| 15 | BRODIFACOUM | |

| Conditions for supply of certain poisons included in Schedule 7 | | |
|---|-------------------------------|-----------------------|
| Item | Column 1 Poison | Column 2 Condition |
| 16 | BROMADIOLONE | |
| 17 | BROMINE | |
| 18 | BRUCINE | |
| 19 | CALCIFEROL | |
| 20 | CARBADOX | |
| 21 | CARBON TETRACHLORIDE | |
| 22 | CARBONYL SULFIDE | |
| 23 | CHLORDECONE | a |
| 24 | CHLORDIMEFORM | a |
| 25 | CHLORINE | |
| 26 | CHLOROMETHIURON | a |
| 27 | CHLOROPICRIN | |
| 28 | 4-CHLORO- <i>o</i> -TOLUIDINE | a |
| 29 | COLECALCIFEROL | |
| 30 | COUMATETRALYL | |
| 31 | CYANOGEN | |
| 32 | CYHEXATIN | a |
| 33 | 4,4-DIAMINODIPHENYLMETHANE | |
| 34 | 1,2-DIBROMO-3-CHLOROPROPANE | a |
| 35 | 1,3-DICHLOROPROPENE | |
| 36 | DIFENACOUM | |
| 37 | 4-DIMETHYLAMINOAZOBENZENE | a |
| 38 | DINITROCRESOLS | a |
| 39 | DINITROPHENOLS | a |
| 40 | DINOSEB | a |
| 41 | EPICHLOROHYDRIN | |
| 42 | EPIDERMAL GROWTH FACTOR | |
| 43 | ETACONAZOLE | a |
| 44 | ETHYLENE DIBROMIDE | a |
| 45 | ETHYLENE OXIDE | |
| 46 | FLUOROACETAMIDE | р |

| Conditions for supply of certain poisons included in Schedule 7 | | |
|---|--|-----------------------|
| Item | Column 1 Poison | Column 2 Condition |
| 47 | FLUOROACETIC ACID | p |
| 48 | FOLPET | |
| 49 | HALOFUGINONE | |
| 50 | HALOGENATED DIBENZODIOXINS AND DIBENZOFURANS | a |
| 51 | HCB | a |
| 52 | HYDROCYANIC ACID AND CYANIDES | p |
| 53 | HYDROFLUORIC ACID | |
| 54 | HYDROSILICOFLUORIC ACID | |
| 55 | IODOMETHANE | |
| 56 | MADURAMICIN | |
| 57 | MERCURY | |
| 58 | METHACRIFOS | |
| 59 | METHOXYETHYLMERCURIC ACETATE | a |
| 60 | METHOXYETHYLMERCURIC CHLORIDE | |
| 61 | METHYL BROMIDE | |
| 62 | 4,4'-METHYLENEBIS[2-CHLOROANILINE] | |
| 63 | MIREX | a |
| 64 | MOLINATE | |
| 65 | NICOTINE except when in tobacco | |
| 66 | NITROFEN | a |
| 67 | PHENYLMERCURIC ACETATE | |
| 68 | PHOSPHIDE, metallic | |
| 69 | PHOSPHINE | |
| 70 | PROPYLENE OXIDE | |
| 71 | PYRINURON | a |
| 72 | STRYCHNINE | p |
| 73 | SULCOFURON | a |
| 74 | TETRACHLOROETHANE | |
| 75 | 2,2',6,6'-TETRAISOPROPYL-DIPHENYL-CARBODIIMIDE | |
| 76 | THALLIUM | p |
| 77 | o-TOLIDINE | |

| Conditions for supply of certain poisons included in Schedule 7 | | | | |
|---|----------------|-----------|--|--|
| Item | Column 1 | Column 2 | | |
| | Poison | Condition | | |
| 78 | VINYL CHLORIDE | | | |

dix K—Human medicines required to be labelled with a sedation warning

Note: See subsection 33(2).

medicines required to be labelled with a sedation warning

The following table specifies poisons for the purposes of subsection 33(2).

| Item | Column 1 |
|------|--|
| | Poison |
| 1 | ALIMEMAZINE |
| 2 | ALPRAZOLAM |
| 3 | AMISULPRIDE |
| 4 | AMITRIPTYLINE |
| 5 | AMOBARBITAL |
| 6 | ARIPIPRAZOLE |
| 7 | ASENAPINE |
| 8 | AZATADINE |
| 9 | BACLOFEN |
| 10 | BENZATROPINE |
| 11 | BREXPIPRAZOLE |
| 12 | BRIVARACETAM |
| 13 | BROMAZEPAM |
| 14 | BROMPHENIRAMINE |
| 15 | BUCLIZINE |
| 16 | BUPRENORPHINE |
| 17 | BUTOBARBITAL |
| 18 | CANNABIS except cannabidiol when included in Schedule 3 or 4 |
| 19 | CETIRIZINE |
| 20 | CHLORAL HYDRATE |
| 21 | CHLORDIAZEPOXIDE |
| 22 | CHLORMETHIAZOLE |

| Human medicines required to be labelled with a sedation warning | | |
|---|--------------------|--|
| Item | Column 1 Poison | |
| 23 | CHLORPHENAMINE | |
| 24 | CHLORPROMAZINE | |
| 25 | CLEMASTINE | |
| 26 | CLOMIPRAMINE | |
| 27 | CLONAZEPAM | |
| 28 | CLONIDINE | |
| 29 | CLORAZEPATE | |
| 30 | CLOZAPINE | |
| 31 | CODEINE. | |
| 32 | CYCLIZINE | |
| 33 | CYCLOBARBITAL | |
| 34 | CYCLOSERINE | |
| 35 | CYPROHEPTADINE | |
| 36 | DANTROLENE | |
| 37 | DESIPRAMINE | |
| 38 | DEUTETRABENAZINE. | |
| 39 | DEXCHLORPHENAMINE | |
| 40 | DEXTROMORAMIDE | |
| 41 | DEXTROPROPOXYPHENE | |
| 42 | DIAZEPAM | |
| 43 | DIFELIKEFALIN | |
| 44 | DIFENOXIN | |
| 45 | DIHYDROCODEINE | |
| 46 | DIMENHYDRINATE | |
| 47 | DIMETHINDENE | |
| 48 | DIPHENHYDRAMINE | |
| 49 | DIPHENOXYLATE | |
| 50 | DIPHENYLPYRALINE | |
| 51 | DOSULEPIN | |
| 52 | DOXEPIN | |
| 53 | DOXYLAMINE | |

| Human medicines required to be labelled with a sedation warning | | |
|---|---|--|
| Item | Column 1 Poison | |
| 54 | DRONABINOL (delta-9-TETRAHYDROCANNABINOL) | |
| 55 | DROPERIDOL | |
| 56 | DULOXETINE | |
| 57 | ESKETAMINE | |
| 58 | ETHYLMORPHINE | |
| 59 | FENFLURAMINE | |
| 60 | FENTANYL | |
| 61 | FLUNITRAZEPAM | |
| 62 | FLUPENTIXOL | |
| 63 | FLUPHENAZINE | |
| 64 | FLURAZEPAM | |
| 65 | GABAPENTIN | |
| 66 | GEMCITABINE | |
| 67 | GLUTETHIMIDE | |
| 68 | GUANFACINE | |
| 69 | HALOPERIDOL | |
| 70 | HYDROCODONE | |
| 71 | HYDROMORPHONE | |
| 72 | HYDROXYZINE | |
| 73 | IMIPRAMINE | |
| 74 | LAMOTRIGINE | |
| 75 | LEMBOREXANT. | |
| 76 | LEVETIRACETAM | |
| 77 | LEVOCABASTINE | |
| 78 | LEVOCETIRIZINE | |
| 79 | LORAZEPAM | |
| 80 | LURASIDONE. | |
| 81 | MAZINDOL | |
| 82 | MEBHYDROLIN | |
| 83 | MECLOZINE | |
| 84 | MEDAZEPAM | |

| Huma | Human medicines required to be labelled with a sedation warning | | |
|------|---|--|--|
| Item | Column 1 Poison | | |
| 85 | MEPROBAMATE | | |
| 86 | MEPYRAMINE | | |
| 87 | MERCAPTAMINE | | |
| 88 | METHADONE | | |
| 89 | METHDILAZINE | | |
| 90 | METHOCARBAMOL | | |
| 91 | METHYLPHENOBARBITAL | | |
| 92 | MIANSERIN | | |
| 93 | MIDAZOLAM | | |
| 94 | MIRTAZAPINE | | |
| 95 | MORPHINE | | |
| 96 | NABIXIMOLS. | | |
| 97 | NALBUPHINE | | |
| 98 | NITRAZEPAM | | |
| 99 | NORMETHADONE | | |
| 100 | NORTRIPTYLINE | | |
| 101 | OLANZAPINE | | |
| 102 | OPIUM in any form except the alkaloids noscapine and papaverine | | |
| 103 | OXAZEPAM | | |
| 104 | OXYCODONE | | |
| 105 | PALIPERIDONE | | |
| 106 | PAPAVERETUM | | |
| 107 | PENTAZOCINE | | |
| 108 | PENTOBARBITAL | | |
| 109 | PERAMPANEL | | |
| 110 | PERICIAZINE | | |
| 111 | PERPHENAZINE | | |
| 112 | PETHIDINE | | |
| 113 | PHENELZINE | | |
| 114 | PHENIRAMINE | | |
| 115 | PHENOBARBITAL | | |

| Huma | Human medicines required to be labelled with a sedation warning | | |
|------|---|--|--|
| Item | Column 1 Poison | | |
| 116 | PHENOPERIDINE | | |
| 117 | PHENYLTOLOXAMINE | | |
| 118 | PHOLCODINE | | |
| 119 | PIMOZIDE | | |
| 120 | PIZOTIFEN | | |
| 121 | PRAZEPAM | | |
| 122 | PREGABALIN | | |
| 123 | PROCHLORPERAZINE | | |
| 124 | PROMAZINE | | |
| 125 | PROMETHAZINE | | |
| 126 | PROTRIPTYLINE | | |
| 127 | QUETIAPINE | | |
| 128 | RETIGABINE | | |
| 129 | RISPERIDONE | | |
| 130 | ROTIGOTINE | | |
| 131 | RUFINAMIDE | | |
| 132 | RUPATADINE | | |
| 133 | SAFINAMIDE | | |
| 134 | SECBUTOBARBITAL | | |
| 135 | SECOBARBITAL | | |
| 136 | SELETRACETAM | | |
| 137 | SODIUM OXYBATE | | |
| 138 | STIRIPENTOL | | |
| 139 | SUVOREXANT | | |
| 140 | TAPENTADOL | | |
| 141 | TEMAZEPAM | | |
| 142 | TETRAHYDROCANNABINOLS except cannabidiol when included in Schedule 3 or 4 | | |
| 143 | THENYLDIAMINE | | |
| 144 | THIETHYLPERAZINE | | |
| 145 | THIOPROPAZATE | | |
| 146 | THIORIDAZINE | | |

| Human medicines required to be labelled with a sedation warning | | |
|---|--------------------|--|
| Item | Column 1 Poison | |
| 147 | THIOTHIXENE | |
| 148 | TRABECTEDIN | |
| 149 | TRAMADOL | |
| 150 | TRANYLCYPROMINE | |
| 151 | TRIFLUOPERAZINE | |
| 152 | TRIMIPRAMINE | |
| 153 | TRIPROLIDINE | |
| 154 | ZIPRASIDONE | |
| 155 | ZOLPIDEM | |
| 156 | ZONISAMIDE | |
| 157 | ZOPICLONE | |

dix L—Requirements for dispensing labels for medicines

Note: See subsection 33(1) and paragraph 40(b).

- (1) This clause sets out requirements for the purposes of paragraph 40(b).
- (2) All details, words and other required information on a label on a container of a substan for therapeutic use must be in the English language in letters at least 1.5 mm in height
- (3) All symbols, numbers and words on a label must be in durable characters.
- (4) The label on a container of a substance for therapeutic use must contain the following details:
 - (a) the name, address and telephone number of the dispenser supplying the substance
 - (b) the approved name of the substance and/or its proprietary name (unless it is a preparation compounded in accordance with the dispenser's own formula);
 - (c) adequate directions for use;
 - (d) the strength and form of the substance;
 - (e) the total quantity of the goods in the container;
 - (f) the words "KEEP OUT OF REACH OF CHILDREN" in red on a white background;
 - (g) if the substance is intended for external use only, the word "POISON", or the wor "FOR EXTERNAL USE ONLY", in red on a white background;
 - (h) if the substance is a medicine for human use, the name of the person for whom it was dispensed; and
 - (i) if the substance is a veterinary chemical, the species of animal, the name of the animal's owner and the words "FOR ANIMAL TREATMENT ONLY".
- (5) The label on a container of a medicine for human use, or a veterinary chemical, that is supplied on prescription must also include:
 - (a) the prescription reference number; and
 - (b) the date on which the prescription was supplied (unless that date is clear from the prescription reference number); and
 - (c) the directions for use set out in the prescription.

nal warning statements for certain human medicines

(1) For the purposes of subsection 33(1), and subject to subclause (2), the warning statement represented by each item number specified in column 2 of an item of the following tal is required for the poison specified in column 1 of the item.

Note: For the warning statements represented by the item numbers, see clause 1 of Appendix F.

(2) If more than one statement or direction is required for a poison, the statements and directions may be combined to form simple sentences (if appropriate).

| Additional warning statements for certain human medicines | | |
|---|------------------------------|--|
| Item | Column 1 Poison | Column 2 Warning statement item number |
| 1 | ACITRETIN—for oral use | 7, 62, 76 |
| 2 | ACITRETIN—for topical use | 62, 77 |
| 3 | ADAPALENE—for oral use | 7, 62, 76 |
| 4 | ADAPALENE—for topical use | 62, 77 |
| 5 | AMBRISENTAN | 7, 62, 76 |
| 6 | BELUMOSUDIL | 62, 77 |
| 7 | BEXAROTENE—for oral use | 7, 62, 76 |
| 8 | BEXAROTENE—for topical use | 62, 77 |
| 9 | BOSENTAN | 7, 62, 76 |
| 10 | DIENESTROL | 67 |
| 11 | ETRETINATE—for oral use | 7, 62, 76 |
| 12 | ETRETINATE—for topical use | 62, 77 |
| 13 | ENZALUTAMIDE | 7, 67, 87 |
| 14 | FARICIMAB | 76 |
| 15 | FINERENONE | 67, 111 |
| 16 | FINGOLIMOD | 76 |
| 17 | ISAVUCONAZOLE | 53 |
| 18 | ISOTRETINOIN—for oral use | 7, 62, 76 |
| 19 | ISOTRETINOIN—for topical use | 62, 77 |
| 20 | LEFLUNOMIDE | 7, 62, 87 |
| 21 | LENALIDOMIDE—for oral use | 7, 62, 76 |
| 22 | LENALIDOMIDE—for topical use | 62, 77 |
| 23 | LEVOCABASTINE | 62 |

| Additi | Additional warning statements for certain human medicines | | |
|--------|---|--|--|
| Item | Column 1 Poison | Column 2 Warning statement item number | |
| 24 | MACITENTAN | 7, 62, 76 | |
| 25 | MISOPROSTOL | 53 | |
| 26 | PLITIDEPSIN | 7, 62, 63, 76, 87 | |
| 27 | POMALIDOMIDE | 7, 62, 76 | |
| 28 | PONESIMOD | 76 | |
| 29 | RIOCIGUAT | 7, 62, 76 | |
| 30 | RUFINAMIDE | 62, 76, 77 | |
| 31 | SAFINAMIDE | 62, 76, 77 | |
| 32 | SELINEXOR | 62 and 77 | |
| 33 | SELUMETINIB. | 76 | |
| 34 | SITAXENTAN | 7, 62, 76 | |
| 35 | TERIFLUOMIDE | 7, 62, 87 | |
| 36 | THALIDOMIDE—for oral use | 7, 62, 76 | |
| 37 | THALIDOMIDE—for topical use | 62, 77 | |
| 38 | TIRZEPATIDE | 67 | |
| 39 | TRASTUZUMAB DERUXTECAN | 62, 77 | |
| 40 | TRETINOIN—for oral use | 7, 62, 76 | |
| 41 | TRETINOIN—for topical use | 62, 77 | |

dix M—

Additional controls or supply requirements for poisons included in Schedule 3 to allow them to be provided by a pharmacist

Note: Appendix M is intentionally blank. It is reserved for future use.

A

ABACAVIR

Schedule 4

ABAMECTIN

Schedule 7

Schedule 6

Schedule 5

Appendix J, clause 1

ABATACEPT

Schedule 4

ABCIXIMAB

Schedule 4

ABEMACICLIB

Schedule 4

ABIRATERONE ACETATE

Schedule 4

ABRUS PRECATORIUS

cross reference: JEQUIRITY

Schedule 10

ABSCISIC ACID

Schedule 5

ACALABRUTINIB

Schedule 4

ACAMPROSATE CALCIUM

Schedule 4

ACARBOSE

ACEBUTOLOL

Schedule 4

ACEPHATE

Schedule 6

ACEPROMAZINE

Schedule 4

ACEQUINOCYL

Schedule 5

ACETAMIPRID

Schedule 6

ACETANILIDE

cross reference: ALKYL ACETANILIDES

Schedule 4

ACETARSOL

Schedule 4

ACETAZOLAMIDE

Schedule 4

ACETIC ACID

Schedule 6

Schedule 5

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

ACETIC ANHYDRIDE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ACETOHEXAMIDE

ACETONE

cross reference: DESIGNATED SOLVENT

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

ACETORPHINE

Schedule 9

ACETYL-ALPHA-METHYLFENTANYL

Schedule 9

ACETYLCARBROMAL

Schedule 4

ACETYLCHOLINE

Schedule 4

Appendix G, clause 1

ACETYLCYSTEINE

Schedule 4

Schedule 2

ACETYLDIGITOXIN

Schedule 4

ACETYLDIHYDROCODEINE

Schedule 8

ACETYL ISOVALERYLTYLOSIN

Schedule 4

ACETYLMETHADOL

Schedule 8

ACETYLMETHYLDIMETHYLOXIMIDOPHENYLHYDRAZINE

Schedule 4

ACETYLMORPHINES

4-[4-(ACETYLOXY)PHENYL]-2-BUTANONE

Appendix B, clause 3

ACETYLSTROPHANTHIDIN

Schedule 4

ACIBENZOLAR-S-METHYL

Schedule 7

Appendix J, clause 1

ACICLOVIR

Schedule 4

ACIFLUORFEN

Schedule 6

ACINITRAZOLE

Schedule 6

ACIPIMOX

Schedule 4

ACITRETIN

Schedule 4

Appendix D, clause 2

Appendix F, clause 4

Appendix L, clause 2

ACLIDINIUM BROMIDE

Schedule 4

ACLONIFEN

Schedule 6

ACOKANTHERA OUABAIO

Schedule 4

ACOKANTHERA SCHIMPERI

ACONITUM spp.

Schedule 4

Schedule 2

ACORUS CALAMUS

cross reference: CALAMUS

Schedule 10

ACRIFLAVINE

cross reference: ACRIFLAVINIUM CHLORIDE

ACRIFLAVINUM CHLORIDE

Schedule 7

Schedule 5

ACRIVASTINE

Schedule 4

ACROLEIN

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

ACRYLONITRILE

Schedule 7

Appendix J, clause 1

ADALIMUMAB

Schedule 4

ADAPALENE

Schedule 4

Schedule 3

Appendix F, clause 4

Appendix H, clause 1

Appendix L, clause 2

ADEFOVIR

Schedule 4

ADENOSINE

ADIPHENINE

Schedule 4

ADONIS VERNALIS

Schedule 4

ADRAFINIL

Schedule 4

ADRENALINE

Schedule 4

Schedule 3

Appendix H, clause 1

ADRENOCORTICAL HORMONES

Schedule 4

AFAMELANOTIDE

cross reference: MELANOCYTE STIMULATING HORMONE, MELANOTAN I

Schedule 4

AFATINIB DIMALEATE

Schedule 4

AFIDOPYROPEN

Appendix B, clause 3

AFLIBERCEPT

Schedule 4

AFOXOLANER

Schedule 5

AGALSIDASE

Schedule 4

AGLEPRISTONE

Schedule 4

AGOMELATINE

AKLOMIDE

Schedule 5

ALACHLOR

Schedule 7

Appendix J, clause 1

ALANYLGLUTAMINE

Schedule 4

ALATROFLOXACIN MESILATE

cross reference: ALATROFLOXACIN MESYLATE

Schedule 4

ALBENDAZOLE

Schedule 6

Schedule 5

Schedule 4

ALCLOFENAC

Schedule 4

ALCLOMETASONE

Schedule 4

Schedule 3

Appendix F, clause 4

ALCOHOL, DEHYDRATED

Appendix B, clause 3

ALCURONIUM

Schedule 4

ALDESLEUKIN

Schedule 4

ALDICARB

Schedule 7

ALDOSTERONE

Schedule 4

Appendix G, clause 1

ALDOXYCARB

Schedule 7

ALDRIN

Schedule 6

ALECTINIB

Schedule 4

ALEFACEPT

Schedule 4

Appendix D, clause 7

ALEMTUZUMAB

Schedule 4

ALENDRONIC ACID

Schedule 4

ALFACALCIDOL

Schedule 4

ALFENTANIL

Schedule 8

ALFUZOSIN

Schedule 4

ALGICIDES

Appendix A, clause 1

ALGLUCERASE

Schedule 4

ALGLUCOSIDASE

Schedule 4

ALIMEMAZINE

cross reference: TRIMEPRAZINE

Schedule 4

Schedule 2

Appendix K, clause 1

ALIROCUMAB

Schedule 4

ALISKIREN

Schedule 4

ALKALINE SALTS

cross reference: LYE WATER, POTASSIUM CARBONATE. POTASSIUM PHOSPHATE, POTASSIUM SALTS, POTASSIUM SILICATE, SODIUM CARBONATE, SODIUM SALTS, SODIUM SILICATE(S)

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

ALKOXYAMFETAMINES

cross reference: ALKOXYAMPHETAMINES

Schedule 9

ALKOXYLATED FATTY ALKYLAMINE POLYMER

Schedule 6

Schedule 5

ALKOXYPHENYLETHYLAMINES

Schedule 9

ALKYLAMINES WITH STIMULANT PROPERTIES

cross reference: 1,3-DIMETHYLBUTYLAMINE, DMBA, OCTODRINE,

1-AMINOISOHEPTANE, DMHA, 1,5-DIMETHYLHEXYLAMINE,

4-METHYLHEXANE-2-AMINE, 1,3-DIMETHYLAMYLAMINE, DMAA,

4-AMINO-2-METHYLPENTANE CITRATE (AMP CITRATE), 1,4-DIMETHYLPENTYLAMIN

DMPA, 1,4-DIMETHYLAMYLAMINE, DMAA.

Schedule 10

ALKYL NITRITES

Schedule 4

Appendix E, clause 3

ALKYLTHIOAMFETAMINES

cross reference: ALKYLTHIOAMPHETAMINES

Schedule 9

ALLERGENS

Schedule 4

ALLETHRIN

Schedule 6

Schedule 5

ALLOPURINOL

Schedule 4

ALLOXYDIM

Schedule 5

ALLYL ALCOHOL

Schedule 7

Appendix J, clause 1

ALLYL CYCLOHEXANEACETATE (CAS No. 4728-82-9)

Schedule 6

ALLYL CYCLOHEXANEPROPIONATE (CAS No. 2705-87-5)

Schedule 6

ALLYL ESTERS (excluding derivatives)

Schedule 6

ALLYLESTRENOL

cross reference: ALLYLOESTRENOL

Schedule 4

ALLYL HEPTANOATE/ALLYL HEPTYLATE (CAS No. 142-19-8)

Schedule 6

ALLYL HEXANOATE (CAS No. 123-68-2)

Schedule 6

ALLYL ISOVALERATE (CAS No. 2835-39-4)

ALLYL NONANOATE (CAS No. 7493-72-3)

Schedule 6

ALLYL OCTANOATE (CAS No. 4230-97-1)

Schedule 6

ALLYLOESTRENOL

cross reference: ALLYLESTRENOL

ALLYL PHENYLACETATE (CAS No. 1797-74-6)

Schedule 6

ALLYLPRODINE

Schedule 10

ALLYL TRIMETHYLHEXANOATE (CAS No. 68132-80-9)

Schedule 6

ALOGLIPTIN

Schedule 4

ALOSETRON

Schedule 4

ALOXIPRIN

Schedule 2

ALPELISIB

Schedule 4

ALPHACETYLMETHADOL

Schedule 8

ALPHA-CHLOROHYDRIN

Schedule 6

Appendix F, clause 4

ALPHA-CYPERMETHRIN

Schedule 7

Schedule 6

ALPHADOLONE

Schedule 4

ALPHAMEPRODINE

Schedule 9

ALPHAMETHADOL

Schedule 9

ALPHA-METHYLFENTANYL

Schedule 9

ALPHA-METHYLTHIOFENTANYL

Schedule 9

ALPHAPRODINE

Schedule 8

ALPHA-PYRROLIDINOVALEROPHENONE *(ALPHA-PVP).

Schedule 9

ALPHA1-PROTEINASE INHIBITOR (HUMAN)

Schedule 4

ALPHAXALONE

Schedule 4

ALPRAZOLAM

Schedule 8

Appendix D, clause 5 (Benzodiazepine group entry)

Appendix K, clause 1

ALPRENOLOL

Schedule 4

ALPROSTADIL

Schedule 4

ALSEROXYLON

ALTEPLASE

Schedule 4

ALTRENOGEST

Schedule 4

ALTRETAMINE

cross reference: HEXAMETHYLMELAMINE

Schedule 4

ALUM

Appendix B, clause 3

ALUMINIUM AMMONIUM SULFATE

Appendix B, clause 3

ALUMINIUM POTASSIUM SULFATE

Appendix B, clause 3

ALUMINIUM SILICATE

Appendix B, clause 3

ALUMINIUM tris (ETHYLPHOSPHONATE)

Appendix B, clause 3

AMANTADINE

Schedule 4

AMBENONIUM CHLORIDE

Schedule 4

AMBRISENTAN

Schedule 4

Appendix D, clause 6

Appendix F, clause 4

Appendix L, clause 2

AMBUCETAMIDE

Schedule 4

AMBUTONIUM BROMIDE

AMCINONIDE

Schedule 4

AMETOCTRADIN

Appendix B, clause 3

AMETRYN

Schedule 5

AMICARBAZONE

Schedule 6

AMIDITHION

Schedule 6

AMIDOPROPYL BETAINES

Schedule 6

Appendix E, clause 3

AMIFAMPRIDINE

Schedule 4

AMIFOSTINE

Schedule 4

AMIKACIN

Schedule 4

AMILORIDE

Schedule 4

AMINACRINE

cross reference: AMINOACRIDINE

AMINES

cross reference: CURING AGENTS FOR EPOXY RESINS

Schedule 5

Appendix E, clause 3 Appendix F, clause 4

AMINOACRIDINE

cross reference: AMINACRINE

Schedule 7 Schedule 5

AMINOCAPROIC ACID

Schedule 4

AMINOCARB

Schedule 7

Schedule 6

2-AMINO-6-CHLORO-4-NITROPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

4-AMINO-m-CRESOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

5-AMINO-o-CRESOL

cross reference: 4-AMINO-2-HYDROXYTOLUENE

AMINOCYCLOPYRACHLOR

Schedule 5

2-AMINO-1-(2,5-DIMETHOXY-4-METHYL)PHENYLPROPANE

cross reference: DOM, STP

Schedule 9

AMINOETHOXYVINYLGLYCINE

Schedule 6

2-AMINO-5-ETHYLPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

AMINOGLUTETHIMIDE

4-AMINO-2-HYDROXYTOLUENE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

5-AMINOLEVULINIC ACID

Schedule 4

1-AMINOMETHANAMIDE DIHYDROGEN TETRAOXOSULFATE

Schedule 6

2-[(4-AMINO-2-METHYL-5-NITROPHENYL)AMINO]-ETHANOL

cross reference: HC VIOLET 1

2-AMINO-5-METHYLPHENOL

Schedule 10 Schedule 7

AMINOMETRADINE

Schedule 4

4-AMINO-3-NITROPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

2,2'-[(4-AMINO-3-NITROPHENYL)IMINO]BISETHANOL

cross reference: HC RED 13

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

AMINOPHENAZONE

cross reference: AMIDOPYRINE

Schedule 10

Schedule 4

m-AMINOPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

p-AMINOPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

AMINOPHYLLINE

Schedule 4

Schedule 3

4-AMINOPROPIOPHENONE

cross reference: PARA-AMINOPROPIOPHENONE (PAPP)

Schedule 7

Appendix J, clause 1

5-(2-AMINOPROPYL)INDAN

Schedule 9

AMINOPTERIN

Schedule 4

AMINOPYRALID

Schedule 6

Schedule 5

4-AMINOPYRIDINE

cross reference: FAMPRIDINE

Schedule 7

Schedule 4

Appendix E, clause 3

Appendix J, clause 1

AMINOREX

Schedule 4

AMINOSALICYLIC ACID

Schedule 4

AMIODARONE

Schedule 4

AMIPHENAZOLE

AMISOMETRADINE

Schedule 4

AMISULBROM

Schedule 5

AMISULPRIDE

Schedule 4

Appendix K, clause 1

AMITON

Schedule 7

AMITRAZ

Schedule 6

AMITRIPTYLINE

Schedule 4

Appendix K, clause 1

AMITROLE

Schedule 5

AMLODIPINE

Schedule 4

AMMI VISNAGA

Schedule 4

AMMONIA

cross reference: AMMONIUM HYDROXIDE, CHROMATES

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

AMMONIUM BROMIDE

Schedule 4

AMMONIUM COCOYL ISETHIONATE

Schedule 6

Appendix E, clause 3

AMMONIUM PERSULFATE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

AMMONIUM PHOSPHATE

Appendix B, clause 3

AMMONIUM THIOCYANATE

Schedule 5

Appendix E, clause 3

AMMONIUM THIOSULPHATE

Appendix B, clause 3

AMOBARBITAL

Schedule 8

Schedule 4

Appendix K, clause 1

AMODIAQUINE

Schedule 4

AMOROLFINE

Schedule 4

Schedule 2

AMOXAPINE

Schedule 4

AMOXICILLIN

Schedule 4

AMOXYCILLIN

cross reference: AMOXICILLIN

AMFETAMINE

cross reference: AMPHETAMINE

Schedule 8

AMPHOMYCIN

AMPHOTERICIN

cross reference: AMPHOTERICIN B

AMPHOTERICIN B

Schedule 4

AMPICILLIN

Schedule 4

AMPRENAVIR

Schedule 4

AMPROLIUM

Appendix B, clause 3

AMRINONE

Schedule 4

AMSACRINE

Schedule 4

AMYGDALIN

cross reference: APRICOT KERNELS

Schedule 10

AMYL ACETATE

Appendix B, clause 3

AMYL NITRITE

Schedule 4

Schedule 3

Appendix E, clause 3

α-AMYLASE derived from Aspergillus niger

Appendix B, clause 3

AMYL CINNAMALDEHYDE

Appendix B, clause 3

AMYLOBARBITAL

cross reference: AMOBARBITAL

AMYLOBARBITONE

cross reference: AMOBARBITAL

AMYLOCAINE

Schedule 4

ANABOLIC STEROIDAL AGENTS

cross reference: ANDROSTERONE, STEROIDAL AGENTS

Schedule 4

Appendix D, clause 5

ANAGRELIDE

Schedule 4

ANAKINRA

Schedule 4

ANASTROZOLE

Schedule 4

ANCESTIM

Schedule 4

ANCHUSA OFFICINALIS

Schedule 10

ANCROD

Schedule 4

ANDEXANET ALFA

Schedule 4

ANDROGENIC STEROIDAL AGENTS

cross reference: STEROIDAL AGENTS

Schedule 4

Appendix D, clause 5

ANDROISOXAZOLE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ANDROSTANOLONE

Schedule 4

ANDROSTENEDIOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ANDROSTENEDIONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ANDROSTENEDIONE ALBUMEN

Appendix B, clause 3

ANECORTAVE

Schedule 4

ANGIOTENSIN AMIDE

Schedule 4

ANHYDRIDES, ORGANIC ACID

cross reference: CURING AGENTS FOR EPOXY RESINS

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

ANIDULAFUNGIN

Schedule 4

ANILERIDINE

Schedule 8

ANILINE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ANIRACETAM

cross reference: RACETAMS

Schedule 4

ANISE OIL

Schedule 5

Appendix E, clause 3, Part 4

o-ANISIDINE

Schedule 10

ANISTREPLASE

Schedule 4

ANTAZOLINE

Schedule 4

Schedule 2

ANTIBIOTIC SUBSTANCES

cross reference: NISIN

Schedule 4

ANTIGENS

Schedule 4

ANTIHISTAMINES

cross reference: ASTEMIZOLE, AZELASTINE, BILASTINE, DESLORATADINE,

FEXOFENADINE, LORATADINE, TERFENADINE, CETIRIZINE

Schedule 4

Appendix F, clause 4

ANTIMONY

cross reference: ANTIMONY COMPOUNDS, ANTIMONY CHLORIDE, ANTIMONY TITANA

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix G, clause 1

ANTISERA

cross reference: IMMUNOSERA

AOD-9604 (CAS No. 221231-10-3)

Schedule 4

Appendix D, clause 5

APALUTAMIDE

Schedule 4

APIXABAN

Schedule 4

APOCYNUM spp.

Schedule 4

APOMORPHINE

Schedule 4

Appendix G, clause 1

APRACLONIDINE

Schedule 4

APRAMYCIN

Schedule 4

APREMILAST

Schedule 4

APREPITANT

Schedule 4

APRICOT KERNELS

cross reference: AMYGDALIN, HYDROCYANIC ACID

APRONAL

cross reference: ALLYLISOPROPYLACETYLUREA

Schedule 10

APROTININ

Schedule 4

ARBUTIN (ALPHA)

cross reference: ARBUTIN (BETA); ARBUTIN (DEOXY OR OTHER DERIVATIVES)

Appendix E, clause 3 Appendix F, clause 4

ARBUTIN (BETA)

cross reference: ARBUTIN (ALPHA); ARBUTIN (DEOXY OR OTHER DERIVATIVES)

Schedule 6 Schedule 4

Appendix E, clause 3 Appendix F, clause 4

ARBUTIN (DEOXY OR OTHER DERIVATIVES)

cross reference: ARBUTIN (ALPHA); ARBUTIN (BETA)

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

ARECOLINE

Schedule 4

ARIPIPRAZOLE

Schedule 4

Appendix K, clause 1

ARISTOLOCHIA spp.

Schedule 10

ARISTOLOCHIC ACID(S)

cross reference: ASARUM spp, BRAGANTIA

Schedule 10

ARPRINOCID

Schedule 7

Appendix J, clause 1

ARMODAFINIL

Schedule 4

ARSENIC

cross reference: ARSENIC TRIOXIDE, CACODYLIC ACID, TERMITE BARRIERS, COPPER-CHROME-ARSENIC, SELENIUM ARSENIDE, THIACETARSAMIDE

Schedule 7 Schedule 6 Schedule 4

Appendix G, clause 1

Appendix J, clause 1

ARTEMETHER

Schedule 4

ARTICAINE

Schedule 4

ASARUM spp

Schedule 10

ASCIMINIB

Schedule 4

ASENAPINE

Schedule 4

Appendix K, clause 1

ASFOTASE ALFA

Schedule 4

ASPARAGINASE

Schedule 4

ASPARTIC ACID

Appendix B, clause 3

ASPIRIN

cross reference: CAFFEINE, PARACETAMOL, SALICYLAMIDE

Schedule 6

Schedule 5

Schedule 4

Schedule 2

Appendix F, clause 4

ASTEMIZOLE

Schedule 4

Appendix F, clause 4

ASTODRIMER SODIUM

Schedule 3

Appendix F, clause 4

Appendix H, clause 1

ASULAM

Appendix B, clause 3

ASUNAPREVIR

Schedule 4

ATAMESTANE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ATAZANAVIR

Schedule 4

ATENOLOL

Schedule 4

ATEZOLIZUMAB

Schedule 4

ATIPAMEZOLE

Schedule 4

ATOMOXETINE

Schedule 4

ATORVASTATIN

Schedule 4

ATOSIBAN

Schedule 4

ATOVAQUONE

Schedule 4

ATRACURIUM BESILATE

cross reference: ATRACURIUM BESYLATE

ATRAZINE

Schedule 5

ATROPA BELLADONNA

cross reference: BELLADONNA

Schedule 4

Schedule 2

Appendix G, clause 1

ATROPINE

Schedule 4

Schedule 2

Appendix G, clause 1

ATROPINE METHONITRATE

Schedule 4

AURANOFIN

Schedule 4

AUREOBASIDIUM PULLULANS (Strains DSM14940 and DSM14941)

Appendix B

AUROTHIOMALATE SODIUM

Schedule 4

AVACOPAN

Schedule 4

AVATROMBOPAG

Schedule 4

AVELUMAB

Schedule 4

AVILAMYCIN

Schedule 4

AVIPTADIL

AVOPARCIN

Schedule 4

AXITINIB

Schedule 4

AZACITIDINE

Schedule 4

AZACONAZOLE

Schedule 6

AZACYCLONOL

Schedule 4

AZADIRACHTA INDICA

cross reference: DEBITTERISED NEEM SEED OIL, NEEM

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

AZADIRACHTA INDICA EXTRACTS

Schedule 5

AZAFENIDIN

Schedule 7

AZAMETHIPHOS

Schedule 6

AZAPERONE

Schedule 4

AZAPROPAZONE

Schedule 4

AZARIBINE

AZATADINE

Appendix K, clause 1

AZATADINE

Schedule 4

Schedule 3

AZATHIOPRINE

Schedule 4

AZELAIC ACID

Schedule 4

Schedule 2

AZELASTINE

Schedule 4

Schedule 2

AZIMSULFURON

Appendix B, clause 3

AZINPHOS-ETHYL

Schedule 7

AZINPHOS-METHYL

Schedule 7

AZITHROMYCIN

Schedule 4

AZLOCILLIN

Schedule 4

AZOBENZENE

Schedule 6

AZOCYCLOTIN

Schedule 7

Appendix F, clause 4

Appendix J, clause 1

AZO DYES (derivatives by diazotisation)

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

AZOXYSTROBIN

Schedule 5

AZTREONAM

B

BACAMPICILLIN

Schedule 4

BACILLUS AMYLOLIQUEFACIENS

cross reference: BACILLUS SUBTILIS, STRAIN QST 713; BACILLUS

AMYLOLIQUEFACIENS, STRAIN QST 713; BACILLUS AMYLOLIQUEFACIENS, STRAIN

MBI 600

Appendix B, clause 3

BACILLUS SPHAERICUS, STRAIN 2362

Appendix B, clause 3

BACILLUS SUBTILIS, STRAIN QST 713

cross reference: BACILLUS AMYLOLIQUEFACIENS, STRAIN QST 713

BACILLUS THURINGIENSIS

cross reference: ENDOTOXIN

Appendix B, clause 3

BACILLUS THURINGIENSIS DELTA ENDOTOXIN

Schedule 5

BACILLUS TOYOI

Appendix B, clause 3

BACITRACIN

Schedule 4

BACLOFEN

Schedule 4

Appendix K, clause 1

BACTERIAL CULTURE MEDIA

cross reference: ANTIBIOTIC SUBSTANCES

Appendix A, clause 1

BACTERICIDES

Appendix A, clause 1

BACULOVIRUS CYDIA POMONELLA

Appendix B, clause 3

BALOXAVIR MARBOXIL

Schedule 4

BALSALAZIDE

Schedule 4

BAMBERMYCIN

cross reference: FLAVOPHOSPHOLIPOL

Schedule 6 Schedule 4

BAMBUTEROL

Schedule 4

BAMETHAN

Schedule 4

BAMIPINE

Schedule 4

BARBITURATES

Schedule 4

BARICITINIB

Schedule 4

BARIUM SALTS

cross reference: BARIUM METABORATE, BARIUM SULFATE

Schedule 6

Appendix E, clause 3

BARIUM SILICOFLUORIDE

Schedule 5

BASIC BLUE 26

Schedule 10

BASIC ORANGE 31

cross reference: 2-[(4-AMINOPHENYL)AZO]-1,3-DIMETHYL-1H-IMIDAZOLIUM, CHLORII

Schedule 10 Schedule 6

BASIC RED 76 (CAS No. 68391-30-0)

cross reference: [7-HYDROXY-8-[(2-

METHOXYPHENYL)AZO]-2-NAPHTHYL]TRIMETHYLAMMONIUM CHLORIDE (CAS No

68391-30-0) Schedule 7

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

BASIL OIL

cross reference: METHYL CHAVICOL

Schedule 5

Appendix E, clause 3

BASILIXIMAB

Schedule 4

BATTERIES

Appendix A, clause 1

BAY OIL

Schedule 6

Appendix E, clause 3

BAZEDOXIFENE

Schedule 4

BEAUVERIA BASSIANA

Schedule 6

Schedule 5

BECAPLERMIN

Schedule 4

BECLAMIDE

BECLOMETASONE

cross reference: BECLOMETHASONE

Schedule 4 Schedule 2

BECLOMETHASONE

cross reference: BECLOMETASONE

BELATACEPT

Schedule 4

BELIMUMAB

Schedule 4

BELUMOSUDIL

Schedule 4

Appendix L, clause 2

BELZUTIFAN

Schedule 4

BEMEGRIDE

Schedule 4

BENACTYZINE

Schedule 4

BENALAXYL

Schedule 5

BENAZEPRIL

Schedule 4

BENDAMUSTINE

Schedule 4

BENDIOCARB

cross reference: DENATONIUM BENZOATE

Schedule 7

Schedule 6

BENDROFLUAZIDE

Schedule 4

BENETHAMINE PENICILLIN

Schedule 4

BENFLURALIN

Appendix B, clause 3

BENOMYL

Schedule 7

Appendix F, clause 4

BENORYLATE

Schedule 4

BENOXAPROFEN

Schedule 4

BENPERIDOL

Schedule 4

BENQUINOX

Schedule 6

BENRALIZUMAB

Schedule 4

BENSERAZIDE

Schedule 4

BENSULFURON-METHYL

Appendix B, clause 3

BENSULIDE

Schedule 6

BENTAZONE

Schedule 5

BENTONITE

Appendix B, clause 3

BENZALKONIUM CHLORIDE

Schedule 6

Schedule 5

Appendix E, clause 3

BENZATHINE PENICILLIN

Schedule 4

BENZENE

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

1,2-BENZENEDIAMINE

Schedule 10

1,3-BENZENEDIAMINE

Schedule 10

1,2-BENZENEDIOL

cross reference: CATECHOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

BENZETHIDINE

Schedule 9

BENZHEXOL

cross reference: TRIHEXYPHENIDYL

BENZIDINE-CONGENER (3,3'-disubstituted) AZO DYES

Schedule 7

BENZIDINE-BASED AZO DYES

Schedule 7

BENZILONIUM

BENZOCAINE

Schedule 4

Schedule 2

BENZODIAZEPINE DERIVATIVES

Schedule 4

Appendix D, clause 5

BENZOFENAP

Schedule 5

BENZOVINDIFLUPYR

Schedule 6

BENZOYL PEROXIDE

Schedule 5

Schedule 4

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

BENZOYLINDOLES

Schedule 9

BENZPHETAMINE

Schedule 4

BENZTHIAZIDE

Schedule 4

BENZATROPINE

cross reference: BENZITROPINE

Schedule 4

Appendix K, clause 1

BENZYDAMINE

Schedule 4

Schedule 2

6-BENZYLADENINE

BENZYL BENZOATE

Appendix B, clause 3

BENZYLMORPHINE

Schedule 8

BENZYLPENICILLIN

Schedule 4

BENZYLPIPERAZINE

cross reference: BZP

Schedule 9

BEPHENIUM SALTS

Schedule 2

BEPRIDIL

Schedule 4

BERACTANT

Schedule 4

BERGAMOT OIL

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

BERYLLIUM

Schedule 6

Appendix F, clause 4

BESIFLOXACIN

Schedule 4

BETACETYLMETHADOL

Schedule 9

BETACYFLUTHRIN

Schedule 7

Schedule 6

BETA-CYPERMETHRIN

Schedule 6

BETA-PHENYL-GAMMA-AMINOBUTYRIC ACID

cross reference: PHENIBUT

BETAHISTINE

Schedule 4

BETA-HYDROXY-3-METHYLFENTANYL

Schedule 9

BETA-HYDROXYFENTANYL

Schedule 9

BETAINE HYDROCHLORIDE

Appendix B, clause 3

BETAMEPRODINE

Schedule 9

BETAMETHADOL

Schedule 9

BETAMETHASONE

Schedule 4

1-(BETA-METHYL SULPHONAMIDOETHYL)- 2-AMINO-3

Appendix F, clause 4

BETAPRODINE

Schedule 9

BETAXOLOL

Schedule 4

BETHANECHOL CHLORIDE

Schedule 4

BETHANIDINE

BEVACIZUMAB

Schedule 4

BEVANTOLOL

Schedule 4

BEXAROTENE

Schedule 4

Appendix D, clause 2

Appendix F, clause 4

Appendix L, clause 2

BEZAFIBRATE

Schedule 4

BEZITRAMIDE

Schedule 8

BEZLOTOXUMAB

Schedule 4

BHC

Schedule 6

BICALUTAMIDE

Schedule 4

BICTEGRAVIR

Schedule 4

BICYCLOPYRONE

Schedule 6

Schedule 5

BIFENAZATE

Appendix B, clause 3

BIFENTHRIN

Schedule 7

BIFLUORIDES

cross reference: AMMONIUM BIFLUORIDE, AMMONIUM SALTS, POTASSIUM SALTS,

SODIUM SALTS

Schedule 7

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

BIFONAZOLE

Schedule 4

Schedule 2

BILASTINE

Schedule 4

Schedule 3

Appendix H, clause 1

BIMATOPROST

Schedule 4

BINIMETINIB

Schedule 4

BIOALLETHRIN

Schedule 6

Schedule 5

BIORESMETHRIN

Schedule 5

BIPERIDEN

Schedule 4

1,3-BIS(2,4-DIAMINOPHENOXY)PROPANE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

BIS-ISOBUTYL PEG/PPG-20/35/AMODIMETICONE COPOLYMER

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

BISMUTH COMPOUNDS

cross reference: BISMUTH CITRATE, BISMUTH FORMIC IODIDE, BISMUTH

OXYCHLORIDE, BISMUTH SUBIODIDE

Schedule 4

BISMUTH SUBNITRATE

Appendix B, clause 3

BISOPROLOL

Schedule 4

N,N-BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,5-DIMETHANAMINE

cross reference:

N,N-BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,6-DIMETHANAMINE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

N,N-BIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,6-DIMETHANAMINE

cross reference:

N,N-bIS(PHENYLMETHYLENE)-BICYCLO-(2.2.1)HEPTANE-2,6-DIMETHANAMINE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

BISPYRIBAC

Schedule 5

BISTRIFLURON

Appendix B, clause 3

BITHIONOL

Schedule 10

Schedule 6

Appendix F, clause 4

BIURET

Appendix B, clause 3

BIVALIRUDIN

Schedule 4

BIXAFEN

Schedule 5

BIXLOZONE

Appendix B, clause 3

BLAD (banda de Lupinus albus doce)

Appendix B, clause 3

BLEOMYCIN

Schedule 4

BLINATUMOMAB

Schedule 4

BOCEPREVIR

Schedule 4

BOLANDIOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

BOLASTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

BOLAZINE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

BOLDENONE

cross reference: DEHYDROTESTOSTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

BOLENOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

BOLMANTALATE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

BORAGO OFFICINALIS

cross reference: BORAGE

Schedule 10

BORIC ACID

cross reference: BORAX, SODIUM BORATE, POTASSIUM BORATE, MEA-BORATE,

MIPA-BORATE

Schedule 5

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

BORON

cross reference: BORATES, BORAX, BORIC ACID, BORON COMPOUNDS

Schedule 4

BORON TRIFLUORIDE

Schedule 7

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

BORTEZOMIB

Schedule 4

BOSCALID

Appendix B, clause 3

BOSENTAN

Schedule 4

Appendix D, clause 6

Appendix F, clause 4 Appendix L, clause 2

BOSUTINIB

Schedule 4

BOTULINUM TOXINS

Schedule 4

BOVINE SOMATOTROPHIN

Appendix B, clause 3

BRAGANTIA spp

Schedule 10

BRENTUXIMAB VEDOTIN

Schedule 4

BRETYLIUM TOSILATE

Schedule 4

BRETYLIUM TOSYLATE

cross reference: BRETYLIUM TOSILATE

BREXPIPRAZOLE

Schedule 4

Appendix K, clause 1

BRIGATINIB

Schedule 4

BRIMONIDINE

Schedule 4

Schedule 2

BRINZOLAMIDE

Schedule 4

BRIVARACETAM

cross reference: RACETAMS

Schedule 4

Appendix K, clause 1

BRODIFACOUM

Schedule 7

Schedule 6

Appendix J, clause 1

BROFLANILIDE

Schedule 6

Schedule 5

BROMACIL

Appendix B, clause 3

BROMADIOLONE

Schedule 7

Schedule 6

Appendix J, clause 1

BROMAZEPAM

Schedule 4

Appendix D, clause 5 (benzodiazepine derivatives)

Appendix K, clause 1

BROMETHALIN

Schedule 7

Schedule 6

BROMHEXINE

Schedule 2

BROMIDES

Schedule 4

BROMINE

Schedule 7

Appendix J, clause 1

1-(8-BROMOBENZO[1,2-B;4,5-B]DIFURAN-4-YL)-2-AMINOPROPANE

cross reference: BROMO-DRAGONFLY

Schedule 9

BROMOCRIPTINE

4-BROMO-2,5-DIMETHOXYPHENETHYLAMINE

cross reference: BDMPEA

Schedule 9

BROMOFORM

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

BROMOPHOS

Schedule 6

BROMOPHOS-ETHYL

Schedule 6

BROMOPROPYLATE

Appendix B, clause 3

BROMOXYNIL

Schedule 6

BROMPHENIRAMINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

BROMUCONAZOLE

Schedule 6

Schedule 5

BROMVALETONE

Schedule 4

BROTIANIDE

Schedule 6

BRUCINE

Schedule 7

Appendix E, clause 3

Appendix J, clause 1

BRUGMANSIA spp.

Schedule 4

BUCLIZINE

Schedule 4

Schedule 3

Appendix K, clause 1

BUCLOSAMIDE

Schedule 10

BUDESONIDE

Schedule 4

Schedule 2

BUFEXAMAC

Schedule 4

BUFOTENINE

Schedule 9

BUMETANIDE

Schedule 4

BUNAMIDINE

Schedule 6

BUNIODYL SODIUM

Schedule 10

BUPHENINE

Schedule 4

BUPIRIMATE

Appendix B, clause 3

BUPIVACAINE

Schedule 5

BUPRENORPHINE

Schedule 8

Appendix K, clause 1

BUPROFEZIN

Schedule 5

BUPROPION

cross reference: AMFEBUTAMONE

Schedule 4

BUSERELIN

Schedule 4

BUSPIRONE

Schedule 4

BUSULPHAN

Schedule 4

BUTACAINE

Schedule 4

BUTACARB

Schedule 6

BUTAFENACIL

Appendix B, clause 3

BUTAMBEN

cross reference: BUTYL AMINOBENZOATE

Schedule 4

1,4-BUTANEDIOL

Schedule 10

BUTHIDAZOLE

Schedule 5

BUTOBARBITAL

Schedule 8

Appendix K, clause 1

BUTOBARBITONE

cross reference: BUTOBARBITAL

BUTOCONAZOLE

Schedule 4

Schedule 3

Appendix H, clause 1

BUTORPHANOL

Schedule 8

BUTOXYCARBOXIM

Schedule 6

Schedule 5

2-BUTOXYETHANOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

BUTOXYPOLYPROPYLENE GLYCOL

Appendix B, clause 3

2-BUTOXY-2'-THIOCYANODIETHYL ETHER

Schedule 6

Appendix F, clause 4

BUTRACONAZOLE

Schedule 4

BUTRALIN

Schedule 5

BUTROXYDIM

Schedule 5

n-BUTYL ALCOHOL

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

BUTYL AMINOBENZOATE

cross reference BUTAMBEN

BUTYL BENZYL PHTHALATE

Schedule 10

n-BUTYL BUTYRATE

Appendix B, clause 3

n-BUTYL LACTATE

Appendix B, clause 3

BUTYL NITRITE

Schedule 4

Appendix E, clause 3

BUTYLCHLORAL HYDRATE

Schedule 4

BUTYRIC ACID

\mathbf{C}

CABAZITAXEL

Schedule 4

CABERGOLINE

Schedule 4

CABOTEGRAVIR

Schedule 4

CABOZANTINIB

Schedule 4

CACALIA spp.

Schedule 10

CACODYLIC ACID

Schedule 7

Schedule 6

CADMIUM COMPOUNDS

cross reference: CADMIUM, CADMIUM ACETATE, CADMIUM CHLORIDE, CADMIUM

NITRATE

Schedule 6

Schedule 4

Appendix E, clause 3

CADUSAFOS

Schedule 7

Schedule 6

CAFFEINE

cross reference: PARACETAMOL, ASPIRIN, SALICYLAMIDE

Schedule 6

Schedule 4

CAJUPUT OIL

Schedule 6

Appendix E, clause 3

CALCIFEDIOL

Schedule 4

CALCIFEROL

Schedule 7

Schedule 6

Appendix J, clause 1

CALCIPOTRIOL

Schedule 4

CALCITONIN SALMON

Schedule 4

CALCITRIOL

Schedule 4

CALCIUM CARBIMIDE

Schedule 4

CALCIUM HYDROXYLAPATITE

Schedule 4

CALCIUM POLYSTYRENE SULPHONATE

Schedule 4

CALOTROPIS GIGANTEA

Schedule 4

CALOTROPIS PROCERA

Schedule 4

CALUSTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

CAMBENDAZOLE

CAMPHOR

cross reference: ESSENTIAL OILS, LAVANDIN OIL, ROSEMARY OIL, SHUI OIL

Schedule 6 Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CAMPHORATED OIL

Schedule 4

CAMPHOTAMIDE

Schedule 4

CANAGLIFLOZIN

Schedule 4

CANAKINUMAB

Schedule 4

CANDESARTAN CILEXETIL

Schedule 4

CANDICIDIN

Schedule 4

CANINE TICK ANTI-SERUM

Schedule 4

CANNABICHROMENE

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

CANNABIDIOL

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

Schedule 4 Schedule 3

Appendix F, clause 4

CANNABIDIOLIC ACID

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

CANNABIDIVAROL

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

CANNABIGEROL

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

CANNABINOIDS

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

CANNABINOL

cross reference: NABIXIMOLS, CANNABIS, TETRAHYDROCANNABINOLS

CANNABIS

cross reference: CANNABIS SATIVA, HEMP, HEMP SEED OIL,

TETRAHYDROCANNABINOLS

Schedule 9 Schedule 8

Appendix D, clause 1

Appendix K, clause 1

CANTHARIDIN

Schedule 4

Appendix G, clause 1

CAPECITABINE

Schedule 4

CAPREOMYCIN

Schedule 4

CAPTAFOL

Schedule 7

Appendix J, clause 1

CAPTAN

Schedule 6

CAPTODIAME

CAPTOPRIL

Schedule 4

CAPURIDE

Schedule 4

CARAMIPHEN

Schedule 4

CARBACHOL

Schedule 4

CARBADOX

Schedule 7

Appendix J, clause 1

CARBAMAZEPINE

Schedule 4

CARBAMIDE PEROXIDE

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CARBARYL

Schedule 6

Schedule 5

Schedule 4

CARBAZOCHROME

Schedule 4

CARBENDAZIM

Schedule 7

CARBENICILLIN

Schedule 4

CARBENOXOLONE

CARBETAMIDE

Schedule 6

CARBETAPENTANE

Schedule 2

CARBETOCIN

Schedule 4

CARBIDOPA

Schedule 4

CARBIMAZOLE

Schedule 4

CARBOCISTEINE

Schedule 2

CARBOCROMEN

Schedule 4

CARBOFURAN

Schedule 7

CARBON DISULFIDE

Schedule 6

Appendix E, clause 3

CARBON TETRACHLORIDE

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

CARBONYL SULFIDE

Schedule 7

Appendix J, clause 1

CARBOPHENOTHION

CARBOPLATIN

Schedule 4

CARBOPROST

Schedule 4

CARBOSULFAN

Schedule 7

CARBOXIN

Appendix B, clause 3

CARBROMAL

Schedule 4

CARBUTAMIDE

Schedule 4

CARBUTEROL

Schedule 4

CARDARINE

Schedule 10

CARFENTANYL

Schedule 8

CARFENTRAZONE-ETHYL

Appendix B, clause 3

CARFILZOMIB.

Schedule 4

CARGLUMIC ACID

Schedule 4

CARINDACILLIN

Schedule 4

CARIPRAZINE

CARISOPRODOL

Schedule 4

CARMUSTINE

Schedule 4

CARNIDAZOLE

Schedule 4

CARPROFEN

Schedule 4

CARVEDILOL

Schedule 4

CASIRIVIMAB

Schedule 4

CASPOFUNGIN

Schedule 4

CASSIA OIL

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CASTOR OIL, MONOMALEATE

Schedule 6

CATHINE

Schedule 4

CATHINONES

cross reference: SYNTHETIC CATHINONES

Schedule 9

CATUMAXOMAB

Schedule 4

CEDAZURIDINE

CEFACETRILE

cross reference: CEPHACETRILE

Schedule 4

CEFACLOR

Schedule 4

CEFADROXIL

Schedule 4

CEFALEXIN

cross reference: CEPHALEXIN

Schedule 4

CEFALORIDINE

cross reference: CEPHALORIDINE

Schedule 4

CEFALOTIN

cross reference: CEPHALOTHIN, CEFALOTHIN

Schedule 4

CEFAMANDOLE

cross reference: CEPHAMANDOLE

Schedule 4

CEFAPIRIN

cross reference: CEPHAPIRIN

Schedule 4

CEFAZOLIN

cross reference: CEPHAZOLIN

Schedule 4

CEFEPIME

Schedule 4

CEFETAMET

Schedule 4

CEFIXIME

CEFODIZIME

Schedule 4

CEFONICID

Schedule 4

CEFOPERAZONE

Schedule 4

CEFOTAXIME

Schedule 4

CEFOTETAN

Schedule 4

CEFOTIAM

Schedule 4

CEFOVECIN

Schedule 4

CEFOXITIN

Schedule 4

CEFPIROME

Schedule 4

CEFPODOXIME

Schedule 4

CEFQUINOME

Schedule 4

CEFSULODIN

Schedule 4

CEFTAROLINE FOSAMIL

Schedule 4

CEFTAZIDIME

CEFTIBUTEN

Schedule 4

CEFTIOFUR

Schedule 4

CEFTRIAXONE

Schedule 4

CEFUROXIME

Schedule 4

CELECOXIB

Schedule 4

CELIPROLOL

Schedule 4

CELLULASE derived from Aspergillus niger

Appendix B, clause 3

CENEGERMIN

Schedule 4

CEPHAELIS ACUMINATA

cross reference: IPECACUANHA, CARAPICHEA IPECACUANHA

Schedule 4

CEPHAELIS IPECACUANHA

cross reference: IPECACUANHA, CARAPICHEA IPECACUANHA

Schedule 4

CEPHALEXIN

cross reference: CEFALEXIN

CEPHALONIUM

CEPHALOTHIN

cross reference: CEFALOTIN

CEPHRADINE

Schedule 4

CERAMICS

Appendix A, clause 1

CERITINIB

Schedule 4

CERIVASTATIN

Schedule 4

CERLIPONASE ALFA

Schedule 4

CERTOLIZUMAB PEGOL

Schedule 4

CERULETIDE

Schedule 4

CETIRIZINE

Schedule 4

Schedule 2

Appendix K, clause 1

CETRORELIX

Schedule 4

CETUXIMAB

Schedule 4

CETYL ALCOHOL

Appendix B, clause 3

CHAMOMILE OIL

Appendix B, clause 3

CHEMISTRY SETS

Appendix A, clause 1

CHENODEOXYCHOLIC ACID

Schedule 4

CHINA CLAY

Appendix B, clause 3

CHLOPHEDIANOL

Schedule 2

CHLORAL FORMAMIDE

Schedule 4

CHLORAL HYDRATE

Schedule 4

Appendix K, clause 1

CHLORALOSE

cross reference: ALPHA-CHLORALOSE

Schedule 6

Schedule 4

CHLORAMBUCIL

Schedule 4

CHLORAMPHENICOL

Schedule 4

Schedule 3

CHLORANDROSTENOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

CHLORANTRANILIPROLE

Appendix B, clause 3

CHLORAZANIL

CHLORBUTANOL

Schedule 3

Schedule 2

CHLORBUTOL

cross reference: CHLOROBUTANOL

CHLORCYCLIZINE

Schedule 4

CHLORDANE

Schedule 6

CHLORDECONE

Schedule 7

Appendix J, clause 1

CHLORDIAZEPOXIDE

Schedule 4

Appendix D, clause 5 (benzodiazepine derivative)

Appendix K, clause 1

CHLORDIMEFORM

Schedule 7

Appendix J, clause 1

CHLORFENAC

Schedule 5

CHLORFENAPYR

Schedule 7

Schedule 6

Schedule 5

CHLORFENETHOL

Schedule 6

CHLORFENSON

Schedule 5

CHLORFENVINPHOS

CHLORFLUAZURON

Appendix B, clause 3

CHLORFLURENOL

Appendix B, clause 3

CHLORHEXIDINE

Schedule 7

Schedule 6

Schedule 5

CHLORIDAZON

Appendix B, clause 3

CHLORIDE

Appendix E, clause 3

CHLORINATING COMPOUNDS

cross reference: BLEACHES, BROMOCHLORODIMETHYLHYDANTOIN, TRICHLOROISOCYANURIC ACID, CALCIUM HYPOCHLORITE, CHLORINE, DICHLOROETHYL ETHER, SODIUM HYPOCHLORITE

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

CHLORINE

cross reference: CHLORINATING COMPOUNDS, DICHLOROISOCYANURATES, DICHLOROISOCYANURIC ACID

Schedule 7

Appendix G, clause 1

Appendix J, clause 1

CHLORMEQUAT

Schedule 6

CHLORMERODRIN

CHLORMETHIAZOLE

Schedule 4

Appendix K, clause 1

CHLORMEZANONE

Schedule 4

CHLORNIDINE

Schedule 5

CHLOROACETAMIDE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

CHLOROCRESOL

Schedule 5

Appendix E, clause 3

2-CHLORO-6-(ETHYLAMINO)-4-NITROPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

CHLOROFORM

Schedule 6

Schedule 4

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

4-CHLOROMETHANDIENONE

Schedule 4

Appendix D, clause D (Anabolic and/or androgenic steroidal agents)

CHLOROMETHIURON

Schedule 7

Appendix J, clause 1

5-CHLORO-3-METHYL-4-NITROPYRAZOLE

2-CHLORO-5-NITRO-N-HYDROXYETHYL-p-PHENYLENEDIAMINE

cross reference: PHENYLENEDIAMINES

CHLOROPHACINONE

Schedule 6

2-(4-CHLOROPHENYL)-(1,2,4)TRIAZOLO[5,1-A]ISOQUINOLINE

Schedule 4

CHLOROPICRIN

Schedule 7

Schedule 6

CHLOROPICRIN

Appendix J, clause 1

CHLOROQUINE

Schedule 4

CHLOROTHALONIL

Schedule 6

CHLOROTHIAZIDE

Schedule 4

4-CHLORO-o-TOLUIDINE

Schedule 7

Appendix J, clause 1

CHLOROTRIANISENE

Schedule 4

2-CHLORO-6-(TRICHLOROMETHYL)-PYRIDINE

Schedule 6

CHLOROXYDIENONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

CHLOROXYLENOLS

Appendix B, clause 3

CHLORPHENAMINE

cross reference: CHLORPHENIRAMINE

Schedule 4 Schedule 3

Schedule 2

Appendix K, clause 1

CHLORPHENIRAMINE

cross reference: CHLORPHENAMINE

CHLORPHENTERMINE

Schedule 4

CHLORPROMAZINE

Schedule 4

Appendix K, clause 1

CHLORPROPAMIDE

Schedule 4

CHLORPROPHAM

Schedule 5

CHLORPROTHIXENE

Schedule 4

CHLORPYRIFOS

Schedule 6

Schedule 5

CHLORPYRIFOS-METHYL

Schedule 6

CHLORQUINALDOL

Schedule 4

CHLORSULFURON

Schedule 5

CHLORTALIDONE

CHLORTETRACYCLINE

Schedule 5 Schedule 4

CHLORTHAL-DIMETHYL

Schedule 5

CHLORTHALIDONE

cross reference: CHLORTALIDONE

CHLORTHIAMID

Schedule 6

CHLORTHIOPHOS

Schedule 7

CHLORZOXAZONE

Schedule 4

CHOLECALCIFEROL

cross reference: COLECALCIFEROL

Schedule 7

Appendix J, clause 1

CHOLERA VACCINE

Schedule 4

CHOLESTYRAMINE

cross reference: COLESTYRAMINE

CHOLIC ACID

Schedule 4

CHROMATES

cross reference: AMMONIUM CHROMATE, BARIUM CHROMATE, CHROMIUM, COPPER-CHROME-ARSENIC, DICHROMATES, POTASSIUM CHROMATE, ZINC CHROMATE SODIUM CHROMATE, STRONTIUM CHROMATE

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

CHROMIUM TRICHLORIDE HEXAHYDRATE

Schedule 6

CHROMIUM TRIOXIDE

cross reference: CHROMIC ACID

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

CHRYSOIDINE BASE

Schedule 10

Schedule 6

Appendix E, clause 3

CHYMOPAPAIN

Schedule 4

CICLACILLIN

Schedule 4

CICLESONIDE

Schedule 4

CICLOPIROX

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

CICLOSPORIN

Schedule 4

CIDOFOVIR

Schedule 4

CILASTATIN

Schedule 4

CILAZAPRIL

CILGAVIMAB

Schedule 4

CILOSTAZOL

Schedule 4

CIMETIDINE

Schedule 4

Schedule 3

Appendix F, clause 4

CIMICOXIB

Schedule 4

CINACALCET

Schedule 4

CINCHOCAINE

Schedule 4

Schedule 2

CINCHOPHEN

Schedule 10

CINEOLE

cross reference: CAMPHOR OIL (white), ROSEMARY OIL

Schedule 7

Appendix E, clause 3

CINMETHYLIN

Schedule 5

CINNAMEDRINE

Schedule 2

CINNAMON BARK OIL

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CINNAMON LEAF OIL

Schedule 6

Appendix E, clause 3

CINNARIZINE

Schedule 4

CINOXACIN

Schedule 4

CIPROFLOXACIN

Schedule 4

CISAPRIDE

Schedule 4

CISATRACURIUM BESILATE

cross reference: CISATRACURIUM BESYLATE

Schedule 4

CIS-JASMONE

cross reference: (Z)-JASMONE

Schedule 5

CISPLATIN

Schedule 4

CITALOPRAM

Schedule 4

CITRONELLA OIL

Appendix B, clause 3

CJC-1295 (CAS No. 863288-34-0)

Schedule 4

Appendix D, clause 5

CLADRIBINE

Schedule 4

CLANOBUTIN

CLARITHROMYCIN

Schedule 4

CLARY SAGE OIL

Appendix B, clause 3

CLAVULANIC ACID

Schedule 4

CLEMASTINE

Schedule 4

Schedule 3

Appendix K, clause 1

CLEMIZOLE

Schedule 4

CLENBUTEROL

Schedule 4

CLETHODIM

Schedule 5

CLEVIDIPINE

Schedule 4

CLIDINIUM BROMIDE

Schedule 4

CLIMBAZOLE

Schedule 6

Schedule 5

Appendix E, clause 3

CLINDAMYCIN

Schedule 4

CLIOQUINOL

cross reference: OXYQUINOLINE, CHLORQUINALDOL, HALQUINOL

Schedule 10

CLITORIA TERNATEA EXTRACT

Appendix B, clause 3

CLOBAZAM

Schedule 4

CLOBETASOL

Schedule 4

CLOBETASONE

Schedule 4

Schedule 3

Appendix F, clause 4

Appendix H, clause 1

CLOCORTOLONE

Schedule 4

CLODINAFOP-PROPARGYL

Schedule 6

CLODRONIC ACID

cross reference: SODIUM CLODRONATE

Schedule 4

CLOFARABINE

Schedule 4

CLOFAZIMINE

Schedule 4

CLOFENAMIDE

Schedule 4

CLOFENTEZINE

Schedule 5

CLOFIBRATE

Schedule 4

CLOMAZONE

CLOMIFENE

cross reference: CLOMIPHENE

Schedule 4

Appendix D, clause 1

CLOMIPHENE

cross reference: CLOMIFENE

CLOMIPRAMINE

Schedule 4

Appendix K, clause 1

CLOMOCYCLINE

Schedule 4

CLONAZEPAM

Schedule 4

Appendix D, clause 5 (benzodiazepine derivatives)

Appendix K, clause 1

CLONAZOLAM

Schedule 9

CLONIDINE

Schedule 4

Appendix K, clause 1

CLONITAZENE

Schedule 9

CLOPAMIDE

Schedule 4

CLOPIDOGREL

Schedule 4

CLOPIDOL

Appendix B, clause 3

CLOPROSTENOL

CLOPYRALID

Schedule 5

CLOQUINTOCET

Schedule 5

CLORAZEPATE

Schedule 4

Appendix D, clause 5 (benzodiazepine derivatives)

Appendix K, clause 1

CLOREXOLONE

Schedule 4

CLORPRENALINE

Schedule 4

CLORSULON

Schedule 5

CLOSANTEL

Schedule 6

CLOSTEBOL

cross reference: 4-CHLOROTESTOSTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

CLOTHIANIDIN

Schedule 6

Schedule 5

CLOTRIMAZOLE

Schedule 6

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

CLOVE OIL

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CLOXACILLIN

Schedule 4

CLOZAPINE

Schedule 4

Appendix D, clause 1

Appendix K, clause 1

COAL TAR

Schedule 10

COBALT

cross reference: DICOBALT EDETATE

Schedule 4

COBALT NAPHTHENATE

Appendix B, clause 3

COBICISTAT

Schedule 4

COBIMETINIB

Schedule 4

COCA LEAF

Schedule 9

COCAINE

Schedule 8

N-COCO-1,3-DIAMINOPROPANE

Schedule 6

COCOYL GLYCINATE

Schedule 6

Appendix E, clause 3

COCOYL METHYL GLUCAMAIDE

cross reference: 1-DEOXY-1-(METHYLAMINO)-D-GLUCITOL N-COCO ACYL DERIVATIVE

CODEINE

Schedule 8

Schedule 4

Appendix K, clause 1

CODEINE-*N***-OXIDE**

Schedule 8

CO-DERGOCRINE

Schedule 4

CODOXIME

Schedule 9

COLASPASE

cross reference: ASPARAGINASE

COLCHICINE

Schedule 4

COLCHICUM AUTUMNALE

Schedule 4

COLECALCIFEROL

cross reference: CHOLECALCIFEROL

Schedule 7

Appendix J, clause 1

COLESTIPOL

Schedule 4

COLESTYRAMINE

Schedule 4

COLFOSCERIL PALMITATE

Schedule 4

COLISTIN

COLLAGEN

Schedule 4

COLLAGENASE CLOSTRIDIUM HISTOLYTICUM

Schedule 4

COLURACETAM

cross reference: RACETAMS

Schedule 4

CONCENTRATE OF POPPY STRAW

Schedule 8

CONIUM MACULATUM

cross reference: CONIINE

Schedule 10

CONVALLARIA KEISKI

Schedule 4

CONVALLARIA MAJALIS

Schedule 4

COPPER ACETATE

Schedule 6

Schedule 5

COPPER COMPOUNDS

cross reference: COPPER

Schedule 6

Schedule 5

Schedule 4

Appendix A, clause 1

COPPER HYDROXIDE

Schedule 6

Schedule 5

COPPER NITRATE

cross reference: COPPER CHLORIDE

COPPER OXIDES

Schedule 6

Schedule 5

COPPER OXYCHLORIDE

Schedule 6

Schedule 5

COPPER SULFATE

Schedule 6

Schedule 5

Appendix E, clause 3

CORIFOLLITROPIN ALFA

cross reference: FOLLICLE STIMULANT, RECOMBINANT

Schedule 4

Appendix D, clause 1

CORONILLA spp.

Schedule 4

CORTICOSTERONE

Schedule 4

CORTICOTROPHIN

Schedule 4

CORTISONE

Schedule 4

COTARNINE

Schedule 10

CO-TRIMOXAZOLE

Schedule 4

COUMAPHOS

Schedule 7

Schedule 6

COUMARIN

COUMATETRALYL

Schedule 7

Schedule 6

Schedule 5

Appendix J, clause 1

4-CPA

Schedule 5

CREOSOTE

cross reference: BEECHWOOD, PHENOL, WOOD

Schedule 7

Schedule 6

Schedule 2

Appendix E, clause 3

CRESOLS

Appendix E, clause 3

CRISABOROLE

Schedule 4

CRIZOTINIB

Schedule 4

CROFELEMER

Schedule 4

CROSPOVIDONE

Appendix B, clause 3

CROTALARIA spp.

Schedule 10

CROTON TIGLIUM

cross reference: CROTON OIL

Schedule 10

Appendix G, clause 1

CROTOXYPHOS

CRUFOMATE

Schedule 6

CRYSTAL VIOLET

cross reference: METHYLROSANILINIUM CHLORIDE, GENTIAN VIOLET

CULICINOMYCES CLAVOSPORUS

Appendix B, clause 3

CUPRIMYXIN

Schedule 4

CURARE

Schedule 4

¹³C-UREA

Appendix B, clause 3

CYANAMIDE

Schedule 6

CYANATRYN

Schedule 5

CYANAZINE

Schedule 6

CYANIDES

cross reference: FERRICYANIDES, FERROCYANIDES

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

CYANOACRYLATE ESTERS

Schedule 5

CYANOACRYLIC ACID ESTERS

Appendix E, clause 3

4-CYANO-2-DIMETHYLAMINO-4,4'-DIPHENYLBUTANE

cross reference: METHADONE INTERMEDIATE

CYANOGEN

cross reference: ETHANEDINITRILE, OXALONITRILE

Schedule 7

Appendix J, clause 1

4-CYANO-1-METHYL-4-PHENYLPIPERIDINE

cross reference: PETHIDINE INTERMEDIATE A

Schedule 8

CYANTRANILIPROLE

Schedule 5

CYANURIC ACID

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CYAZOFAMID

Schedule 5

CYCLAMIC ACID

Appendix B, clause 3

CYCLANDELATE

Schedule 4

CYCLANILIDE

Schedule 6

CYCLANILIPROLE

Appendix B

CYCLIZINE

Schedule 4

Schedule 3

Appendix K, clause 1

CYCLOBARBITAL

Schedule 8

Appendix K, clause 1

CYCLOBARBITONE

cross reference: CYCLOBARBITAL

CYCLOBENZAPRINE

Schedule 4

CYCLOBUTRIFLURAM

Appendix B, clause 3

CYCLOFENIL

Schedule 4

Appendix D, clause 1

CYCLOHEXANE

Appendix B, clause 3

CYCLOHEXANOL ACETATE

Appendix B, clause 3

CYCLOHEXANONE PEROXIDE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

CYCLOHEXIMIDE

Schedule 4

N-CYCLOHEXYLDIAZENIUMDIOXY-POTASSIUM

cross reference: K-HDO

Schedule 6

CYCLOHEXYLPHENOLS

Schedule 9

CYCLOPENTHIAZIDE

Schedule 4

CYCLOPENTOLATE

Schedule 4

CYCLOPHOSPHAMIDE

CYCLOPROPANE

Schedule 4

CYCLOPROTHRIN

Schedule 5

CYCLOSERINE

Schedule 4

Appendix J, clause 1

CYCLOSILAZANES, DI-ME, ME HYDROGEN, POLYMERS WITH DI-ME, ME HYDROGEN SILAZANES, REACTION PRODUCTS WITH 3-(TRIETHOXYSILYL)-1-PROPANAMINE (CAS 475645-84-2)

Schedule 7

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

CYCLOSPORIN

cross reference: CICLOSPORIN

CYCLOTHIAZIDE

Schedule 4

CYCLOXYDIM

Schedule 5

CYCRIMINE

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

CYFLUFENAMID

Schedule 5

CYFLUMETOFEN

Schedule 5

CYFLUTHRIN

Schedule 6

CYHALOFOP-BUTYL

Schedule 5

CYHALOTHRIN

Schedule 7

CYHEXATIN

Schedule 7

CYMARIN

Schedule 4

CYMIAZOLE

Schedule 5

CYNOGLOSSUM spp.

Schedule 10

CYOMETRINIL

Schedule 6

CYPERMETHRIN

 $cross\ reference: ALPHA-CYPERMETHRIN\ AND\ BETA-CYPERMETHRIN,$

ZETA-CYPERMETHRIN

Schedule 6

Schedule 5

CYPHENOTHRIN

Schedule 6

Schedule 5

CYPRINID HERPESVIRUS-3

Appendix B, clause 3

CYPROCONAZOLE

Schedule 5

CYPRODINIL

CYPROHEPTADINE

Schedule 4

Schedule 3

Appendix K, clause 1

CYPROTERONE

Schedule 4

CYROMAZINE

Appendix B, clause 3

CYSTEAMINE

cross reference: MERCAPTAMINE

CYTARABINE

Schedule 4

CYTHIOATE

Schedule 6

D

2,4-D

Schedule 6

Schedule 5

DABIGATRAN

Schedule 4

DABRAFENIB MESILATE

Schedule 4

DACARBAZINE

Schedule 4

DACLATASVIR

Schedule 4

DACLIZUMAB

Schedule 4

DACTINOMYCIN

Schedule 4

DALFOPRISTIN

Schedule 4

DALTEPARIN

Schedule 4

DAMINOZIDE

Schedule 5

DANAPAROID

Schedule 4

DANAZOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

DANTHRON

Schedule 4

DANTROLENE

Schedule 4

Appendix K, clause 1

DAPAGLIFLOZIN

Schedule 4

DAPOXETINE

Schedule 4

DAPSONE

Schedule 4

DAPTOMYCIN

Schedule 4

DARATUMUMAB

Schedule 4

DARBEPOETIN

Schedule 4

Appendix D, clause 5

DARIFENACIN

Schedule 4

DAROLUTAMIDE

Schedule 4

DARUNAVIR

Schedule 4

DASABUVIR

Schedule 4

DASATINIB

DATURA spp.

Schedule 4

Schedule 2

DATURA STRAMONIUM

cross reference: STRAMONIUM

Schedule 4 Schedule 2

DATURA TATULA

cross reference: STRAMONIUM

Schedule 4 Schedule 2

DAUNORUBICIN

Schedule 4

DAZOMET

Schedule 6

2,4-DB

Schedule 5

DEANOL

cross reference: 2-(DIMETHYLAMINO)ETHANOL, DMEA, DIMETHYL MEA

Schedule 4

DEBRISOQUINE

Schedule 4

DECAMETHONIUM

Schedule 4

DECITABINE

Schedule 4

DECOQUINATE

Schedule 5

DEFERASIROX

DEFERIPRONE

Schedule 4

DEFIBROTIDE

Schedule 4

DEFLAZACORT

Schedule 4

DEGARELIX

Schedule 4

DEHYDROCHLOROMETHYLTESTOSTERONE

cross reference: CHLOROMESTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

DEHYDROCORTICOSTERONE

Schedule 4

DELAVIRDINE

cross reference: DELAVIRDINE MESILATE

DELAVIRDINE MESILATE

Schedule 4

DELPHINIUM STAPHISAGRIA

cross reference: STAPHISAGRIA

Schedule 2

DELTAMETHRIN

Schedule 7

Schedule 6

Schedule 5

DEMBREXINE

Schedule 5

Schedule 4

DEMECARIUM

DEMECLOCYCLINE

Schedule 4

DEMETON

Schedule 7

DEMETON-O-METHYL

Schedule 7

DEMETON-S-METHYL

Schedule 7

DENGUE VACCINEcross reference: LIVE ATTENUATED CHIMERIC DENGUE VIRUS

(SEROTYPES 1, 2, 3 and 4)

Schedule 4

DENOSUMAB

Schedule 4

DEOXYCHOLIC ACID

Schedule 4

DEOXYCORTONE

Schedule 4

1-DEOXY-1-(METHYLAMINO)-D-GLUCITOL N-COCO ACYL DERIVATIVES

cross reference: COCOYL METHYL GLUCAMAIDE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

DEOXYRIBONUCLEASE

Schedule 4

DERACOXIB

Schedule 4

DERMATOPHAGOIDES PTERONYSSINUS AND DERMATOPHAGOIDES FARINAE EXTRACT

DERQUANTEL

Schedule 6

2,4-DES

Schedule 5

DESCHLOROETIZOLAM

Schedule 9

DESFERRIOXAMINE

Schedule 4

DESFLURANE

Schedule 4

DESIPRAMINE

Schedule 4

Appendix K, clause 1

DESIRUDIN

Schedule 4

DESLANOSIDE

Schedule 4

DESLORATADINE

Schedule 4

Schedule 2

DESLORELIN

Schedule 4

DESMOPRESSIN

cross reference: D.D.A.V.P.

Schedule 4

DESOGESTREL

Schedule 4

DESOMORPHINE

DESONIDE

Schedule 4

DESOXYMETHASONE

Schedule 4

DESVENLAFAXINE

Schedule 4

DETOMIDINE

Schedule 4

DEUCRAVACITINIB

Schedule 4

DEUTETRABENAZINE

Schedule 4

Appendix K, clause 1

DEXAMETHASONE

Schedule 4

DEXAMFETAMINEcross reference: DEXAMPHETAMINE

Schedule 8

DEXCHLORPHENAMINE

cross reference: DEXCHLORPHENIRAMINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

DEXCHLORPHENIRAMINE

cross reference: DEXCHLORPHENAMINE

DEXFENFLURAMINE

Schedule 4

DEXMEDETOMIDINE

DEXTRANS

Appendix A

DEXTROMETHORPHAN

Schedule 4 Schedule 2

DEXTROMORAMIDE

cross reference: MORAMIDE

Schedule 8

Appendix K, clause 1

DEXTROPROPOXYPHENE

Schedule 8

Schedule 4

Appendix D, clause 5

Appendix K, clause 1

DEXTRORPHAN

Schedule 4

N,N-DIALKYLAMINOCYCLOHEXYL ALKYL BENZAMIDES

cross reference:

3,4-DICHLORO-N-[(1R,2R)-2-(DIMETHYLAMINO)CYCLOHEXYL]-N-METHYLBENZAMII

*(U-47700)

Schedule 9

N,N-DIALKYLAMINOCYCLOHEXYLMETHYL ALKYL BENZAMIDES

Cross reference:

3,4-DICHLORO-*N*-{[1-(DIMETHYLAMINO)CYCLOHEXYL]METHYL}BENZAMIDE *

(AH-7921)

Schedule 9

4,4-DIAMINODIPHENYLMETHANE

cross reference: METHYLENE DIANILINE

Schedule 7

Appendix F, clause 4

Appendix J, clause 1

2,4-DIAMINO-5-METHYLPHENETOLE

cross reference: PHENYLENEDIAMINES

2,4-DIAMINOPHENOXYETHANOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

DIAFENTHIURON

Schedule 5

DIALIFOS

Schedule 7

N,*N*-DIALLYLDICHLOROACETAMIDE

Schedule 5

DIAMPROMIDE

Schedule 9

DIAMTHAZOLE

Schedule 4

DIAVERIDINE

Schedule 4

DIAZEPAM

Schedule 4

Appendix D, clause 5 (benzodiazepine derivatives)

Appendix K, clause 1

DIAZINON

Schedule 6

Schedule 5

DIAZOXIDE

Schedule 4

DIBENZEPIN

DIBENZOPYRANS

Schedule 9

DIBOTERMIN

Schedule 4

1,2-DIBROMO-3-CHLOROPROPANE

Schedule 7

Appendix J, clause 1

DIBROMOPROPAMIDINE

Schedule 4

Schedule 2

DIBUTYL PHTHALATE

Schedule 10

DICAMBA

Schedule 6

Schedule 5

DICLAZEPAM

Schedule 9

DICHLOBENIL

Schedule 6

o-DICHLOROBENZENE

Appendix F, clause 4

DICHLOEOETHYL ETHER

Appendix F, clause 4

DICHLOFENTHION

Schedule 6

DICHLOFLUANID

Schedule 6

DICHLONE

DICHLORALPHENAZONE

Schedule 4

DICHLOROBENZENE

Schedule 6

Schedule 5

Appendix E, clause 3

3,4-DICHLORO-N-[(1R,2R)-2-(DIMETHYLAMINO)CYCLOHEXYL]-N-METHYLBENZA

(U-47700)

cross reference: N,N-DIALKYLAMINOCYCLOHEXYL ALKYL BENZAMIDES

Schedule 9

DICHLOROETHYL ETHER

Schedule 6

Appendix E, clause 3

DICHLOROETHYLENE

Appendix F, clause 4

DICHLOROISOCYANURIC ACID

cross reference: CHLORINE, CHLORINATING COMPOUNDS, DICHLOROISOCYANURATES

SODIUM DICHLOROISOCYANURATE

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

DICHLOROMETHANE

cross reference: METHYLENE CHLORIDE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

3,4-DICHLORO-N-{[1-DIMETHYLAMINO)CYCLOHEXYL]METHYL}

BENZAMIDE

cross reference: AH-7921

Schedule 9

4,5-DICHLORO-2-N-OCTYL-3(2H)-ISOTHIAZOLONE

DICHLOROPHEN

Schedule 6

Schedule 5

Schedule 4

2,4-DICHLORPROP

Schedule 6

1,2-DICHLOROPROPANE

Schedule 6

1,3-DICHLOROPROPENE

Schedule 7

Appendix J, clause 1

DICHLORPHENAMIDE

Schedule 4

DICHLORVOS

Schedule 7

Schedule 6

Schedule 5

DICHROMATES

Appendix E, clause 3

DICLAZURIL

Appendix B, clause 3

DICLOBUTRAZOL

Schedule 5

DICLOFENAC

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

DICLOFOP-METHYL

DICLORAN

Schedule 5

DICLOXACILLIN

Schedule 4

DICOFOL

Schedule 5

DICOPHANE

cross reference: DDT

Schedule 10

DICROTOPHOS

Schedule 7

DICYCLANIL

Schedule 6

DICYCLOMINE

Schedule 4

DIDANOSINE

Schedule 4

DIDECYLDIMETHYLAMMONIUM SALTS

Schedule 6

DIELDRIN

Schedule 6

DIENESTROL

Schedule 4

Appendix F, clause 4

Appendix L, clause 2

DIENOGEST

Schedule 4

DIESEL

Appendix E, clause 3

DIETHANOLAMINE

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

DIETHAZINE

Schedule 4

DIETHYL CARBONATE

Appendix B, clause 3

DIETHYLCARBAMAZINE

Schedule 4

DIETHYLENE GLYCOL

cross reference: DENATONIUM BENZOATE

Schedule 10

Schedule 6

Schedule 5

DIETHYLENE GLYCOL MONOBUTYL ETHER

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

DIETHYLENE GLYCOL MONOMETHYL ETHER

Schedule 10

Schedule 6

DIETHYLHEXYL PHTHALATE

cross reference: DEHP

Schedule 10

DIETHYLPHTHALATE

Schedule 10

DIETHYLPROPION

Schedule 4

DIETHYLTHIAMBUTENE

DIETHYLTOLUAMIDE (DEET)

Schedule 5

Appendix F, clause 4

N,N-DIETHYLTRYPTAMINE

cross reference: DET

Schedule 9

DIFELIKEFALIN

Schedule 4

Appendix K, clause 1

DIFENACOUM

Schedule 7

Schedule 6

Appendix J, clause 1

DIFENOCONAZOLE

Schedule 5

DIFENOXIN

Schedule 8

Schedule 4

Appendix K, clause 1

DIFENZOQUAT

Schedule 6

DIFETHIALONE

Schedule 7

Schedule 6

DIFLORASONE

Schedule 4

DIFLOXACIN

Schedule 4

DIFLUBENZURON

DIFLUCORTOLONE

Schedule 4

DIFLUFENICAN

Appendix B, clause 3

DIFLUNISAL

Schedule 4

DIGITALIS LANATA

Schedule 4

DIGITALIS PURPUREA

Schedule 4

DIGITOXIN

Schedule 4

DIGOXIN

Schedule 4

DIGOXIN-SPECIFIC ANTIBODY FRAGMENT F (Ab)

Schedule 4

DIHYDRALAZINE

Schedule 4

DIHYDROCODEINE

Schedule 8

Schedule 4

Schedule 3

Appendix K, clause 1

DIHYDROERGOTOXINE

Schedule 4

DIHYDROLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

2,5-DIHYDRO-2-(1-METHYL-1-PHENYLETHYL)-5-PENTYL-1H-PYRIDO[4,3-B]INDOI (SGT-151)

cross reference: SGT-151, CUMYL-PEGACLONE

Schedule 9

DIHYDROMORPHINE

Schedule 8

DIHYDROSTREPTOMYCIN

Schedule 4

DIHYDROTACHYSTEROL

Schedule 4

5,6-DIHYDROXYINDOLINE

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

DIIODOHYDROXYQUINOLINE

cross reference: IODOQUINOL

Schedule 10

Schedule 4

Schedule 3

DI-IODOHYDROXYQUINOLINE

cross reference: DIIODOHYDROXYQUINOLINE

DIISOBUTYL PHTHALATE

Schedule 10

DIISOPROPYLAMINE DICHLOROACETATE

Schedule 4

DIKEGULAC-SODIUM

Appendix B, clause 3

DILTIAZEM

Schedule 4

DIMEFOX

DIMENHYDRINATE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

Appendix K, clause 1

DIMENOXADOL

Schedule 9

DIMEPHEPTANOL

Schedule 9

DIMERCAPROL

Schedule 4

DIMETHANDROSTANOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

DIMETHAZINE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

DIMETHENAMID-P

Schedule 6

DIMETHICODIETHYLBENZALMALONATE

cross reference: POLYSILICONE-15

Schedule 5

DIMETHICONEcross reference: DIMETICONE

DIMETHINDENE

Schedule 4

Appendix K, clause 1

DIMETHIPIN

Schedule 6

1-(1,1-DIMETHYLETHYL)-2-METHOXY-4-METHYL-3,5-DINITROBENZENE (musk ambrette)

cross reference: AMBER MUSK

Schedule 10

DI(METHYLOXYETHYL) PHTHALATE

Schedule 10

1,4-DIMETHYLPENTYLAMINE (DMPA)

cross reference: 1,4-DIMETHYLAMYLAMINE (DMAA)

Schedule 10

DIMETHIRIMOL

Schedule 5

DIMETHOATE

Schedule 6

DIMETHOMORPH

Schedule 5

DIMETHOTHIAZINE

Schedule 4

DIMETHOXANATE

Schedule 4

2,5-DIMETHOXYAMFETAMINE

cross reference: 2,5-DIMETHOXYAMPHETAMINE, DMA

Schedule 9

2,5-DIMETHOXY-4-BROMOAMFETAMINE

cross reference: 2,5-DIMETHOXY-4-BROMOAMPHETAMINE, DOB

Schedule 9

2,5-DIMETHOXY-4-ETHYL-a-AMFETAMINE

cross reference: 2,5-DIMETHOXY-4-ETHYL-a-AMPHETAMINE, DOET

Schedule 9

2,5-DIMETHOXY-4-ETHYLTHIOPHENETHYLAMINE

cross reference: 2C-T-2

2.5-DIMETHOXY-4-IODOPHENETHYLAMINE

cross reference: 2C-I

Schedule 9

2,5-DIMETHOXY-4-(N)-PROPYLTHIOPHENETHYLAMINE

cross reference: 2C-T-7

Schedule 9

2,6-DIMETHOXY-3,5-PYRIDINEDIAMINE

Schedule 6

Appendix F, clause 4

DIMETHYLACETAMIDE

Schedule 6

Schedule 5

N,N-DIMETHYLAMFETAMINE

cross reference: N,N-DIMETHYLAMPHETAMINE, DIMETAMFETAMINE

Schedule 9

4-DIMETHYLAMINOAZOBENZENE

cross reference: MOCA, N,N-DIMETHYL-4-[PHENYLAZO]-BENZENAMINE

Schedule 7

Appendix J, clause 1

3-(2-DIMETHYLAMINOETHYL)-4-HYDROXYINDOLE

cross reference: PSILOCINE, PSILOTSIN

Schedule 9

1,3-DIMETHYLAMYLAMINE

cross reference: 4-METHYLHEXANE-2-AMINE, DMAA

Schedule 10

1,3-DIMETHYLBUTYLAMINE (DMBA)

cross reference: OCTODRINE, 1-AMINOISOHEPTANE, DMHA, 1,5-DIMETHYLHEXYLAMINE, 4-METHYLHEXANE-2-AMINE,

1,3-DIMETHYLAMYLAMINE, DMAA, 4-AMINO-2-METHYLPENTANE CITRATE (AMP

CITRATE) Schedule 10

4,4-DIMETHYL-1-CYCLOHEXENE-1-PROPANAL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

N,N-DIMETHYLDECANAMIDE

Schedule 6

DIMETHYL ETHER

Appendix B, clause 3

1-(1,1-DIMETHYLETHYL)-2-METHOXY-4-METHYL-3,5-DINITROBENZENE (musk

ambrette)

cross reference: AMBER MUSK

Schedule 10

DIMETHYLFORMAMIDE

cross reference: DESIGNATED SOLVENT

Schedule 6 Schedule 5

Appendix E, clause 3

Appendix F, clause 4

DIMETHYL FUMARATE

Schedule 4

3-(1,2-DIMETHYLHEPTYL)-1-HYDROXY-7,8,9,10-TETRAHYDRO-6,6,9-TRIMETHYL-6*H*-DIBENZO (b,d) PYRAN

cross reference: DMHP

Schedule 9

1,5-DIMETHYLHEXYLAMINE (DMHA)

cross reference: 1,3-DIMETHYLBUTYLAMINE, DMBA, OCTODRINE, 1-AMINOISOHEPTANE, DMHA, 4-METHYLHEXANE-2-AMINE,

1,3-DIMETHYLAMYLAMINE, DMAA, 4-AMINO-2-METHYLPENTANE CITRATE (AMP

CITRATE) Schedule 10

N, α -DIMETHYL-3,4-(METHYLENEDIOXY)PHENYLETHYLAMINE

cross reference: 3,4-METHYLENEDIOXY-N-α-DIMETHYLPHENYLETHYLAMINE, MDMA,

MIDOMAFETAMINE

3,7-DIMETHYL-2,6-OCTADIENAL

cross reference: CITRAL, NERAL, GERANIAL

Schedule 5

3,7-DIMETHYL-2,6-OCTADIEN-1-OL

cross reference: GERANIOL, NEROL, CITROL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

N,N-DIMETHYLOCTANAMIDE

Schedule 6

DIMETHYLPHTHALATE

Schedule 10

DIMETHYL SULFATE

Schedule 7

Appendix F, clause 4

DIMETHYL SULFOXIDE

cross reference: COPPER SALICYLATE, METHYL SALICYLATE

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

DIMETHYLTHIAMBUTENE

Schedule 9

N,N-DIMETHYLTRYPTAMINE

cross reference: DMT

Schedule 9

DIMETICONE

cross reference: DIMETHICONE

Appendix B, clause 3

DIMETILAN

DIMETRIDAZOLE

Schedule 4

DIMIRACETAM

cross reference: RACETAMS

Schedule 4

DIMPROPYRIDAZ

Schedule 6

Schedule 5

DINICONAZOLE

Schedule 5

2,4-DINITROCHLOROBENZENE

Schedule 4

DINITROCRESOLS

Schedule 7

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix J, clause 1

DINITRONAPHTHOLS

Schedule 4

DINITROPHENOLS

Schedule 10

Schedule 7

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

DINITROTHYMOLS

Schedule 4

DINOCAP

Schedule 7

Appendix F, clause 4

DINOPROST

Schedule 4

Appendix D, clause 1

DINOPROSTONE

Schedule 4

Appendix D, clause 1

DINOSEB

Schedule 7

Appendix J, clause 1

DINOTEFURAN

Schedule 5

DI-*n***-PROPYL ISOCINCHOMERONATE** (previously di-*N* propyl isocinchomeronate)

Schedule 5

DIOXACARB

Schedule 6

DIOXANE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

Appendix G, clause 1

DIOXAPHETYL BUTYRATE

Schedule 9

DIPERODON

Schedule 4

DIPHACINONE

Schedule 6

DIPHEMANIL

Schedule 4

DIPHENAMID

DIPHENHYDRAMINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

DIPHENIDOL

Schedule 4

DIPHENOXYLATE

Schedule 8

Schedule 4

Schedule 3

Appendix F, clause 4

Appendix H, clause 1

Appendix K, clause 1

DIPHENYLAMINE

Appendix B, clause 3

DIPHENYLPYRALINE

Schedule 4

Appendix K, clause 1

DIPHTHERIA TOXOID

cross reference: TRIPLE ANTIGEN VACCINE

Schedule 4

DIPIPANONE

Schedule 8

DIPIVEFRIN

Schedule 4

DIPROPYLENE GLYCOL

Appendix B, clause 3

DIPYRIDAMOLE

DIOUAT

Schedule 7

Schedule 6

DIRECT RED 254

cross reference: 2-NAPHTHALENESULFONIC ACID,

7-AMINO-4-HYDROXY-3-[[p-[(p-SULFOPHENYL)AZO]PHENYL]AZO]-,

(3Z)-7-AMINO-4-OXO-3-[[4-[(4-SULFOPHENYL)DIAZENYL]PHENYL]HYDRAZINYLIDEN ACID,

(3Z)-7-AMINO-4-OXO-3-[[4-[(4-SULFOPHENYL)DIAZENYL]PHENYL]HYDRAZINYLIDEN ACID BIS(TRIETHANOLAMINE) SALT,

(3Z)-7-AMINO-4-OXO-3-[[4-[(4-SULFOPHENYL)DIAZENYL]PHENYL]HYDRAZINYLIDEN ACID DISODIUM SALT

Schedule 6

Schedule 5

DIRITHROMYCIN

Schedule 4

DIRLOTAPIDE

Schedule 4

DIROXIMEL FUMARATE

Schedule 4

DISODIUM MANGANESE EDTA

Appendix B, clause 3

DISOPHENOL

Schedule 4

DISOPYRAMIDE

Schedule 4

DISPERSE YELLOW 3

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

DISTIGMINE

DISTILLATE

Appendix E, clause 3

DISULFIRAM

Schedule 6

Schedule 4

DISULFOTON

Schedule 7

Schedule 6

DISULPHAMIDE

Schedule 4

DITHIANON

Schedule 6

DITHIAZANINE

Schedule 6

Schedule 4

DITHIOPYR

Schedule 5

DITHRANOL

Schedule 3

DITIOCARB

Schedule 4

DIUREDOSAN

Schedule 6

DIURON

Appendix B, clause 3

DOBUTAMINE

Schedule 4

DOCETAXEL

DOCUSATE SODIUM

cross reference: DIOCTYL SODIUM SULFOSUCCINATE

Appendix B, clause 3

N-(*N*-DODECYL)-2-PYRROLIDONEcross reference: DESIGNATED SOLVENT,

*N-(N-*OCTYL)-2-PYRROLIDONE, *N-*METHYL-2-PYRROLIDONE

Schedule 6

Schedule 5

Appendix E, clause 3

DODINE

Schedule 6

DOFETILIDE

Schedule 4

DOLASETRON

Schedule 4

DOLUTEGRAVIR

Schedule 4

DOMPERIDONE

Schedule 4

DONEPEZIL

Schedule 4

DOPAMINE

Schedule 4

DOPEXAMINE

Schedule 4

DORAMECTIN

Schedule 7

Schedule 6

Schedule 5

DORAVIRINE

DORIPENEM

Schedule 4

DORNASE

Schedule 4

DORZOLAMIDE

Schedule 4

DOSULEPIN

cross reference: DOTHIEPIN.

Schedule 4

Appendix K, clause 1

DOTHIEPIN

cross reference: DOSULEPIN

DOXANTRAZOLE

Schedule 4

DOXAPRAM

Schedule 4

DOXAZOSIN

Schedule 4

DOXEPIN

Schedule 4

Appendix K, clause 1

DOXORUBICIN

Schedule 4

DOXYCYCLINE

Schedule 4

DOXYLAMINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

2,2-DPA

cross reference: SODIUM 2,2-DICHLOROPROPIONATE

Appendix B, clause 3

DROMETRIZOLE TRISILOXANE

Appendix B, clause 3

DRONABINOL

cross reference: DELTA-9-TETRAHYDROCANNABINOL, NABIXIMOLS

Schedule 8

Appendix D, clause 3 Appendix K, clause 1

DRONEDARONE

Schedule 4

DROPERIDOL

Schedule 4

Appendix K, clause 1

DROSPIRENONE

Schedule 4

DROSTANOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

DROTEBANOL

Schedule 8

DROTRECOGIN

Schedule 4

DSMA

Schedule 7

Schedule 6

DUBOISIA LEICHHARDTII

Schedule 4

DUBOISIA MYOPOROIDES

Schedule 4

Schedule 2

DUDDINGTONIA FLAGRANS, STRAIN IAH 1297

Appendix B, clause 3

DULAGLUTIDE

Schedule 4

DULCIN

Schedule 10

DULOXETINE

Schedule 4

Appendix K, clause 1

DUPILUMAB

Schedule 4

DURVALUMAB

Schedule 4

DUTASTERIDE

Schedule 4

DYDROGESTERONE

\mathbf{E}

(E)-(S)-1-(4-CHLOROPHENYL)-4,4-DIMETHYL-2-(1H-1,2,4-TRIAZOL-1-YL)PENT-1-EN

cross reference: UNICONAZOLE-P

Schedule 6

ECGONINE

Schedule 9

ECONAZOLE

Schedule 6

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

ECOTHIOPATE

cross reference: ECOTHIOPATE IODIDE

Schedule 4

ECTYLUREA

Schedule 4

ECULIZUMAB

Schedule 4

EDARAVONE

Schedule 4

EDETIC ACID

cross reference: DICOBALT EDETATE

Schedule 4

EDOXUDINE

Schedule 4

EDROPHONIUM

EFALIZUMAB

Schedule 4

EFAVIRENZ

Schedule 4

EFLORNITHINE

Schedule 4

EFORMOTEROL

cross reference: FORMOTEROL

ELBASVIR

Schedule 4

ELECTRICAL ACCUMULATORS, BATTERIES, COMPONENTS or LAMPS

Appendix A, clause 1

ELECTRONIC COMPONENTS

Appendix A, clause 1

ELETRIPTAN

Schedule 4

Schedule 3

Appendix H, clause 1

ELEXACAFTOR

Schedule 4

ELOSULFASE ALFA

Schedule 4

ELOTUZUMAB

Schedule 4

ELTENAC

Schedule 4

ELTROMBOPAG

ELUXADOLINE

Schedule 4

ELVITEGRAVIR

Schedule 4

EMAMECTIN

Schedule 7

Schedule 6

Schedule 5

EMEPRONIUM

Schedule 4

EMETINE

cross reference: CEPHAELIS ACUMINATA

Schedule 4

EMODEPSIDE

Schedule 6

Schedule 5

EMPAGLIFLOZIN

Schedule 4

EMTRICITABINE

Schedule 4

ENALAPRIL

Schedule 4

ENASIDENIB

Schedule 4

ENCORAFENIB

Schedule 4

ENDOSULFAN

Schedule 7

ENDOTHAL

Schedule 7

Schedule 6

ENDRIN

Schedule 7

ENESTEBOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ENFLURANE

Schedule 4

ENFORTUMAB VEDOTIN

Schedule 4

ENFUVIRTIDE

Schedule 4

ENHANCING AGENTS

cross reference: MAGNETIC RESONANCE IMAGING ENHANCING AGENTS, ULTRASONIC

AND MAGNETIC RESONANCE IMAGING ENHANCING

Appendix A, clause 1

ENOBOSARM

Schedule 4

Appendix D, clause 5 (SELECTIVE ANDROGEN RECEPTOR MODULATORS)

ENOXACIN

Schedule 4

ENOXAPARIN

Schedule 4

ENOXIMONE

Schedule 4

ENPROSTIL

ENROFLOXACIN

Schedule 4

ENTACAPONE

Schedule 4

ENTECAVIR

Schedule 4

ENTRECTINIB

Schedule 4

ENZALUTAMIDE

Schedule 4

Appendix D, clause 6

Appendix F, clause 4

Appendix L, clause 2

EPHEDRA spp.

Schedule 4

EPHEDRINE

cross reference: EPHEDRA

Schedule 4

Appendix D, clause 5

Appendix F, clause 4

EPICHLOROHYDRIN

Schedule 7

Appendix F, clause 4

Appendix J, clause 1

EPICILLIN

Schedule 4

EPIDERMAL GROWTH FACTOR

cross reference: SH-OLIGOPEPTIDE-1, RH-OLIGOPEPTIDE-1

Schedule 7

Appendix G, clause 1

Appendix J, clause 1

EPINASTINE

Schedule 4

EPINEPHRINE

cross reference: ADRENALINE

EPIRUBICIN

Schedule 4

EPITIOSTANOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

EPLERENONE

Schedule 4

EPOETINS

cross reference: METHOXY POLYETHYLENE GLYCOL-EPOETIN BETA

Schedule 4

Appendix D, clause 5

EPOPROSTENOL

Schedule 4

EPOXICONAZOLE

Schedule 5

EPOXY RESINS, LIQUID

cross reference: RESINS

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

EPRINOMECTIN

Schedule 7

Schedule 6

Schedule 5

EPROSARTAN

EPSIPRANTEL

Appendix B, clause 3

EPTC

Schedule 6

EPTIFIBATIDE

Schedule 4

EQUINE ANTI-HUMAN THYMOCYTE IMMUNOGLOBULIN

cross reference: IMMUNOGLOBULINSERGOMETRINE

Schedule 4

ERENUMAB

Schedule 4

ERGOT

Schedule 4

ERGOTAMINE

Schedule 4

ERGOTOXINE

Schedule 4

ERIBULIN MESILATE

cross reference: ERIBULIN MESYLATE

Schedule 4

ERLOTINIB

Schedule 4

ERTAPENEM

Schedule 4

ERTUGLIFLOZIN

Schedule 4

ERYSIMUM spp.

Schedule 4

Appendix G, clause 1

ERYTHRITYL TETRANITRATE

Schedule 3

ERYTHROMYCIN

Schedule 4

ERYTHROPOIETIN

Schedule 4

Appendix D, clause 5

ERYTHROPOIETINS

Schedule 4

Appendix D, clause 5

ESBIOTHRIN

Schedule 6

Schedule 5

ESCITALOPRAM

Schedule 4

ESFENVALERATE

Schedule 6

Schedule 5

ESKETAMINE

Schedule 8

Appendix K, clause 1

ESLICARBAZEPINE ACETATE

Schedule 4

ESMOLOL

Schedule 4

ESOMEPRAZOLE

Schedule 4

Schedule 2

Appendix H, clause 1

ESTETROL MONOHYDRATE

ESTRADIOL

Schedule 5

Schedule 4

Appendix G, clause 1

ESTRAMUSTINE

Schedule 4

ESTRIOL

Schedule 4

ESTROGENS

Schedule 4

ESTRONE

Schedule 4

Appendix G, clause 1

ESTROPIPATE

cross reference: PIPERAZINE ESTRONE SULFATE

Schedule 4

ETACONAZOLE

Schedule 7

Appendix J, clause 1

ETACRYNIC ACID

Schedule 4

ETAFEDRINE

Schedule 2

ETANERCEPT

Schedule 4

ETHACRYNIC ACID

cross reference: ETACRYNIC ACID

ETHALFLURALIN

ETHAMBUTOL

Schedule 4

ETHAMETSULFURON-METHYL

Appendix B, clause 3

ETHAMIVAN

Schedule 4

1,2-ETHANEDIAMINE POLYMER WITH (CHLOROMETHYL)OXIRANE AND N-METHYLMETHANAMINE

cross reference: N-METHYLMETHANAMINE

Schedule 5

ETHANOL

cross reference: ETHYL ALCOHOL

ETHANOLAMINE

cross reference: MONOETHANOLAMINE

ETHCHLORVYNOL

Schedule 4

ETHEPHON

Schedule 6

ETHER

Schedule 6

Schedule 5

Schedule 4

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

ETHERIFIED STARCHES

Appendix A

ETHINAMATE

Schedule 4

ETHINYLESTRADIOL

ETHINYLOESTRADIOL

cross reference: ETHINYLESTRADIOL

ETHIOFENCARB

Schedule 6

ETHION

Schedule 7

ETHIONAMIDE

Schedule 4

ETHISTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ETHOATE-METHYL

Schedule 6

ETHOFUMESATE

Schedule 5

ETHOGLUCID

Schedule 4

ETHOHEPTAZINE

Schedule 4

ETHOPABATE

Appendix B, clause 3

ETHOPROPAZINE

Schedule 4

ETHOPROPHOS

cross reference: LINSEED OIL

Schedule 7 Schedule 6

ETHOSUXIMIDE

ETHOTOIN

Schedule 4

2-ETHOXYETHANOL

Schedule 7

Appendix F, clause 4

ETHOXYETHYLMERCURIC CHLORIDE

Appendix F, clause 4

ETHOXYQUIN

Schedule 5

ETHOXYSULFURON

Schedule 5

ETHOXZOLAMIDE

Schedule 4

ETHYL ACETATE

Appendix B, clause 3

ETHYL ALCOHOL

Appendix B, clause 3

ETHYL BROMIDE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ETHYL BUTYRATE

Appendix B, clause 3

ETHYL CHLORIDE

Schedule 4

ETHYL FORMATE

Schedule 6

ETHYL LACTATE

Appendix B, clause 3

ETHYL METHACRYLATE

Schedule 5

Appendix F, clause 4

ETHYLAMFETAMINE

cross reference: ETHYLAMPHETAMINE

Schedule 8

ETHYLBUTYLACETYL-

Appendix B, clause 3

ETHYLDIENOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ETHYLENE CHLOROHYDRIN

Schedule 6

Appendix F, clause 4

ETHYLENE DIBROMIDE

Schedule 7

Appendix J, clause 1

ETHYLENE DICHLORIDE

Schedule 6

ETHYLENE GLYCOL

cross reference: DENATONIUM BENZOATE

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

ETHYLENE GLYCOL MONOALKYL ETHERS

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ETHYLENE OXIDE

Schedule 7

Appendix E, clause 3

Appendix F, clause 4 Appendix J, clause 1

ETHYLESTRENOL

cross reference: ETHYLOESTRENOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ETHYLHEXANEDIOL

cross reference: ETHOHEXADIOL

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

2-ETHYLHEXANOIC ACID

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ETHYLMERCURIC CHLORIDE

Appendix F, clause 4

N-ETHYL-α-METHYL-3,4-(METHYLENEDIOXY)PHENETHYLAMINE

cross reference: N-ETHYL MDA

Schedule 9

ETHYLMETHYLTHIAMBUTENE

Schedule 9

ETHYLMORPHINE

Schedule 8

Schedule 4

Schedule 2

Appendix K, clause 1

ETHYLOESTRENOL

cross reference: ETHYLESTRENOL

ETHYNODIOL

cross reference: ETYNODIOL

ETICYCLIDINE

cross reference: PCE

Schedule 9

ETIDOCAINE

Schedule 4

ETIDRONIC ACID

cross reference: ETIDRONATE DISODIUM

Schedule 4

ETILEFRIN

Schedule 4

ETIPROSTON

Schedule 4

ETODOLAC

Schedule 4

ETOFENAMATE

Schedule 4

Schedule 2

ETOFENPROX

Appendix B, clause 3

ETONITAZENE

Schedule 9

ETONOGESTREL

Schedule 4

ETOPOSIDE

ETORICOXIB

Schedule 4

ETORPHINE

Schedule 9

ETOXAZOLE

Appendix B, clause 3

ETOXERIDINE

Schedule 9

ETRAVIRINE

Schedule 4

ETRETINATE

Schedule 4

Appendix D, clause 5

Appendix F, clause 4

Appendix L, clause 2

ETRIDIAZOLE

Schedule 5

ETRIMFOS

Schedule 6

ETYNODIOL

cross reference: ETHYNODIOL

Schedule 4

EUBACTERIUM sp. strain DSM11798

Appendix B, clause 3

EUCALYPTUS OIL

Schedule 6

Appendix E, clause 3

EUGENOL

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

EUPATORIUM CANNABINUM

cross reference: HEMP AGRIMONY

Schedule 10

EVEROLIMUS

Schedule 4

EXEMESTANE

Schedule 4

EXENATIDE

Schedule 4

EXPLOSIVES

Appendix A, clause 1

EXTRACT OF LEMON EUCALYPTUS

cross reference: CORYMBIA CITRIODORA, OIL OF LEMON EUCALYPTUS

Schedule 5

EZETIMIBE

\mathbf{F}

FAMCICLOVIR

Schedule 4

Schedule 3

Appendix H, clause 1

FAMOTIDINE

Schedule 4

Schedule 2

Appendix F, clause 4

FAMOXADONE

Schedule 6

FAMPHUR

Schedule 7

Schedule 6

FARFUGIUM JAPONICUM

Schedule 10

FARICIMAB

Schedule 4

Appendix L, clause 2

FASORACETAM

cross reference: RACETAMS

Schedule 4

FEBANTEL

Schedule 6

FEBUXOSTAT

Schedule 4

FELBINAC

Schedule 4

FELODIPINE

Schedule 4

FELYPRESSIN

Schedule 4

FENAMIPHOS

Schedule 7

Schedule 6

FENARIMOL

Schedule 5

FENAZAFLOR

Schedule 6

FENBENDAZOLE

Schedule 5

FENBUCONAZOLE

Schedule 5

FENBUFEN

Schedule 4

FENBUTATIN OXIDE

Schedule 6

FENCAMFAMIN

Schedule 4

FENCHLORAZOLE-ETHYL

Schedule 5

FENCHLORPHOS

Schedule 6

FENCLOFENAC

Schedule 4

FENETYLLINE

FENFLURAMINE

Schedule 4

Appendix K, clause 1

FENFURAM

Appendix B, clause 3

FENHEXAMID

Appendix B, clause 3

FENITROTHION

Schedule 6

FENNEL OIL

Schedule 5

Appendix E, clause 3

FENOFIBRATE

Schedule 4

FENOLDOPAM

Schedule 4

FENOPROFEN

Schedule 4

FENOPROP

Schedule 5

FENOTEROL

Schedule 4

FENOXACRIM

Schedule 7

Schedule 6

FENOXAPROP-ETHYL

Schedule 5

FENOXAPROP-p-ETHYL

FENOXYCARB

Appendix B, clause 3

FENPIPRAMIDE

Schedule 4

FENPIPRANE

Schedule 4

FENPROPIDIN

Schedule 6

FENPROPOREX

Schedule 4

FENPROSTALENE

Schedule 4

FENPYRAZAMINE

Schedule 5

FENPYROXIMATE

Schedule 6

FENSON

Schedule 5

FENSULFOTHION

Schedule 7

FENTANYL

Schedule 8

Appendix K, clause 1

FENTEROL

Appendix F, clause 4

FENTHION

Schedule 7

Schedule 6

FENTHION-ETHYL

Schedule 7

FENVALERATE

Schedule 6

FERRIC DERISOMALTOSE

Schedule 4

FEXOFENADINE

Schedule 4

Schedule 2

FIBRINOLYSIN

Schedule 4

FIBROBLAST GROWTH FACTORS

Schedule 4

Appendix D, clause 5

FIDAXOMICIN

Schedule 4

FILGOTINIB

Schedule 4

FILGRASTIM

Schedule 4

FINASTERIDE

Schedule 4

FINERENONE

Schedule 4

Appendix L, clause 2

FINGOLIMOD

Schedule 4

Appendix L, clause 2

FIPRONIL

Schedule 6

Schedule 5

FIROCOXIB

Schedule 4

FLAMPROP-METHYL

Schedule 5

FLAMPROP-M-METHYL

Schedule 5

FLAVOXATE

Schedule 3

FLAZASULFURON

Schedule 5

FLECAINIDE

Schedule 4

FLEROXACIN

Schedule 4

FLOCOUMAFEN

Schedule 7

Schedule 6

FLOCTAFENINE

Schedule 4

FLONICAMID

Schedule 6

FLORASULAM

Schedule 5

FLORFENICOL

FLORPYRAUXIFEN-BENZYL

Appendix B, clause 3

FLORYLPICOXAMID

Appendix B, clause 3

FLUANISONE

Schedule 4

FLUAZAINDOLIZINE

Schedule 6

Schedule 5

FLUAZIFOP-BUTYL

Schedule 6

FLUAZIFOP-p-BUTYL

Schedule 6

FLUAZINAM

Schedule 6

FLUAZURON

Schedule 5

FLUBENDAZOLE

Schedule 5

FLUBENDIAMIDE

Schedule 5

FLUBROMAZEPAM

Schedule 9

FLUBROMAZOLAM

Schedule 9

FLUCHLORALIN

Schedule 5

FLUCLOROLONE

FLUCLOXACILLIN

Schedule 4

FLUCOFURON

Schedule 7

Schedule 6

FLUCONAZOLE

Schedule 4

Schedule 3

Appendix F, clause 4

Appendix H, clause 1

FLUCYTHRINATE

Schedule 7

FLUCYTOSINE

Schedule 4

FLUDARABINE

Schedule 4

FLUDIOXONIL

Schedule 5

FLUDROCORTISONE

Schedule 4

FLUENSULFONE

Schedule 6

FLUFENAMIC ACID

Schedule 4

FLUFENOXURON

Appendix B, clause 3

FLUMAZENIL

FLUMETASONE

cross reference: FLUMETHASONE

Schedule 4

FLUMETHASONE

cross reference: FLUMETASONE

FLUMETHIAZIDE

Schedule 4

FLUMETHRIN

Schedule 6

Schedule 5

FLUMETSULAM

Appendix B, clause 3

FLUMICLORAC PENTYL

Schedule 5

FLUMIOXAZIN

Schedule 7

Schedule 6

FLUNISOLIDE

Schedule 4

FLUNITRAZEPAM

Schedule 8

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

FLUNIXIN MEGLUMINE

Schedule 4

FLUOCINOLONE

Schedule 4

FLUOCINONIDE

FLUOCORTIN

Schedule 4

FLUOCORTOLONE

Schedule 4

FLUOMETURON

Appendix B, clause 3

FLUOPICOLIDE

Appendix B, clause 3

FLUOPYRAM

Schedule 5

FLUORESCEIN

Schedule 4

FLUORIDES

cross reference: SILICOFLUORIDES

Schedule 6

Schedule 5

Schedule 4

Schedule 3

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

Appendix H, clause 1

FLUOROACETAMIDE

Schedule 7

FLUOROACETIC ACID

Schedule 7

Appendix J, clause 1

FLUOROMETHOLONE

Schedule 4

4-FLUORO-*N*-METHYLAMFETAMINE

cross reference: 4-FLUORO-N-METHYLAMPHETAMINE, 4-FLUORO-N-METHAMFETAMIN

1-(5-FLUOROPENTYL)-3-(2-IODOBENZOYL)INDOLE

cross reference: AM-694

Schedule 9

FLUOROURACIL

Schedule 4

FLUOXETINE

Schedule 4

FLUOXYMESTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

FLUPENTIXOL

cross reference: FLUPENTHIXOL

Schedule 4

Appendix K, clause 1

FLUPHENAZINE

Schedule 4

Appendix K, clause 1

FLUPROPANATE

cross reference: TETRAPION

Schedule 6

FLUPROSTENOL

Schedule 4

FLUPYRADIFURONE

Schedule 6

FLUQUINCONAZOLE

Schedule 6

FLURALANER

cross-reference: CARBAMOYL BENZAMIDE, PHENYL ISOXAZOLINE

Schedule 5 Schedule 4

FLURANDRENOLONE

Schedule 4

FLURAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

FLURBIPROFEN

Schedule 4

Schedule 2

FLUOROACETAMIDE

Appendix J, clause 1

FLUOXAPIPROLIN

Appendix B, clause 3

FLUROXENE

Schedule 4

FLUROXYPYR

Appendix B, clause 3

FLUSILAZOL

Schedule 6

FLUSPIRILENE

Schedule 4

FLUTAMIDE

Schedule 4

FLUTICASONE

cross reference: FLUTICASONE FUROATE, FLUTICASONE PROPIONATE

Schedule 4

FLUTICASONE FUROATE

cross reference FLUTICASONE

FLUTICASONE PROPIONATE

cross reference: FLUTICASONE

Schedule 4

Schedule 2

FLUTOLANIL

Appendix B, clause 3

FLUTRIAFOL

Schedule 6

FLUVALINATE

Schedule 6

Schedule 5

FLUVASTATIN

Schedule 4

FLUVOXAMINE

Schedule 4

FLUXAPYROXAD

Schedule 5

FOLIC ACID

Schedule 4

Schedule 2

FOLINIC ACID

cross reference: CALCIUM FOLINATE

Schedule 4

Schedule 2

FOLLICLE-STIMULATING HORMONE

Schedule 4

Appendix D, clause 1

FOLLISTATIN

Schedule 4

Appendix D, clause 5

FOLLITROPIN ALFA

cross reference: FOLLICLE-STIMULATING HORMONE, RECOMBINANT HUMAN

Schedule 4

Appendix D, clause 1

FOLLITROPIN BETA

cross reference: FOLLICLE-STIMULATING HORMONE, RECOMBINANT HUMAN

Schedule 4

Appendix D, clause 1

FOLLITROPIN DELTA

cross reference: FOLLICLE-STIMULATING HORMONE, RECOMBINANT HUMAN

Schedule 4

Appendix D, clause 1

FOLPET

Schedule 7

Appendix J, clause 1

FOMEPIZOLE

Schedule 4

FOMESAFEN SODIUM

Schedule 6

FOMIVIRSEN

Schedule 4

FONDAPARINUX

Schedule 4

FOOD

Appendix A, clause 1

FORAMSULFURON

Schedule 5

FORCHLORFENURON

Appendix B, clause 3

FORMALDEHYDE

cross reference: FORMALDEHYDE CONDENSATION PRODUCT, FREE FORMALDEHYDE,

METACRESOLSULPHONIC ACID, METHYLENE GLYCOL

Schedule 10

Schedule 6

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

FORMALDEHYDE CONDENSATION PRODUCT

Schedule 6

FORMEBOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

FORMESTANE

Schedule 4

FORMETANATE

Schedule 7

FORMIC ACID

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

FORMOTEROL

Schedule 4

FORMOTHION

Schedule 6

FOSAMPRENAVIR

Schedule 4

FOSAPREPITANT

Schedule 4

FOSCARNET

FOSFESTROL

cross reference: DIETHYLSTILBESTROL DIPHOSPHATE

Schedule 4

FOSFOMYCIN

Schedule 4

FOSINOPRIL

Schedule 4

FOSNETUPITANT

Schedule 4

FOSPHENYTOIN

Schedule 4

FOSPIRATE

Schedule 6

Schedule 5

FOSTEMSAVIR

Schedule 4

FOSTHIAZATE

Schedule 7

FOTEMUSTINE

Schedule 4

FRAMYCETIN

Schedule 4

FRITTED GLAZING OR ENAMELLING PREPARATIONS

Appendix A, clause 1

FULLERS EARTH

Appendix B, clause 3

FULVESTRANT

FUMAGILLIN

Schedule 6

FUNGAL PROTEASE derived from Aspergillus niger

Appendix B, clause 3

FURALAXYL

Schedule 5

FURALTADONE

Schedule 4

FURATHIOCARB

Schedule 7

Schedule 5

FURAZABOL

Schedule 4

FURAZOLIDONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

FURETHIDINE

Schedule 9

FURFURAL

cross reference: 2-FURANCARBOXALDEHYDE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

FUROSEMIDE

cross reference: FRUSEMIDE

Schedule 4

FUSIDIC ACID

\mathbf{G}

GABAPENTIN

Schedule 4

Appendix K, clause 1

GALANTAMINE

Schedule 4

GALANTHUS spp.

Schedule 4

GALCANEZUMAB

Schedule 4

GALLAMINE

Schedule 4

GALSULFASE

Schedule 4

GAMMA BUTYROLACTONE

Schedule 10

GAMMA HYDROXYBUTYRATE

cross reference: 4-HYDROXYBUTANOIC ACID, GHB, SODIUM OXYBATE

Schedule 9

GAMMA-CYHALOTHRIN

Schedule 7

Schedule 5

GANCICLOVIR

Schedule 4

GANIRELIX

Schedule 4

GATIFLOXACIN

GEFITINIB

Schedule 4

GELATIN – SUCCINYLATED

Appendix A

GELSEMIUM SEMPERVIRENS

Schedule 2

Appendix G, clause 1

GEMCITABINE

Schedule 4

Appendix K, clause 1

GEMEPROST

Schedule 4

GEMFIBROZIL

Schedule 4

GEMIFLOXACIN

Schedule 4

GEMTUZUMAB OZOGAMICIN

Schedule 4

GENTAMICIN

Schedule 4

GENTIAN VIOLET

cross reference: METHYLROSANILINIUM CHLORIDE, CRYSTAL VIOLET

GERANIUM OIL

Appendix B, clause 3

GESTODENE

Schedule 4

GESTONORONE

GESTRINONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

GHRH INJECTABLE PLASMID

Schedule 4

GIBBERELLIC ACID

Appendix B, clause 3

GILTERITINIB

Schedule 4

GITALIN

Schedule 4

GLASS

cross reference: CRYSTAL WARE

Appendix A, clause 1

GLATIRAMER ACETATE

Schedule 4

GLAZED POTTERY

Appendix A, clause 1

GLECAPREVIR

Schedule 4

GLIBENCLAMIDE

Schedule 4

GLIBORNURIDE

Schedule 4

GLICLAZIDE

Schedule 4

GLIMEPIRIDE

GLIPIZIDE

Schedule 4

GLIPTINS

Schedule 4

GLISOXEPIDE

Schedule 4

GLUCAGON

Schedule 3

Appendix G, clause 1

Appendix H, clause 1

α-GLUCANASE derived from Aspergillus niger

Appendix B, clause 3

GLUFOSINATE-AMMONIUM

Schedule 5

GLUTARAL

Schedule 6

Schedule 5

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

GLUTARALDEHYDE

cross reference: GLUTARAL

GLUTATHIONE

Schedule 4

GLUTETHIMIDE

Schedule 4

Appendix D, clause 5

Appendix K, clause 1

GLYCERYL THIOGLYCOLLATE

GLYCERYL TRINITRATE

Schedule 4

Schedule 3

Appendix G, clause 1

Appendix H, clause 1

GLYCOLIC ACID

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

GLYCOPYRRONIUM

Schedule 4

Schedule 3

GLYCOSYLATED HYDROQUINONE

cross reference: HYDROQUINONE

GLYMIDINE

Schedule 4

GLYPHOSATE

Schedule 5

GnRH VACCINE

Schedule 4

GOLIMUMAB

Schedule 4

GONADORELIN

Schedule 4

GONADOTROPHIC HORMONES

Schedule 4

GOSERELIN

Schedule 4

GRAMICIDIN

GRANISETRON

Schedule 4

GRAPIPRANT

Schedule 4

GRAZOPREVIR

Schedule 4

GREPAFLOXACIN

Schedule 4

GRISEOFULVIN

Schedule 4

GROWTH HORMONE RELEASING HORMONES *(GHRHs)

Schedule 4

Appendix D, clause 5

GROWTH HORMONE RELEASING PEPTIDE-6 (GHRP-6)

Schedule 4

Appendix D, clause 5

GROWTH HORMONE RELEASING PEPTIDE *(GHRPs)

Schedule 4

Appendix D, clause 5

GROWTH HORMONE SECRETAGOGUES *(GHSs)

Schedule 4

Appendix D, clause 5

GUAIFENESIN

cross reference: PARACETAMOL

Schedule 4

Schedule 2

GUAIPHENESIN

cross reference: GUAIFENESIN

GUANABENZ

GUANACLINE

Schedule 4

GUANETHIDINE

Schedule 4

GUANFACINE

Schedule 4

Appendix K, clause 1

GUANIDINE

Schedule 6

Schedule 4

Appendix E, clause 3

GUAZATINE

Schedule 6

GUSELKUMAB

H

HACHIMYCIN

Schedule 4

HAEMATIN

Schedule 4

HAEMOPHILUS INFLUENZAE VACCINE

Schedule 4

HALAUXIFEN METHYL

Appendix B, clause 3

HALCINONIDE

Schedule 4

HALOFANTRINE

Schedule 4

HALOFENATE

Schedule 4

HALOFUGINONE

Schedule 7

Schedule 4

Appendix J, clause 1

HALOGENATED DIBENZODIOXINS AND DIBENZOFURANS

cross reference: DIBENZODIOXINS, HALOGENATED - DIBENZOFURANS, HALOGENATEI

DIOXINS Schedule 7

Appendix J, clause 1

HALOPERIDOL

cross reference: BUTYPHENONES

Schedule 4

Appendix G, clause 1

Appendix K, clause 1

HALOSULFURON-METHYL

Schedule 5

HALOTHANE

Schedule 4

HALOXON

Schedule 6

HALOXYFOP

Schedule 6

HARMALA ALKALOIDS

Schedule 9

HC RED 13

cross reference: 2,2'-[(4-AMINO-3-NITROPHENYL)IMINO]BISETHANOL

HC VIOLET 1

cross reference: 2-[(4-AMINO-2-METHYL-5-NITROPHENYL)AMINO]-ETHANOL

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

HCB

Schedule 7

Appendix J, clause 1

HELIONAL

Appendix B, Part 3

HELIOTROPIUM spp.

Schedule 10

HEMEROCALLIS

Schedule 4

HEMP SEED OIL

cross reference: CANNABIDIOL, CANNABIS, TETRAHYDROCANNABINOLS

HEPARINS

HEPATITIS A VACCINE

Schedule 4

HEPATITIS B VACCINE

Schedule 4

HEPTACHLOR

Schedule 6

HEROIN

Schedule 9

HETACILLIN

Schedule 4

HEXACHLOROPHANE

cross reference: HEXACHLOROPHENE

HEXACHLOROPHENE

cross reference: HCB

Schedule 6

Schedule 4

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

HEXACONAZOLE

Schedule 5

HEXAFLURON

Appendix B, clause 3

HEXAMETHONIUM

Schedule 4

HEXARELIN

Schedule 4

Appendix D, clause 5

HEXAZINONE

Schedule 6

HEXETIDINE

Schedule 4

HEXLOXYETHANOL

Appendix F, clause 4

HEXOBENDINE

Schedule 4

HEXOCYCLIUM

Schedule 4

HEXOPRENALINE

Schedule 4

HEXYL ACETATE

Appendix B, clause 3

HEXYL AMINOLEVULINATE (AS HYDROCHLORIDE)

Schedule 4

HEXYL CINNAMALDEHYDE

Appendix B, clause 3

${\bf 3\text{-}HEXYL\text{-}1\text{-}HYDROXY\text{-}7,8,9,10\text{-}TETRAHYDRO\text{-}6,6,9\text{-}TRIMETHYL\text{-}6H\text{-}DIBENZO\text{ }(b,d)}$

PYRAN

cross reference: PARAHEXYL

Schedule 9

HEXYLOXYETHANOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

HEXYTHIAZOX

Appendix B, clause 3

HISTAMINE

HMG-CoA REDUCTASE INHIBITORS

cross reference: STATINS

Schedule 4

HOMATROPINE

Schedule 4

HUMAN BLOOD PRODUCTS

cross reference: ALBUMIN, ANTICOAGULATION COMPLEX, C1 ESTERASE INHIBITORS, CLOTTING FACTORS, CRYOPRECIPITATE, FIBRINOGEN, PLASMA, PLATELETS, PROTEIN C, PROTHROMBIN COMPLEX CONCENTRATE (PCC), RED CELLS, THROMBIN WHOLE BLOOD, STEM CELLS Appendix A, clause 1

HUMAN CHORIONIC GONADATROPHIN

Schedule 4

HUMAN OSTEOGENIC PROTEIN-1 (OP-1)

Appendix B, clause 3

HUMAN PAPILLOMAVIRUS VACCINE

Schedule 4

HYALURONIC ACID

Schedule 4

HYALURONIC ACID AND ITS POLYMERS

Schedule 4

HYDRALAZINE

Schedule 4

HYDRAMETHYLNON

Schedule 6

Schedule 5

HYDRARGAPHEN

Schedule 4

HYDRAZINE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

HYDROCARBONS LIQUID AROMATIC

cross reference: AROMATIC EXTRACT OILS,

Schedule 7

Appendix F, clause 4

HYDROCARBONS, LIQUID

cross reference: BENZENE, DESIGNATED SOLVENT, DIESEL (DISTILLATE), DRY CLEANING FLUID, KEROSENE, LAMP OIL, LIGHT MINERAL OILS, LIQUID HYDROCARBONS, MINERAL OILS, MINERAL TURPENTINE, NAPHTHALENE, PARAFFI OILS, PETROL, PETROLEUM OILS, REDUCERS, THINNERS, TOLUENE, WHITE SPIRIT, WHITE PETROLEUM SPIRIT, WHITE MINERAL OILS, XYLENE

Schedule 5

Appendix E, clause 3

HYDROCHLORIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

HYDROCHLOROTHIAZIDE

Schedule 4

HYDROCODONE

Schedule 8

Appendix K, clause 1

HYDROCORTISONE

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

HYDROCORTISONE ACETATE

Schedule 3

HYDROCYANIC ACID

cross reference: CYANIDES, APRICOT KERNELS

Schedule 7

Schedule 4

Appendix F, clause 4

Appendix G, clause 1

Appendix J, clause 1

HYDROFLUMETHIAZIDE

Schedule 4

HYDROFLUORIC ACID

cross reference: HYDROGEN FLUORIDE

Schedule 7

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

HYDROGEN PEROXIDE

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

HYDROGEN SULFIDE

Schedule 7

HYDROMORPHINOL

Schedule 8

HYDROMORPHONE

Schedule 8

Appendix K, clause 1

HYDROPRENE

Appendix B, clause 3

HYDROQUINONE

cross reference: ARBUTIN, GLYCOSYLATED HYDROQUINONE, MONOBENZONE

Schedule 6

Schedule 4

Schedule 2

Appendix E, clause 3 Appendix F, clause 4

HYDROSILICOFLUORIC ACID

cross reference: FLUOROSILICIC ACID, HEXAFLUOROSILIC ACID, HYDROFLUOSILICIC

ACID, SILICOFLUORIC ACID

Schedule 7

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

4-HYDROXYBUTANOIC ACID

Schedule 9

HYDROXYCARBAMIDE

Schedule 4

HYDROXYCHLOROQUINE

Schedule 4

Appendix D, clause 8

2-[(1R,3S)-3-HYDROXYCYCLOHEXYL]-5-(2-METHYLNONAN-2-YL)PHENOL

cross reference: CANNABICYCLOHEXANOL, CP 47,497 C8 HOMOLOGUE, CP 47,497

Schedule 9

HYDROXYEPHEDRINE

Schedule 4

4-[(2-HYDROXYETHYL)AMINO]-3-NITROPHENOL

cross reference: 3-NITRO-p-HYDROXYETHYLAMINOPHENOL

2-HYDROXYETHYL METHACRYLATE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

HYDROXYETHYL-3,4-METHYLENEDIOXYANILINE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

[7-HYDROXY-8-[(2-

METHOXYPHENYL)AZO]-2-NAPHTHYL|TRIMETHYLAMMONIUM CHLORIDE (CA

No. 68391-30-0)

cross reference: BASIC RED 76 (CAS No. 68391-30-0)

HYDROXYPETHIDINE

Schedule 9

HYDROXYPHENAMATE

Schedule 4

HYDROXYPROGESTERONE

Schedule 4

HYDROXYPROPYL CELLULOSE

Appendix B, clause 3

2-HYDROXYPROPYL METHACRYLATE

Schedule 5

8-HYDROXYQUINOLINE

cross reference: OXYQUINOLINE

HYDROXYSTENOZOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

HYDROXYUREA

cross reference: HYDROXYCARBAMIDE

HYDROXYZINE

Schedule 4

Appendix K, clause 1

HYGROMYCIN

HYOSCINE

cross reference: HYOSCINE BUTYLBROMIDE

Schedule 4

Schedule 2

Appendix G, clause 1

HYOSCINE BUTYLBROMIDE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

HYOSCYAMINE

Schedule 4

Schedule 2

Appendix G, clause 1

HYOSCYAMUS NIGER

Schedule 4

Schedule 2

Appendix G, clause 1

HYPOTHALAMIC RELEASING FACTORS

Schedule 4

Appendix G, clause 1

HYPROMELLOSE

I

IBAFLOXACIN

Schedule 4

IBANDRONIC ACID

Schedule 4

IBOGAINE

Schedule 4

IBRITUMOMAB

Schedule 4

IBRUTINIB

Schedule 4

IBUFENAC

Schedule 4

IBUPROFEN

cross reference: PARACETAMOL

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

IBUTAMOREN

cross reference: MK-677, NUTROBAL

Schedule 4

Appendix D, clause 5

IBUTEROL

Schedule 4

IBUTILIDE

ICATIBANT

Schedule 4

ICODEXTRIN

Appendix B, clause 3

IDARUBICIN

Schedule 4

IDARUCIZUMAB

Schedule 4

IDEBENONE

Schedule 4

IDOXURIDINE

Schedule 4

IDURSULFASE

Schedule 4

IFOSFAMIDE

Schedule 4

ILOPROST

Schedule 4

IMATINIB

Schedule 4

IMAZALIL

cross reference: ENILCONAZOLE

Schedule 5

IMAZAMOX

Schedule 5

IMAZAPIC

Schedule 5

IMAZAPYR

IMAZETHAPYR

Schedule 5

IMDEVIMAB

Schedule 4

IMEPITOIN

Schedule 4

IMIDACLOPRID

Schedule 6

Schedule 5

IMIDAPRIL

Schedule 4

IMIDOCARB

Schedule 6

IMIGLUCERASE

Schedule 4

IMINOCTADINE TRIALBESILATE

Schedule 6

IMIPENEM

Schedule 4

IMIPRAMINE

Schedule 4

Appendix K, clause 1

IMIPROTHRIN

Schedule 6

Schedule 5

IMIQUIMOD

Schedule 4

IMMUNOGLOBULINS

cross reference: EQUINE ANTI-HUMAN THYMOCYTE IMMUNOGLOBULIN

IN VITRO DIAGNOSTIC AND ANALYTICAL PREPARATIONS

Appendix A, clause 1

INCLISIRAN

Schedule 4

INDACATEROL

Schedule 4

INDANAZOLINE

Schedule 2

INDAPAMIDE

Schedule 4

INDAZIFLAM

Schedule 6

INDINAVIR

Schedule 4

INDOLE-3-ACETIC ACID

Appendix B, clause 3

INDOMETACIN

Schedule 4

Schedule 2

Appendix G, clause 1

INDOMETHACIN

cross reference: INDOMETACIN

INDOPROFEN

Schedule 4

INDORAMIN

Schedule 4

INDOXACARB

Schedule 6

INFIGRATINIB

Schedule 4

INFLIXIMAB

Schedule 4

INFLUENZA AND CORYZA VACCINES

cross reference: H5N1 INFLUENZA VIRUS HAEMAGGLUTININ

Schedule 4

INGENOL MEBUTATE

Schedule 4

INOTUZUMAB OZOGAMICIN

Schedule 4

INOSITOL NICOTINATE

Schedule 3

INPYRFLUXAM

Schedule 6

INSULIN DEGLUDEC

Schedule 4

INSULIN GLARGINE

Schedule 4

INSULIN-LIKE GROWTH FACTOR I

Schedule 4

INSULIN-LIKE GROWTH FACTORS

Schedule 4

Appendix D, clause 5

INSULINS

Schedule 4

INTERFERONS

INTERLEUKINS

Schedule 4

INTRAOCULAR VISCOELASTIC PRODUCTS

Appendix A, clause 1

IODINE

cross reference: IODOPHORS

Schedule 6

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

IODOMETHANE

Schedule 7

Appendix J, clause 1

IODOPHORS

cross reference: IODINE

Schedule 6

Appendix E, clause 3

3-IODO-2-PROPYNYL BUTYL CARBAMATEcross reference: IODOCARB

Schedule 6

Schedule 5

IODOSULFURON-METHYL-SODIUM

Schedule 5

IODOTHIOURACIL

Schedule 4

IOXYNIL

Schedule 6

IPAMORELIN

Schedule 4,

Appendix D, clause 5

IPCONAZOLE

Schedule 6

IPFLUFENOQUIN

Appendix B, Part 3

IPILIMUMAB

Schedule 4

IPRATROPIUM

Schedule 4

Schedule 2

IPRATROPIUM BROMIDE

Appendix F, clause 4

IPRIFLAVONE

Schedule 4

IPRINDOLE

Schedule 4

IPRODIONE

Appendix B, clause 3

IPRONIAZID

Schedule 4

IRBESARTAN

Schedule 4

IRINOTECAN

Schedule 4

IRON COMPOUNDS

cross reference: IRON OXIDES

Schedule 6

Schedule 5

Schedule 4

Schedule 2

ISAVUCONAZOLE

Schedule 4

Appendix L, clause 2

ISETHIONATE

Appendix B, clause 3

ISOAMINILE

Schedule 4

ISOAMYL NITRITE

Schedule 4

Appendix E, clause 3

ISOBUTYL NITRITE

Schedule 4

Appendix E, clause 3

ISOCARBOPHOS

Schedule 7

ISOCARBOXAZID

Schedule 4

ISOCONAZOLE

Schedule 6

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

ISOCYANATES

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ISOCYCLOSERAM

Schedule 6

ISOETARINE

Schedule 4

ISOEUGENOL

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

ISOFENPHOS

Schedule 7

ISOFETAMID

Appendix B, clause 3

ISOFLURANE

Schedule 4

ISOMETHADONE

Schedule 9

ISOMETHEPTENE

Schedule 4

ISONIAZID

Schedule 4

ISOPHORONE

Schedule 5

Appendix E, clause 3

ISOPRENALINE

Schedule 4

Appendix F, clause 4

ISOPRENE ALCOHOL

Appendix B, clause 3

ISOPRINOSINE

Schedule 4

ISOPROPAMIDE

Schedule 4

Schedule 2

ISOPROPYL NITRITE

Schedule 10

ISOPROTURON

ISOPYRAZAM

Schedule 6

ISOSORBIDE DINITRATE

Schedule 4

Schedule 3

ISOSORBIDE MONONITRATE

Schedule 4

ISOSTEARYL ALCOHOL ETHOXYLATE

Appendix B, clause 3

ISOTIANIL

Schedule 6

ISOTRETINOIN

Schedule 4

Appendix D, clause 5

Appendix F, clause 4

Appendix L, clause 2

ISOXABEN

Schedule 5

ISOXAFLUTOLE

Schedule 5

ISOXICAM

Schedule 4

ISOXSUPRINE

Schedule 4

ISRADIPINE

Schedule 4

ITRACONAZOLE

Schedule 4

IVABRADINE

IVACAFTOR

Schedule 4

IVERMECTIN

Schedule 7

Schedule 5

Schedule 4

IVOSIDENIB

Schedule 4

IXABEPILONE

Schedule 4

IXAZOMIB

Schedule 4

IXEKIZUMAB

J

JAPANESE ENCEPHALITIS VACCINE

Schedule 4

JUNIPERUS SABINE

cross reference: SAVIN(E)

K

KAMBO

cross reference: Secretion of the South American Giant Leaf Frog or Giant Monkey Frog

(Phyllomedusa bicolor)

Schedule 10

KANAMYCIN

Schedule 4

KAOLIN

Appendix B, clause 3

KEROSENE

Appendix E, clause 3

KETAMINE

Schedule 8

KETANSERIN

Schedule 4

KETAZOLAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

KETOBEMIDONE

Schedule 9

KETOCONAZOLE

Schedule 4

Schedule 2

KETOPROFEN

Schedule 4

Schedule 3

Appendix H, clause 1

KETOROLAC

KETOTIFEN

Schedule 4

Schedule 2

KHELLIN

Schedule 4

KINETIN

Appendix B, clause 3

KITASAMYCIN

Schedule 5

Schedule 4

KRATOM

cross reference: MITRAGYNA SPECIOSA, MITRAGYNINE

KRESOXIM-METHYL

Appendix B, clause 3

KUNZEA OIL

Appendix B, clause 3

L

LABETALOL

Schedule 4

LACIDIPINE

Schedule 4

LACOSAMIDE

Schedule 4

LAMBDA-CYHALOTHRIN

Schedule 7

Schedule 6

Schedule 5

LAMIVUDINE

Schedule 4

LAMOTRIGINE

Schedule 4

Appendix K, clause 1

LANADELUMAB

Schedule 4

LANATOSIDES

Schedule 4

LANREOTIDE

Schedule 4

LANSOPRAZOLE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

LANTHANUM

LAPATINIB

Schedule 4

LARONIDASE

Schedule 4

LAROPIPRANT

Schedule 4

LAROTRECTINIB

Schedule 4

LASALOCID

Schedule 6

LASIODIPLODIA PSEUDOTHEOBROMAE

Schedule 5

LATAMOXEF

Schedule 4

LATANOPROST

Schedule 4

LAUDEXIUM

Schedule 4

LAURETH CARBOXYLIC ACIDS

Schedule 6

Appendix E, clause 3

LAURIC ACID

Appendix B, clause 3

LAUROMACROGOLS

cross reference: LAURETH-9

Schedule 4

LAURYL ALCOHOL

cross reference: 1-DODECANOL

Appendix B, clause 3

LAURYL ISOQUINOLINIUM BROMIDE

Schedule 6

Appendix E, clause 3

LAURYL SULFATE SALTS

cross reference: SODIUM LAURYL SULPHATE, DODECYL SULFATES

Schedule 6

Appendix E, clause 3

LAVANDIN OIL

cross reference: CAMPHOR

Appendix B, clause 3

LAVENDER OIL

Appendix B, clause 3

LEAD

cross reference: GLAZING PREPARATIONS, PRINTING INKS or INK ADDITIVES, SELENIU

Schedule 4

LEAD COMPOUNDS

cross reference: GLAZING PREPARATIONS, PRINTING INKS or INK ADDITIVES, SELENIU

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4 (in glazing preparations)

Appendix F, clause 4

LEAD METALLIC

Appendix B, clause 3

LEDIPASVIR

Schedule 4

LEFETAMINE

Schedule 4

LEFLUNOMIDE

Schedule 4

Appendix F, clause 4

Appendix L, clause 2

LEMBOREXANT

Schedule 4

Appendix K, clause 1

LEMON OIL

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

LEMONGRASS OIL

Schedule 5

LENACAPAVIR

Schedule 4

LENALIDOMIDE

Schedule 4

Appendix D, clause 4

Appendix F, clause 4

Appendix L, clause 2

LENOGRASTIM

Schedule 4

LENVATINIB

Schedule 4

LEPIDOPTEROUS SEX PHEROMONES

Appendix B, clause 3

LEPIRUDIN

Schedule 4

LEPTAZOL

Schedule 4

LEPTOPHOS

LEPTOSPERMUM SCOPARIUM OIL

cross reference: MANUKA OIL

Schedule 6

Appendix E, clause 3

LERCANIDIPINE

Schedule 4

LESINURAD

Schedule 4

LETERMOVIR

Schedule 4

LETROZOLE

Schedule 4

LEUPRORELIN

Schedule 4

LEVALLORPHAN

Schedule 4

LEVAMISOLE

Schedule 6

Schedule 5

Schedule 4

LEVAMFETAMINE

cross reference: LEVAMPHETAMINE

Schedule 8

LEVETIRACETAM

cross reference: RACETAMS

Schedule 4

Appendix K, clause 1

LEVOBUNOLOL

Schedule 4

LEVOBUPIVACAINE

LEVOCABASTINE

Schedule 4

Schedule 2

Appendix F, clause 4

Appendix L, clause 2

LEVOCETIRIZINE

Schedule 4

Schedule 2

Appendix K, clause 1

LEVODOPA

Schedule 4

LEVOMEPROMAZINE

cross reference: METHOTRIMEPRAZINE

Schedule 4

LEVOMETHAMFETAMINE

cross reference: LEVOMETHAMPHETAMINE

Schedule 8

LEVOMETHORPHAN

Schedule 9

LEVOMILNACIPRAN

Schedule 4

LEVOMORAMIDE

Schedule 8

LEVONORGESTREL

Schedule 4

Schedule 3

Appendix H, clause 1

LEVOPHENACYLMORPHAN

Schedule 9

LEVORPHANOL

LEVOSIMENDAN

Schedule 4

LIDOCAINE

Schedule 5

Schedule 4

Schedule 2

LIDOFLAZINE

Schedule 4

LIFITEGRAST

Schedule 4

LIGNOCAINE

cross reference: LIDOCAINE

LIGULARIA DENTATA

Schedule 10

LIME OIL

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

LIMONENE

cross reference: DIPENTENE

Appendix B, clause 3

LINACLOTIDE

Schedule 4

LINAGLIPTIN

Schedule 4

LINCOMYCIN

Schedule 4

LINDANE

cross reference: BHC

Schedule 6

Schedule 4

Schedule 2

LINEZOLID

Schedule 4

LINOLEIC ACID

Appendix B, clause 3

LINSEED FATTY ACIDS

Appendix B, clause 3

LINURON

Appendix B, clause 3

LIOTHYRONINE

cross reference: TRIIODOTHYRONINE

Schedule 4

LIPEGFILGRASTIM

Schedule 4

LIQUORICE, DEGLYCYRRHISINISED

Appendix B, clause 3

LIRAGLUTIDE

Schedule 4

LISDEXAMFETAMINE

Schedule 8

LISINOPRIL

Schedule 4

LISURIDE

Schedule 4

LITHIUM

Schedule 4

LITHIUM PERFLUOROOCTANE SULFONATE

Schedule 7

LIXISENATIDE

Schedule 4

LOBELIA INFLATA

Schedule 2

LOBELINE

Schedule 2

LODOXAMIDE

Schedule 4

Schedule 2

LOFEXIDINE

Schedule 4

LOGIPARIN

Schedule 4

LOMEFLOXACIN

Schedule 4

LOMUSTINE

Schedule 4

LOPERAMIDE

Schedule 4

Schedule 2

Appendix F, clause 4

LOPINAVIR

Schedule 4

LOPRAZOLAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

LORACARBEF

LORATADINE

Schedule 4

Schedule 2

LORAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

LORLATINIB

Schedule 4

LORMETAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

LOSARTAN

Schedule 4

LOTEPREDNOL

Schedule 4

LOTILANER

Schedule 5

LOXAPINE

Schedule 4

LUBRICANTS

Appendix A, clause 1

LUFENURON

Schedule 5

LUMACAFTOR

Schedule 4

LUMEFANTRINE

Schedule 4

LUMIRACOXIB

LURASIDONE

Schedule 4

Appendix K, clause 1

LURBINECTEDIN

Schedule 4

LUSPATERCEPT

Schedule 4

LUTEINISING HORMONE

Schedule 4

Appendix D, clause 1

LYMECYCLINE

Schedule 4

LYSERGIC ACID

Schedule 9

LYSERGIDE

\mathbf{M}

MACITENTAN

Schedule 4

Appendix D, clause 6

Appendix L, clause 2

MACROGOLS

Schedule 3

Schedule 2

MACROPHOMINA PHASEOLINA

Schedule 5

MADURAMICIN

Schedule 7

Schedule 5

Appendix J, clause 1

MAFENIDE

Schedule 6

Schedule 4

MAGNESIUM CHLORATE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

MAGNESIUM HYDROXIDE

Appendix B, clause 3

MAGNESIUM SULFATE

Schedule 3

MALACHITE GREEN

Schedule 7

MALATHION

cross reference: MALDISON, ORGANOPHOSPHORUS COMPOUNDS

Schedule 6

Schedule 5

Schedule 3

Appendix E, clause 3

MALEIC HYDRAZIDE

Appendix B, clause 3

MANCOZEB

Schedule 5

MANDESTROBIN

Schedule 5

MANDIPROPAMID

Schedule 5

MANDRAGORA OFFICINARUM

Schedule 4

MANGANESE DIOXIDE

Appendix B, clause 3

MANNITYL HEXANITRATE

Schedule 3

MANNOMUSTINE

Schedule 4

MAPROTILINE

Schedule 4

MARAVIROC

Schedule 4

MARBOFLOXACIN

MARJORAM OIL

Schedule 5

Appendix E, clause 3

MAROPITANT

Schedule 4

MATCHES

Appendix A, clause 1

MAVACAMTEN

Schedule 4

MAVACOXIB

Schedule 4

MAZIDOX

Schedule 7

MAZINDOL

Schedule 4

Appendix K, clause 1

MCPA

Schedule 6

Schedule 5

MCPB

cross reference: (4-(4-CHLORO-2-METHYLPHENOXY)BUTANOIC ACID

Schedule 6

MEASLES VACCINE

Schedule 4

MEBANAZINE

Schedule 4

MEBENDAZOLE

Schedule 6

Schedule 5

MEBEVERINE

Schedule 4

MEBHYDROLIN

Schedule 4

Appendix K, clause 1

MEBOLAZINE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

MEBUTAMATE

Schedule 4

MECAMYLAMINE

Schedule 4

MECARBAM

Schedule 7

MECASERMIN

Schedule 4

MECILLINAM

Schedule 4

MECLOCYCLINE

Schedule 4

MECLOFENAMATE

Schedule 4

MECLOFENAMIC ACID

Schedule 5

MECLOFENOXATE

Schedule 4

MECLONAZEPAM

MECLOQUALONE

Schedule 9

MECLOZINE

Schedule 4

Schedule 2

Appendix K, clause 1

MECOPROP

Schedule 6

Schedule 5

MECOPROP-P

Schedule 6

MEDAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

MEDETOMIDINE

Schedule 4

MEDICAL AND VETERINARY ADHESIVES, GLUES AND CEMENTS

Appendix A, clause 1

MEDICAL DEVICES

 $cross\ reference: ANTICOAGULANT\ MEDICAL\ DEVICES, ARTIFICIAL\ TEARS, COLLAGEN$

INJECTABLE TISSUE RECONSTRUCTIVE, AUGMENTATION AND RESTORATION

MATERIALS, INTRA-ARTICULAR FLUIDS, URINARY CATHETERS

Appendix A, clause 1

MEDIGOXIN

cross reference: METHYLDIGOXIN

Schedule 4

MEDROXYPROGESTERONE

Schedule 4

MEDRYSONE

MEFENAMIC ACID

Schedule 4

Schedule 2

Appendix F, clause 4

MEFENOREX

Schedule 4

MEFENPYR-DIETHYL

Schedule 5

MEFENTRIFLUCONAZOLE

Schedule 5

MEFLOQUINE

Schedule 4

MEFLUIDIDE

Schedule 6

MEFRUSIDE

Schedule 4

MEGASPHAERA ELSDENII strain 41125

Appendix B, clause 3

MEGESTROL

Schedule 4

MELAGATRAN

Schedule 4

MELALEUCA OIL

cross reference: TEA TREE OIL

Schedule 6

Appendix E, clause 3

MELANOTAN II

cross reference: α-MELANOCYTE STIMULATING HORMONE

MELATONIN

Schedule 4

Schedule 3

Appendix H, clause 1

MELENGESTROL

Schedule 4

MELENGESTROL ACETATE

Schedule 6

MELIA AZEDARACH

Schedule 10

MELOXICAM

Schedule 6

Schedule 4

MELPHALAN

Schedule 4

MEMANTINE

Schedule 4

MENAZON

Schedule 6

MENINGOCOCCAL VACCINE

Schedule 4

MENINGOCOCCAL GROUP B VACCINE

cross reference: Neisseria Meningitidis Serogroup B Recombinant LP2086 (MnB rLP2086)

Subfamily A Protein and Subfamily B Protein

Schedule 4

MENOTROPHIN

Schedule 4

MEPACRINE

MEPENZOLATE

Schedule 4

MEPHENESIN

Schedule 4

MEPHENTERMINE

Schedule 4

MEPINDOLOL

Schedule 4

MEPIQUAT

Schedule 5

MEPITIOSTANE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

MEPIVACAINE

Schedule 4

MEPROBAMATE

Schedule 4

Appendix K, clause 1

MEPTAZINOL

Schedule 4

MEPYRAMINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

MEQUITAZINE

Schedule 4

MERCAPTAMINE

cross reference: CYSTEAMINE

Schedule 6

Schedule 4

Appendix K, clause 1

MERCAPTOACETIC ACID

cross reference: THIOGLYCOLIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3 Appendix F, clause 4

2-MERCAPTOETHANOL

Schedule 6

MERCAPTOMERIN

Schedule 4

MERCAPTOPURINE

Schedule 4

MERCURIC CHLORIDE

cross reference: CALOMEL

Schedule 7

Appendix E, clause 3

MERCURIC IODIDE

Appendix E, clause 3

MERCURIC NITRATE

Appendix E, clause 3

MERCURIC OXIDE

Schedule 6

Appendix E, clause 3

MERCURIC POTASSIUM IODIDE

Appendix E, clause 3

MERCURIC THIOCYANATE

Appendix E, clause 3

Appendix F, clause 4

MERCUROCHROME

Schedule 6

Schedule 4

Schedule 2

Appendix E, clause 3

MERCUROUS CHLORIDE

cross reference: CORROSIVE SUBLIMATE

Appendix E, clause 3

MERCURY

cross reference: ETHOXYETHYLMERCURIC CHLORIDE, ETHOXYQUIN, PHENYL

MERCURIC CHLORIDE

Schedule 7

Schedule 4

Schedule 2

Appendix G, clause 1

Appendix J, clause 1

MERCURY metallic

Appendix E, clause 3

MERCURY, organic compounds

Appendix E, clause 3

MEROPENEM

Schedule 4

MERSALYL

Schedule 4

MESABOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

MESALAZINE

Schedule 4

MESNA

MESOSULFURON-METHYL

Appendix B, clause 3

MESOTRIONE

Schedule 5

MESTANOLONE

cross reference: ANDROSTALONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

MESTEROLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

MESTRANOL

Schedule 4

METACRESOLSULPHONIC ACID

Schedule 6

Appendix F, clause 4

METAFLUMIZONE

Schedule 5

METALAXYL

Schedule 6

Schedule 5

METALDEHYDE

Schedule 6

Schedule 5

Appendix E, clause 3

METAMFETAMINE

cross reference: METHAMFETAMINE, METHAMPHETAMINE, METHYLAMFETAMINE,

METHYLAMPHETAMINE

Schedule 8

METAMITRON

METANDIENONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METARAMINOL

Schedule 4

METARHIZIUM ANISOPLIAE

Appendix B, clause 3

METAZACHLOR

Schedule 5

METAZOCINE

Schedule 9

METCAMIFEN

Appendix B, clause 3

METENOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METERGOLINE

Schedule 4

METFORMIN

Schedule 4

METHABENZTHIAZURON

Schedule 5

METHACHOLINE

Schedule 4

METHACRIFOS

Schedule 7

Schedule 6

Appendix J, clause 1

METHACYCLINE

METHADONE

Schedule 8

Appendix K, clause 1

METHALLENESTRIL

cross reference: METHALLENOESTRIL

Schedule 4

METHAM

cross reference: METHAM SODIUM

Schedule 6

METHAMIDOPHOS

Schedule 7

METHANDRIOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METHANOL

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

METHANTHELINIUM

Schedule 4

METHAPYRILENE

Schedule 7

METHAQUALONE

Schedule 9

METHAZOLAMIDE

Schedule 4

METHAZOLE

METHCATHINONE

Schedule 9

METHDILAZINE

Schedule 4

Schedule 3

Appendix K, clause 1

METHENAMINE

cross reference: 1,3,5,7-TETRAAZATRICYLO[3.3.1.1^{3,7}] DECANE, HEXAMINE,

HEXAMETHYLENETETRAMINE

Schedule 5

METHENOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METHICILLIN

Schedule 4

METHIDATHION

Schedule 7

METHIMAZOLE

cross reference: THIAMAZOLE

Schedule 4

METHIOCARB

Schedule 7

Schedule 6

Schedule 5

METHISAZONE

Schedule 4

METHIOZOLIN

Schedule 5

METHIXENE

METHOCARBAMOL

Schedule 4

Appendix K, clause 1

METHOFLUTHRIN

Schedule 5

METHOHEXITONE

Schedule 4

METHOIN

Schedule 4

METHOMYL

cross reference: DENATONIUM BENZOATE

Schedule 7

Schedule 6

METHOPRENE

Appendix B, clause 3

METHOTREXATE

Schedule 4

METHOXAMINE

Schedule 4

Schedule 2

Appendix F, clause 4

METHOXSALEN

Schedule 4

METHOXYCHLOR

Schedule 5

2-METHOXYETHANOL

Schedule 7

Appendix F, clause 4

METHOXYETHYLMERCURIC ACETATE

Schedule 7

Appendix J, clause 1

METHOXYETHYLMERCURIC CHLORIDE

Schedule 7

Appendix J, clause 1

METHOXYFENOZIDE

Appendix B, clause 3

METHOXYFLURANE

Schedule 4

5-METHOXY-3,4-METHYLENEDIOXYAMFETAMINE

cross reference: 5-METHOXY-3,4-METHYLENEDIOXYAMPHETAMINE, MMDA

Schedule 9

4-METHOXY- α -METHYLPHENYLETHYLAMINE

cross reference: PMA

Schedule 9

5-METHOXY- α -METHYLTRYPTAMINE

cross reference: 5-MeO-AMT

Schedule 9

6-METHOXY-N2-METHYL-2,3-PYRIDINEDIAMINE

Schedule 6

2-METHOXY-5-NITROPHENOL

Schedule 6

METHOXYPHENAMINE

Schedule 2

2-(2-METHOXYPHENYL)-1-(1-PENTYLINDOL-3-YL)ETHANONE

cross reference: JWH-250

Schedule 9

METHSUXIMIDE

Schedule 4

METHYCLOTHIAZIDE

METHYL ACETATE

Appendix B, clause 3

METHYL (2S, 4aR, 6aR, 7R, 9S, 10aS,

10bR)-9-ACETOXY-6a,10b-DIMETHYL-4,10-DIOXO-DODECAHYDRO-2-(3-FURYL)-2H

cross reference: SALVINORIN A

Schedule 9

METHYL AMINOLEVULINATE

Schedule 4

p-METHYLAMINOPHENOL

Schedule 6

Appendix F, clause 4

4-METHYLAMINOREX

Schedule 9

METHYLANDROSTANOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METHYLATED SPIRIT(S)

cross reference: DENATONIUM BENZOATE, ETHANOL, FLUORESCEIN

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

METHYL BENZOQUATE

Appendix B, clause 3

METHYL BROMIDE

Schedule 7

Appendix J, clause 1

METHYL CHLORIDE

Appendix F, clause 4

METHYLCHLOROISOTHIAZOLINONE

cross reference: METHYLISOTHIAZOLINONE

Schedule 6

Appendix F, clause 4

METHYLCLOSTEBOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METHYLCYCLOPENTADIENYL MANGANESE TRICARBONYL

Schedule 7

Schedule 6

1-METHYLCYCLOPROPENE

Appendix B, clause 3

METHYLDESORPHINE

Schedule 9

METHYLDIBROMO GLUTARONITRILE

Schedule 10

Schedule 6

Appendix F, clause 4

METHYLDIHYDROMORPHINE

Schedule 8

METHYLDOPA

Schedule 4

4,4'-METHYLENEBIS[2-CHLOROANILINE]

Schedule 7

Appendix J, clause 1

METHYLENE BISTHIOCYANATE

Schedule 6

Appendix F, clause 4

METHYLENE BLUE

Schedule 7

Schedule 5

Schedule 4

3,4-METHYLENEDIOXYAMFETAMINE

cross reference: 3,4-METHYLENEDIOXYAMPHETAMINE, MDA, TENAMFETAMINE

3,4-METHYLENEDIOXYPYROVALERONE

cross reference: MDPV

Schedule 9

METHYLEPHEDRINE

Schedule 2

METHYLERGOMETRINE

Schedule 4

METHYL ETHYL KETONE

cross reference: DESIGNATED SOLVENT

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

METHYL ETHYL KETONE OXIME

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

METHYL ETHYL KETONE PEROXIDE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

METHYLEUGENOL

Schedule 6

Appendix E, clause 3,

Appendix F, clause 4

3-METHYLFENTANYL

Schedule 9

METHYLPHENYLPIRACETAM

cross reference: RACETAMS

Schedule 4

METHYL p-HYDROXYBENZOATE

Appendix B, clause 3

METHYL ISOAMYL KETONE

cross reference: DESIGNATED SOLVENT

Schedule 5

Appendix E, clause 3

METHYL ISOBUTYL KETONEcross reference: DESIGNATED SOLVENT, METHYLATED

SPIRIT(S) Schedule 5

Appendix E, clause 3

METHYL ISOTHIOCYANATE

Schedule 6

METHYLISOTHIAZOLINONE

cross reference: METHYLCHLOROISOTHIAZOLINONE

Schedule 6

Appendix F, clause 4

METHYLMERCURY

Schedule 4

Appendix G, clause 1

METHYL METHACRYLATE

Schedule 10

Schedule 6

Appendix F, clause 4

4-METHYLMETHCATHINONE

cross reference: MEPHEDRONE

Schedule 9

N-METHYL-1-(3,4-METHYLENEDIOXYPHENYL)-2-BUTANAMINE

cross reference: MBDB

Schedule 9

N- α - [METHYL-3,4-(METHYLENEDIOXY)PHENETHYL]HYDROXYLAMINE

cross reference: N-HYDROXY MDA

Schedule 9

2-METHYL-3-MORPHOLINO-1, 1-DIPHENYLPROPANE CARBOXYLIC ACID

cross reference: MORAMIDE INTERMEDIATE

METHYLNALTREXONE

Schedule 4

METHYL NEODECANAMIDE

Schedule 6

METHYLNORBORNYLPYRIDINE

Schedule 6

METHYLONE *(MDMC)

Schedule 9

METHYLPENTYNOL

Schedule 4

METHYLPHENIDATE

Schedule 8

METHYLPHENOBARBITAL

cross reference: BARBITURATE METHYLPREDNISOLONE

Schedule 4

Appendix K, clause 1

METHYLPHENOBARBITONE

cross reference: METHYLPHENOBARBITAL, BARBITURATE METHYLPREDNISOLONE

1-METHYL-4-PHENYL-4-PIPERIDINOL PROPIONATE

cross reference: ACIDMPPP

Schedule 9

1-METHYL-4-PHENYLPIPERIDINE-4-CARBOXYLIC ACID

cross reference: PETHIDINE INTERMEDIATE C

Schedule 8

METHYLPREDNISOLONE

Schedule 4

N-METHYL-2-PYRROLIDONE

Schedule 6

Schedule 5

Appendix E, clause 3

2-METHYLRESORCINOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

METHYLROSANILINIUM CHLORIDE

cross reference: CRYSTAL VIOLET, GENTIAN VIOLET

Schedule 10

Schedule 6

Schedule 4

METHYL SALICYLATE

Schedule 6

Schedule 5

Schedule 4

METHYL SALICYLATE LIQUID

Appendix E, clause 3

METHYLTESTOSTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

4-METHYLTHIOAMFETAMINE

cross reference: 4-METHYLTHIOAMPHETAMINE

Schedule 9

3-METHYLTHIOFENTANYL

Schedule 9

2-METHYLTHIO-4-(2-METHYLPROP-2-YL) AMINO-6-CYCLOPROPYLAMINO-5-TRIAZINE

Schedule 5

METHYLTHIOURACIL

Schedule 4

METHYLTRIENOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METHYPRYLONE

Schedule 4

METHYSERGIDE

Schedule 4

METIRAM

Schedule 5

METOBROMURON

Schedule 5

METOCLOPRAMIDE

Schedule 4

Schedule 3

METOFLUTHRIN

Schedule 6

Schedule 5

METOLACHLOR

Schedule 5

METOLAZONE

Schedule 4

METOPON

Schedule 9

METOPROLOL

Schedule 4

METOSULAM

Schedule 6

METRAFENONE

Schedule 6

Schedule 5

METRIBOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

METRIBUZIN

Schedule 6

METRIFONATE

cross reference: TRICHLORFON

Schedule 4

METRONIDAZOLE

cross reference: BENZOYL METRONIDAZOLE

Schedule 4

METSULFURONMETHYL

Appendix B, clause 3

METYRAPONE

Schedule 4

MEVINPHOS

Schedule 7

MEXILETINE

Schedule 4

MEZLOCILLIN

Schedule 4

MIANSERIN

Schedule 4

Appendix K, clause 1

MIBEFRADIL

Schedule 4

MIBOLERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

MICAFUNGIN

MICONAZOLE

Schedule 6

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

MIDAZOLAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

MIDODRINE

Schedule 4

MIDOSTAURIN

Schedule 4

MIFEPRISTONE

Schedule 4

MIGALASTAT

Schedule 4

MIGLITOL

Schedule 4

MIGLUSTAT

Schedule 4

MILBEMECTIN

Schedule 6

Schedule 5

MILNACIPRAN

Schedule 4

MILBEMYCIN OXIME

Schedule 5

MILRINONE

Schedule 4

MINOCYCLINE

Schedule 4

MINOXIDIL

Schedule 4

Schedule 2

MIPAFOX

Schedule 7

MIRABEGRON

Schedule 4

MIREX

Schedule 7

Appendix J, clause 1

MIRTAZAPINE

Schedule 4

Appendix K, clause 1

MISOPROSTOL

Schedule 4

Appendix F, clause 4

Appendix L, clause 2

MITOBRONITOL

Schedule 4

MITOMYCIN

Schedule 4

MITOTANE

Schedule 4

MITOXANTRONE

MITRAGYNA SPECIOSA

cross reference: KRATOM; MITRAGYNINE

Schedule 9

MITRAGYNINE

cross reference: KRATOM; MITRAGYNA SPECIOSA

Schedule 9

MITRATAPIDE

Schedule 4

MIVACURIUM CHLORIDE

Schedule 4

MOBOCERTINIB

Schedule 4

MOCLOBEMIDE

Schedule 4

MODAFINIL

Schedule 4

MOLGRAMOSTIM

Schedule 4

MOLINATE

Schedule 7

Appendix J, clause 1

MOLINDONE

Schedule 4

MOLNUPIRAVIR

Schedule 4

MOMETASONE

Schedule 4

Schedule 3

MOMFLUOROTHRIN

Schedule 6

MONENSIN

Schedule 6

Schedule 5

Schedule 4

MONEPANTEL

Schedule 5

MONOBENZONE

cross reference: HYDROQUINONE

Schedule 4

MONOCLONAL ANTIBODIES

Schedule 4

MONOCROTOPHOS

Schedule 7

MONOETHANOLAMINE

Schedule 6

Schedule 5

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

MONTELUKAST

Schedule 4

MOPERONE

Schedule 4

MORANTEL

Schedule 6

Schedule 5

MORAZONE

MORICIZINE

Schedule 4

MORPHERIDINE

Schedule 9

MORPHINE

Schedule 8

Appendix K, clause 1

MORPHINE METHOBROMIDE

Schedule 8

MORPHINE-N-OXIDE

Schedule 8

(1-(2-MORPHOLIN-4-YLETHYL)INDOL-3-YL)-NAPTHALEN-1-YLMETHANONE

cross reference: JWH-200

Schedule 9

MOTOR, HEATING or FURNACE FUELS

cross reference: FUELS, FUELS, HOBBY - FUELS, TOY, KEROSENE, METHANOL, PETROL

Appendix A, clause 1

MOTRAZEPAM

Schedule 4

MOTRETINIDE

Schedule 4

MOXIDECTIN

Schedule 7

Schedule 6

Schedule 5

Schedule 4

MOXIFLOXACIN

Schedule 4

MOXONIDINE

MSMA

Schedule 7

Schedule 6

MUMPS VACCINE

Schedule 4

MUPIROCIN

Schedule 4

MURAGLITAZAR

Schedule 4

MUROMONAB

Schedule 4

MUSCIMOL

Schedule 9

MUSTINE

cross reference: NITROGEN MUSTARD

Schedule 4

MYCLOBUTANIL

Schedule 5

MYCOPHENOLIC ACID

cross reference: MYCOPHENOLATE MOFETIL

Schedule 4

MYRISTIC ACID

Appendix B, clause 3

MYROPHINE

N

NAA

cross reference: NAPTHALENEACETIC ACID

Schedule 5

NABILONE

Schedule 8

NABIXIMOLS

cross reference: CANNABICHROMENE, CANNABIDIOL, CANNABIDIOLIC ACID, CANNABIDIVAROL, CANNABIGEROL, CANNABINOIDS, CANNABINOL, CANNABIS SATIVA, TETRAHYDROCANNABINOLIC ACID, TETRAHYDROCANNABINOLS, TETRAHYDROCANNABIVAROL

Schedule 8

Appendix D, clause 1 Appendix K, clause 1

NABUMETONE

Schedule 4

NADOLOL

Schedule 4

NADROPARIN

Schedule 4

NAFARELIN

Schedule 4

NAFTIDROFURYL

Schedule 4

NALBUPHINE

Schedule 4

Appendix K, clause 1

NALED

Schedule 6

NALIDIXIC ACID

Schedule 4

NALMEFENE

Schedule 4

NALORPHINE

Schedule 4

NALOXEGOL

Schedule 4

NALOXONE

Schedule 4

Schedule 3

Appendix H, clause 1

NALTREXONE

Schedule 4

NANDROLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NAPHAZOLINE

Schedule 2

Appendix F, clause 4

NAPHTHALENE

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

Appendix G, clause 1

1,5-NAPHTHALENEDIOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

2,7-NAPTHALENEDIOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NAPHTHALEN-1-YL-(1-BUTYLINDOL-3-YL)METHANONE

cross reference: JWH-073

Schedule 9

NAPHTHALOPHOS

Schedule 7

Schedule 6

1-NAPHTHOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NAPHTHOYLINDOLES

Schedule 9

NAPHTHOYLPYRROLES

Schedule 9

NAPHTHYLMETHYLINDENES

Schedule 9

NAPHTHYLMETHYLINDOLES

Schedule 9

NAPROPAMIDE

Appendix B, clause 3

NAPROXEN

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

NAPTALAM

NAPTHYL ACETAMIDE

Appendix B, clause 3

NARASIN

Schedule 6

Schedule 4

NARATRIPTAN

Schedule 4

NATALIZUMAB

Schedule 4

NATAMYCIN

cross reference: PIMARCIN

Schedule 4

NATEGLINIDE

Schedule 4

NEBACUMAB

Schedule 4

NEBIVOLOL

Schedule 4

NEBRACETAM

cross reference: RACETAMS

Schedule 4

NEDOCROMIL

Schedule 4

NEFAZODONE

Schedule 4

NEFIRACETAM

cross reference: RACETAMS

Schedule 4

NEFOPAM

NELFINAVIR

Schedule 4

NEOMYCIN

Schedule 4

NEOSCYTALIDIUM NOVAEHOLLANDIAE

Schedule 5

NEOSTIGMIN

Schedule 4

NEPAFENAC

Schedule 4

NERATINIB

Schedule 4

NERIUM OLEANDER

Schedule 4

Appendix G, clause 1

NEROLI OIL

Appendix B, clause 3

NESIRITIDE

Schedule 4

NETILMICIN

Schedule 4

NETOBIMIN

Schedule 6

Schedule 5

NETUPITANT

Schedule 4

NEVIRAPINE

NIALAMIDE

Schedule 4

NICARBAZIN

Appendix B, clause 3

NICARDIPINE

Schedule 4

NICERGOLINE

Schedule 4

NICKEL SULFATE

Schedule 6

NICLOSAMIDE

Schedule 2

NICOCODINE

Schedule 9

NICODICODINE

Schedule 9

NICOFURANOSE

Schedule 4

NICOMORPHINE

Schedule 9

NICORANDIL

Schedule 4

NICOTINE

Schedule 7

Schedule 4

Appendix D, clause 5

Appendix F, clause 4

Appendix J, clause 1

NICOTINIC ACID

cross reference: NICOTINAMIDE

Schedule 4 Schedule 3

NICOTINYL ALCOHOL

Schedule 3

NICOUMALONE

Schedule 4

NIFEDIPINE

Schedule 4

NIFENAZONE

Schedule 4

NIFOXIPAM

Schedule 9

NIKETHAMIDE

Schedule 4

NILOTINIB

Schedule 4

NILUTAMIDE

Schedule 4

NIMESULIDE

Schedule 4

NIMIDANE

Schedule 7

Schedule 6

NIMODIPINE

Schedule 4

NIMORAZOLE

NINTEDANIB

Schedule 4

NIRAPARIB

Schedule 4

NIRIDAZOLE

Schedule 4

NIRMATRELVIR

Schedule 4

NISIN

Appendix B, clause 3

NISOLDIPINE

Schedule 4

NITENPYRAM

Schedule 6

NITISINONE

Schedule 4

NITRAZEPAM

Schedule 4

Appendix D, clause 5 (benzodiazepine derivatives)

Appendix K, clause 1

NITRENDIPINE

Schedule 4

NITRIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

NITRIC OXIDE

NITROBENZENE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NITROFEN

Schedule 7

Appendix J, clause 1

NITROFURANTOIN

Schedule 4

NITROFURAZONE

Schedule 4

3-NITRO-p-HYDROXYETHYLAMINOPHENOL

cross reference: 4-[(2-HYDROXYETHYL)AMINO]-3-NITROPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NITROPHENOLS

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NITROPRUSSIDES

Schedule 7

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NITROSCANATE

Schedule 5

2-NITROTOLUENE

Schedule 7

NITROUS OXIDE

Schedule 4

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

NITROXOLINE

Schedule 4

NITROXYNIL

Schedule 6

NIVOLUMAB

Schedule 4

NIZATIDINE

Schedule 4

Schedule 2

Appendix F, clause 4

NOMEGESTROL

Schedule 4

NOMIFENSINE

Schedule 4

NONANOIC ACID

Schedule 5

NONOXINOL 9

Schedule 6

Schedule 5

Appendix E, clause 3

NORACYMETHADOL

Schedule 9

NORADRENALINE

Schedule 4

Appendix F, clause 4

19-NORANDROSTENEDIOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

19-NORANDROSTENEDIONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NORANDROSTENOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NORBOLETHONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NORBORMIDE

Schedule 5

NORCLOSTEBOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NORCODEINE

Schedule 8

NORELGESTROMIN

Schedule 4

NOREPINEPHRINE

cross reference: NORADRENALINE

NORETHANDROLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NORETHISTERONE

Schedule 4

NORFLOXACIN

Schedule 4

NORFLURAZON

Appendix B, clause 3

NORGESTREL

Schedule 4

NORIBOGAINE

Schedule 4

NORLEVORPHANOL

Schedule 9

NORMAL HUMAN IMMUNOGLOBULIN

Schedule 4

NORMETHADONE

Schedule 8

Appendix K, clause 1

NORMETHANDRONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

NORMORPHINE

Schedule 9

NORPIPANONE

Schedule 9

NORTRIPTYLINE

Schedule 4

Appendix K, clause 1

NOSCAPINE

Schedule 2

NOVALURON

Appendix B, clause 3

NOVOBIOCIN

Schedule 4

NOXIPTYLINE

NUCLEAR POLYHEDROSIS VIRUS OF Helicoverpa armigera occlusion bodies

Appendix B, clause 3

NUSINERSEN

Schedule 4

NUTMEG OIL

Schedule 5

NUTRITION REPLACEMENT PREPARATIONS FOR PARENTERAL ADMINISTRATIC

Appendix A, clause 1

NYSTATIN

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

0

OBETICHOLIC ACID

Schedule 4

OCLACITINIB

Schedule 4

OCRELIZUMAB

Schedule 4

OCRIPLASMIN

Schedule 4

OCTAMYLAMINE

Schedule 4

OCTATROPINE

Schedule 4

1-OCTEN-3-OL

Schedule 6

OCTHILINONE

Schedule 6

OCTREOTIDE

Schedule 4

OCTYL ALCOHOLS

Appendix B, clause 3

N-OCTYL BICYCLOHEPTENE DICARBOXIMIDE

 $cross\ reference: OCTYLBICYCLOHEPTENEDICARBOXIMIDE$

Schedule 5

OCTYL NITRITE

Schedule 4

Appendix E, clause 3

N-(*N*-OCTYL)-2-PYRROLIDONE

cross reference: DESIGNATED SOLVENT, N-(N-DODECYL)-2-PYRROLIDONE,

N-METHYL-2-PYRROLIDONE

Schedule 6 Schedule 5

Appendix E, clause 3

OESTRADIOL

cross reference: ESTRADIOL

OESTRIOL

cross reference: ESTRIOL

OESTROGENS

cross reference: ESTROGENS

OESTRONE

cross reference: ESTRONE

OFATUMUMAB

Schedule 4

OFLOXACIN

Schedule 4

OLANZAPINE

Schedule 4

Appendix K, clause 1

OLAPARIB

Schedule 4

OLAQUINDOX

Schedule 6

OLARATUMAB

Schedule 4

OLEANDOMYCIN

Schedule 5

OLEANDRIN

Schedule 4

OLEIC ACID

Appendix B, clause 3

N-OLEYL-1,3-DIAMINOPROPANE

Schedule 6

OLMESARTAN

Schedule 4

OLODATEROL

Schedule 4

OLOPATADINE

Schedule 4

OLSALAZINE

Schedule 4

OMBERACETAM

cross reference: RACETAMS

Schedule 4

OMBITASVIR

Schedule 4

OMALIZUMAB

Schedule 4

OMEGA-3-ACID ETHYL ESTERS

Schedule 4

OMEPRAZOLE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

OMETHOATE

Schedule 7

Schedule 6

Schedule 5

ONASEMNOGENE ABEPARVOVEC

Schedule 4

ONDANSETRON

Schedule 4

OPICAPONE

Schedule 4

OPIPRAMOL

Schedule 4

OPIUM

cross reference: NOSCAPINE, PAPAVERINE

Schedule 8

Appendix K, clause 1

ORANGE OIL (BITTER)

Schedule 5

Appendix E, clause 3

ORANGE OIL, SWEET

Appendix B, clause 3

ORBIFLOXACIN

Schedule 4

ORCIPRENALINE

Schedule 4

Appendix F, clause 4

ORGANOPHOSPHORUS COMPOUNDS

cross reference: MALATHION

ORLISTAT

Schedule 4

Schedule 3

ORNIDAZOLE

Schedule 4

ORNIPRESSIN

Schedule 4

ORPHENADRINE

Schedule 4

ORTHOPTERIN

Schedule 4

OSELTAMIVIR

Schedule 4

OSILODROSTAT

Schedule 4

OSIMERTINIB

Schedule 4

OUABAIN

Schedule 4

OVANDROTONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

OXABETRINIL

Appendix B, clause 3

OXABOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

OXACILLIN

OXADIARGYL

Schedule 5

OXADIAZON

Schedule 6

OXADIXYL

Schedule 5

OXALATES

Appendix F, clause 4

OXALIC ACID

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

OXALIPLATIN

Schedule 4

OXAMYL

Schedule 7

OXANDROLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

OXANTEL EMBONATE

Schedule 5

OXAPROZIN

Schedule 4

OXAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

OXCARBAZEPINE

OXATHIAPIPROLIN

Appendix B, clause 3

OXEDRINE

cross reference: SYNEPHRINE

Schedule 4

OXETACAINE

cross reference: OXETHAZAINE

Schedule 4 Schedule 2

OXFENDAZOLE

Schedule 5

OXIBENDAZOLE

Schedule 5

OXICONAZOLE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

OXIRACETAM

cross reference: RACETAMS

Schedule 4

OXITROPIUM

Schedule 4

OXOLAMINE

Schedule 4

OXOLINIC ACID

Schedule 4

OXPENTIFYLLINE

cross reference: PENTOXIFYLLINE

OXPRENOLOL

OXYBUPROCAINE

Schedule 4

OXYBUTYNIN

Schedule 4

OXYCARBOXIN

Schedule 5

OXYCLOZANIDE

Schedule 6

OXYCODONE

Schedule 8

Appendix K, clause 1

OXYDEMETON METHYL

Schedule 7

OXYFLUORFEN

Appendix B, clause 3

OXYMESTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

OXYMETAZOLINE

Schedule 2

Appendix F, clause 4

OXYMETHOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

OXYMORPHONE

Schedule 8

OXYPHENBUTAZONE

Schedule 4

OXYPHENCYCLIMINE

OXYPHENISATIN

Schedule 10

OXYPHENONIUM

Schedule 4

OXYQUINOLINE

Schedule 2

Appendix F, clause 4

OXYTETRACYCLINE

Schedule 5

Schedule 4

OXYTHIOQUINOX

Schedule 5

OXYTOCIN

Schedule 4

Appendix G, clause 1

OZANIMOD

P

PACLITAXEL

Schedule 4

PACLOBUTRAZOL

Schedule 5

PAECILOMYCES LILACINUS STRAIN 251

Schedule 6

PAINT

Appendix F, clause 4

PALBOCICLIB

Schedule 4

PALIFERMIN

Schedule 4

PALIPERIDONE

Schedule 4

Appendix K, clause 1

PALIVIZUMAB

Schedule 4

PALMAROSA OIL

Appendix B, clause 3

PALMITIC ACID

Appendix B, clause 3

PALONOSETRON

Schedule 4

PAMAQUIN

PAMIDRONIC ACID

cross reference: PAMIDRONATE DISODIUM

Schedule 4

PANCREATIC ENZYMES

cross reference: LIPASE

Schedule 4

PANCURONIUM

Schedule 4

PANITUMUMAB

Schedule 4

PANOBINOSTAT

Schedule 4

PANTOPRAZOLE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

PAPAVERETUM

Appendix K, clause 1

PAPAVERINE

cross reference: OPIUM

Schedule 4 Schedule 2

PAPER

Appendix A, clause 1

PARA-AMINOPROPIOPHENONE (PAPP)

cross reference: 4-AMINOPROPIOPHENONE

PARACETAMOL

cross reference: ASPIRIN, IBUPROFEN, METOCLOPRAMIDE, SALICYLAMIDE, CAFFEINE

Schedule 4 Schedule 3 Schedule 2

Appendix F, clause 4

Appendix H, clause 1

para-DICHLOROBENZENE

cross reference: PDB Appendix F, clause 4

PARA-FLUOROFENTANYL

Schedule 9

PARAFORMALDEHYDE

cross reference: FREE FORMALDEHYDE

Schedule 10

Schedule 6

Schedule 2

Appendix E, clause 3

PARALDEHYDE

Schedule 4

PARAMETHADIONE

Schedule 4

PARAMETHASONE

Schedule 4

PARAQUAT

Schedule 7

PARATHION

Schedule 7

PARATHION-METHYL

Schedule 7

Schedule 6

PARBENDAZOLE

Schedule 6

PARECOXIB

PARICALCITOL

Schedule 4

PARITAPREVIR

Schedule 4

PAROMOMYCIN

Schedule 4

PAROXETINE

Schedule 4

PASIREOTIDE

Schedule 4

PATCHOULI OIL

Appendix B, clause 3

PATIROMER SORBITEX CALCIUM

Schedule 4

PATISIRAN

Schedule 4

PAZOPANIB

Schedule 4

PEBULATE

Schedule 6

PECAZINE

Schedule 4

PECTINASE derived from Aspergillus niger

Appendix B, clause 3

PEFLOXACIN

Schedule 4

PEGAPTANIB

PEGASPARGASE

Schedule 4

PEGBOVIGRASTIM

Appendix B, clause 3

PEGCETACOPLAN

Schedule 4

PEGFILGRASTIM

Schedule 4

PEGINTERFERON

Schedule 4

PEGVALIASE

Schedule 4

PEGVISOMANT

Schedule 4

PEMIGATINIB

Schedule 4

PERAMIVIR

Schedule 4

PHENOLS

Appendix E, clause 3

PEMBROLIZUMAB

Schedule 4

PEMETREXED

Schedule 4

PEMOLINE

Schedule 4

PEMPIDINE

PENBUTOLOL

Schedule 4

PENCICLOVIR

Schedule 4

PENCONAZOLE

Schedule 5

PENCYCURON

Appendix B, clause 3

PENDIMETHALIN

Schedule 5

PENETHAMATE

Schedule 4

PENFLUFEN

Schedule 5

PENICILLAMINE

Schedule 4

PENNYROYAL OIL

Schedule 6

Appendix E, clause 3

PENTACHLOROPHENOL

Schedule 7

Schedule 6

Appendix F, clause 4

PENTADECANOIC ACID

Appendix B, clause 3

PENTAERYTHRITYL TETRANITRATE

Schedule 4

PENTAGASTRIN

PENTAMETHONIUM

Schedule 4

PENTAMIDINE

Schedule 4

PENTAZOCINE

Schedule 8

Appendix K, clause 1

PENTHIENATE

Schedule 4

PENTHIOPYRAD

Schedule 5

PENTOBARBITONE

cross reference: PENTOBARBITAL

PENTOBARBITAL

Schedule 8

Schedule 4

Appendix D, clause 9

Appendix K, clause 1

PENTOLINIUM

Schedule 4

PENTOSAN POLYSULFATE SODIUM

Schedule 4

PENTOXIFYLLINE

Schedule 4

1-PENTYL-3-(1-NAPHTHOYL)INDOLE

cross reference: JWH-018

Schedule 9

1-PENTYL-3-(4-METHYL-1-NAPTHOYL)INDOLE

cross reference: JWH-122

PEPPERMINT OIL

Appendix B, clause 3

PERACETIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

PERAMPANEL

Schedule 4

Appendix D, clause 5

Appendix K, clause 1

PERFLUIDONE

Schedule 6

PERGOLIDE

Schedule 4

PERHEXILINE

Schedule 4

PERICIAZINE

Schedule 4

Appendix K, clause 1

PERICYAZINE

cross reference: PERICIAZINE

PERINDOPRIL

Schedule 4

PERMANGANATES

cross reference: POTASSIUM PERMANGANATE

Schedule 6

Appendix F, clause 4

PERMETHRIN

Schedule 6

Schedule 5

PERPHENAZINE

Schedule 4

Appendix K, clause 1

PERTUSSIS ANTIGEN

cross reference: TRIPLE ANTIGEN VACCINE

Schedule 4

PERTUZUMAB

Schedule 4

PETASITES spp.

Schedule 10

PETHIDINE

Schedule 8

Appendix K, clause 1

PETROL

Schedule 5

Appendix E, clause 3

PHEDRAZINE

Schedule 2

PHENACEMIDE

Schedule 4

PHENACETIN

Schedule 4

PHENADOXONE

Schedule 9

PHENAGLYCODOL

Schedule 4

PHENAMPROMIDE

Schedule 9

PHENAZOCINE

PHENAZONE

Schedule 5

Schedule 4

Schedule 2

PHENAZOPYRIDINE

Schedule 4

PHENCYCLIDINE

cross reference: PCP

Schedule 9

PHENDIMETRAZINE

Schedule 8

PHENELZINE

Schedule 4

Appendix K, clause 1

N-PHENETHYL-4-PIPERIDONE

Schedule 9

PHENETICILLIN

Schedule 4

PHENFORMIN

Schedule 4

PHENGLUTARIMIDE

Schedule 4

PHENIBUT

cross reference: BETA-PHENYL-GAMMA-AMINOBUTYRIC ACID

Schedule 9

PHENINDIONE

Schedule 4

PHENIRAMINE

Schedule 4

Schedule 2

Appendix K, clause 1

PHENISATIN

Schedule 4

PHENISOPHAM

Schedule 5

PHENMEDIPHAM

Appendix B, clause 3

PHENMETRAZINE

Schedule 8

PHENOBARBITAL

Schedule 4

Appendix K, clause 1

PHENOBARBITONE

cross reference: PHENOBARBITAL

PHENOL

cross reference: CREOSOTE, PHENOLS, TAR, XYLENOLS

Schedule 6

Schedule 5

Schedule 4

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

PHENOLPHTHALEIN

Schedule 4

PHENOMORPHAN

Schedule 9

PHENOPERIDINE

Schedule 8

Appendix K, clause 1

PHENOTHIAZINE

Schedule 6

D-PHENOTHRIN

Appendix B, clause 3

PHENOXYBENZAMINE

Schedule 4

2-PHENOXYETHANOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

PHENOXYMETHYL OXIRANE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

PHENOXYMETHYLPENICILLIN

Schedule 4

PHENPROMETHAMINE

Schedule 10

PHENSUXIMIDE

Schedule 4

PHENTERMINE

Schedule 4

Appendix D, clause 5

PHENTHIMENTONIUM

Schedule 4

PHENTOLAMINE

Schedule 4

PHENYLACETYLINDOLES

PHENYLBUTAZONE

Schedule 4

PHENYLENEDIAMINES

cross reference: ALKYLATED, ARYLATED, HALOGENATED and

NITRO-PHENYLENEDIAMINES, DIETHYL-PARA-PHENYLENEDIAMINE,

DIMETHYL-PARA-PHENYLENEDIAMINE

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

PHENYLEPHRINE

cross reference: CODEINE, IBUPROFEN, PARACETAMOL

Schedule 4 Schedule 2

Appendix F, clause 4

1-PHENYLETHYL-4-PHENYL-4-PIPERIDINOL ACETATE

cross reference: PEPAP

Schedule 9

PHENYLMERCURIC ACETATE

cross reference: MERCURY

Schedule 7

Appendix J, clause 1

PHENYL METHYL KETONE

cross reference: DESIGNATED SOLVENT

Schedule 5

Appendix E, clause 3

o-PHENYLPHENOL

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

4-PHENYLPIPERIDINE-4-CARBOXYLIC ACID ETHYL ESTER

cross reference: PETHIDINE INTERMEDIATE B

PHENYL METHYL PYRAZOLONE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

PHENYLPIRACETAM

cross reference: RACETAMS

Schedule 4

PHENYLPROPANOLAMINE

Schedule 4

PHENYLTOLOXAMINE

Schedule 4

Appendix K, clause 1

PHENYTOIN

Schedule 4

Appendix F, clause 4

PHLEUM PRATENSE POLLEN EXTRACT (Timothy-grass pollen extract)

Schedule 4

PHOLCODINE

Schedule 8

Schedule 4

Schedule 2

Appendix K, clause 1

PHORATE

Schedule 7

PHOSALONE

Schedule 6

PHOSFOLAN

Schedule 7

PHOSMET

PHOSPHIDES, METALLIC

cross reference: ALUMINIUM PHOSPHIDE, MAGNESIUM PHOSPHIDE, ZINC PHOSPHIDE

Schedule 7

Appendix J, clause 1

PHOSPHINE

Schedule 7

Appendix J, clause 1

PHOSPHODIESTERASE TYPE 5 INHIBITORS

Schedule 4

PHOSPHONIC ACID cross reference: PHOSPHOROUS ACID

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

PHOSPHORIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

PHOSPHORUS

Appendix G, clause 1

PHOSPHORUS, YELLOW

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

PHOTOGRAPHIC PAPER or FILM

Appendix A, clause 1

PHOXIM

Schedule 6

o-PHTHALADEHYDE

Appendix F, clause 4

o-PHTHALALDEHYDE

Appendix E, clause 3

PHTHALALDEHYDE

Schedule 6

Schedule 5

PHTHALYLSULFATHIAZOLE

Schedule 4

PHYSOSTIGMINE

Schedule 4

PHYTASE

Appendix B, clause 3

PIBRENTASVIR

Schedule 4

PICARIDIN

Schedule 5

PICLORAM

Appendix B, clause 3

PICOLINAFEN

Appendix B, clause 3

PICRAMIC ACID (including its salts)

cross reference: 2-AMINO-4,6-DINITROPHENOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

PICRIC ACID

Appendix E, clause 3

Appendix F, clause 4

PICROTOXIN

Schedule 4

PIGMENTS

Appendix A, clause 1

PILOCARPINE

Schedule 4

PIMECROLIMUS

Schedule 4

PIMELIC ACID

Appendix B, clause 3

PIMINODINE

Schedule 9

PIMOBENDAN

Schedule 4

PIMOZIDE

Schedule 4

Appendix K, clause 1

PINACIDIL

Schedule 4

PINDOLOL

Schedule 4

PINDONE

Schedule 6

PINE OILS

Schedule 6

Schedule 5

PINOXADEN

Schedule 6

Schedule 5

PIOGLITAZONE

Schedule 4

PIPECURONIUM

PIPEMIDIC ACID

Schedule 4

PIPENZOLATE

Schedule 4

PIPER METHYSTICUM

cross reference: KAVA, KAVALACTONES

Schedule 4

PIPERACILLIN

Schedule 4

PIPERAZNE

Schedule 5

Schedule 2

PIPERIDINE

Schedule 4

PIPERIDOLATE

Schedule 4

PIPERONYL BUTOXIDE

Appendix B, clause 3

PIPEROPHOS

Schedule 6

PIPOBROMAN

Schedule 4

PIPOTHIAZINE

Schedule 4

PIPRADROL

Schedule 4

PIRACETAM

cross reference: RACETAMS

PIRBUTEROL

Schedule 4

PIRENOXINE

cross reference: CATALIN

Schedule 4

PIRENZEPINE

Schedule 4

PIRETANIDE

Schedule 4

PIRFENIDONE

Schedule 4

PIRIMICARB

Schedule 6

Schedule 5

PIRIMIPHOS-ETHYL

Schedule 6

PIRIMIPHOS-METHYL

Schedule 6

PIRITRAMIDE

Schedule 8

PIROXICAM

Schedule 4

PIRPROFEN

Schedule 4

PITAVASTATIN

Schedule 4

PITUITARY HORMONES

PIVAMPICILLIN

Schedule 4

PIZOTIFEN

Schedule 4

Appendix K, clause 1

PLASMID DNA (rE. coli DH5a pINGhT)

cross reference: VACCINES – PLASMID DNA

PLERIXAFOR

Schedule 4

PLICAMYCIN

Schedule 4

PLITIDEPSIN

Schedule 4

Appendix L, clause 2

PNEUMOCOCCAL VACCINE

Schedule 4

PODOPHYLLOTOXIN

cross reference: PODOPHYLLIN

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

PODOPHYLLUM EMODI

cross reference: PODOPHYLLIN

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4

Appendix H, clause 1

PODOPHYLLUM PELTATUM

cross reference: PODOPHYLLIN

Schedule 4 Schedule 3

Schedule 2

Appendix F, clause 4 Appendix H, clause 1

PODOPHYLLUM RESIN

cross reference: PODOPHYLLIN

Appendix G, clause 1

POLIHEXANIDE

cross reference: 1-(DIAMINOMETHYLIDENE)-2-HEXYLGUANIDINE, POLY (IMINOCARBONIMIDOYLIMINOCARBONIMIDOYL IMINO-1,6-HEXANEDIYL),

POLYHEXAMETHYLENE BIGUANIDE (PHMB)

Schedule 6

Appendix E, clause 3 Appendix F, clause 4

POLIOMYELITIS VACCINE

Schedule 4

POLIXETONIUM SALTS

Schedule 6 Schedule 5

POLOXALENE

Appendix B, clause 3

POLY (GNRF) OVALBUMIN

Appendix B, clause 3

POLY DIALLYL DIMETHYL AMMONIUM CHLORIDE

cross reference: POLYDADMAC

Appendix B, clause 3

POLY(OXY-1,2-ETHANEDIYL), α -[2-[(2-HYDROXYETHYL)AMINO]-2-OXOETHYL]- α -HYDROXY-,MONO-C₁₃₋₁₅-ALKYL ETHERS

Schedule 5

Appendix E, clause 3

POLYACRYLAMIDE

Schedule 4

POLYCAPROLACTONE

Schedule 4

POLYESTRADIOL

Schedule 4

POLYETHANOXY (15) TALLOW AMINE

Schedule 5

Appendix E, clause 3

POLYHEDROSIS VIRUS of Helico zea occlusion bodies

Appendix B, clause 3

POLYLACTIC ACID

Schedule 4

POLYMYXIN

Schedule 4

POLYOXIN D ZINC SALT

Schedule 5

POLYSORBATE 20

Appendix B, clause 3

POLYSULFATED GLYCOSAMINOGLYCANS

Schedule 4

POLYTHIAZIDE

Schedule 4

POMALIDOMIDE

Schedule 4

Appendix D, clause 4

Appendix F, clause 4

Appendix L, clause 2

PONATINIB

PONESIMOD

Schedule 4

Appendix L, clause 2

PORACTANT

Schedule 4

PORCELAIN

Appendix A, clause 1

PORCINE SOMATOTROPHIN

Appendix B, clause 3

POSACONAZOLE

Schedule 4

POTASSIUM AZELOYL DIGLYCINATE

Schedule 6

POTASSIUM BICARBONATE

Appendix B, clause 3

POTASSIUM BROMATE

Schedule 6

Appendix E, clause 3

POTASSIUM BROMIDE

Schedule 4

POTASSIUM CHLORATE

Schedule 5

Schedule 2

Appendix E, clause 3

POTASSIUM CHLORIDE

Schedule 4

POTASSIUM CYANATE

Schedule 6

Appendix E, clause 3

POTASSIUM HYDROXIDE

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

POTASSIUM METABISULPHITE

Schedule 5

Appendix F, clause 4

POTASSIUM NITRITE

Schedule 7

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

POTASSIUM PERCHLORATE

Schedule 4

POTASSIUM PEROXOMONOSULFATE TRIPLE SALT

Schedule 6

Schedule 5

POTASSIUM PERSULFATE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

POTASSIUM SORBATE

Appendix B, clause 3

POTASSIUM SULFIDE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

PRACTOLOL

PRADOFLOXACIN

Schedule 4

PRALATREXATE

Schedule 4

PRALIDOXIME

Schedule 4

PRALLETHRIN

Schedule 6

Schedule 5

PRALMORELIN (GROWTH HORMONE RELEASING PEPTIDE-2) (GHRP-2)

Schedule 4

Appendix D, clause 5

PRALSETINIB

Schedule 4

PRAMIPEXOLE

Schedule 4

PRAMIRACETAM

cross reference: RACETAMS

Schedule 4

PRAMOCAINE

Schedule 4

PRAMPINE

Schedule 4

PRASTERONE

cross reference: DEHYDROEPIANDROSTERONE, DEHYDROISOANDROSTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

PRASUGREL

PRAVASTATIN

Schedule 4

PRAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

PRAZIQUANTEL

Schedule 4

PRAZOSIN

Schedule 4

PREDNISOLONE

Schedule 4

PREDNISONE

Schedule 4

PREGABALIN

Schedule 4

Appendix K, clause 1

PREGNENOLONE

Schedule 4

PRENALTEROL

Schedule 4

PRENYLAMINE

Schedule 4

PRILOCAINE

Schedule 4

Schedule 2

PRIMAQUINE

Schedule 4

PRIMIDONE

PRINTING INKS or INK ADDITIVES

Appendix A, clause 1

PROBENECID

Schedule 4

PROBUCOL

Schedule 4

PROCAINAMIDE

Schedule 4

PROCAINE

Schedule 4

PROCAINE BENZYLPENICILLIN

Schedule 4

PROCAINE PENICILLIN

cross reference: PROCAINE BENZYLPENICILLIN

PROCARBAZINE

Schedule 4

PROCHLORAZ

Schedule 6

PROCHLORPERAZINE

Schedule 4

Schedule 3

Appendix K, clause 1

PROCYCLIDINE

Schedule 4

Schedule 2

PROCYMIDONE

Schedule 7

PROFENOFOS

PROFOXYDIM

Schedule 5

PROGESTERONE

Schedule 5

Schedule 4

Appendix G, clause 1

PROGESTOGENS

Schedule 4

PROGLUMIDE

Schedule 4

PROGUANIL

Schedule 4

PROHEPTAZINE

Schedule 9

PROHEXADIONE CALCIUM

Schedule 5

PROLINTANE

Schedule 4

PROMACYL

Schedule 6

PROMAZINE

Schedule 4

Appendix K, clause 1

PROMETHAZINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

PROMETRYN

PROMOXOLANE

Schedule 4

PROPACHLOR

Schedule 6

PROPAFENONE

Schedule 4

PROPAMIDINE

Schedule 4

Schedule 2

PROPAMOCARB

Schedule 5

PROPANIDID

Schedule 4

PROPANIL

Schedule 5

PROPANTHELINE

Schedule 4

PROPAQUIZAFOP

Schedule 5

PROPARGITE

Schedule 6

PROPENTOFYLLINE

Schedule 4

PROPERIDINE

Schedule 9

PROPETAMPHOS

PROPETANDROL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

PROPICONAZOLE

Schedule 6

Schedule 5

PROPINEB

Schedule 6

PROPIONIBACTERIUM ACNES

Schedule 4

PROPIONIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

PROPIRAM

Schedule 8

PROPOFOL

Schedule 4

PROPOXUR

Schedule 6

Schedule 5

PROPRANOLOL

Schedule 4

Appendix G, clause 1

PROPYL ACETATES

Appendix B, clause 3

n-PROPYLALCOHOL

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

n-PROPYL NITRITE

Schedule 10

PROPYLENE GLYCOL

Appendix B, clause 3

2-PROPYLENE GLYCOL 1-MONOMETHYL

Appendix B, clause 3

PROPYLENE OXIDE

Schedule 7

Appendix J, clause 1

PROPYLHEXEDRINE

Schedule 4

PROPYLTHIOURACIL

Schedule 4

PROPYPHENAZONE

Schedule 4

PROPYZAMIDE

Schedule 5

PROQUAZONE

Schedule 4

PROQUINAZID

Schedule 6

PROSCILLARIDIN

Schedule 4

PROSTAGLANDINS

Schedule 4

PROSTIANOL

Schedule 4

PROSULFOCARB

PROSULFURON

Schedule 6

PROTAMINE

Schedule 4

PROTHIOCONAZOLE

Appendix B, clause 3

PROTHIOCONAZOLE-DESCHLORO

Schedule 5

PROTHIOCONAZOLE-TRIAZOLIDINETHIONE

Schedule 5

PROTHIOFOS

Schedule 6

PROTHIONAMIDE

Schedule 4

PROTHIPENDYL

Schedule 4

PROTIRELIN

Schedule 4

PROTOVERATRINES

Schedule 4

PROTRIPTYLINE

Appendix K, clause 1

PROTRIPTYLINE

Schedule 4

PROXYMETACAINE

Schedule 4

PRUCALOPRIDE

PSEUDOEPHEDRINE

Schedule 4

Schedule 3

PSEUDOMONAS FLUORESCENS

Appendix B, clause 3

PSILOCYBINE

Schedule 9

PTERIDIUM spp.

Schedule 10

D-PULEGONE

Schedule 6

Appendix E, clause 3

PULMONARIA spp.

Schedule 10

PYDIFLUMETOFEN

Appendix B, clause 3

PYMETROZINE

Schedule 5

PYRACLOFOS

Schedule 6

PYRACLOSTROBIN

Schedule 5

PYRAFLUFEN-ETHYL

Schedule 5

PYRANTEL

Schedule 2

PYRASULFOTOLE

PYRAZINAMIDE

Schedule 4

PYRAZOLAM

Schedule 9

PYRAZOPHOS

Schedule 6

PYRETHRINS

 $cross\ reference: CHRYSANTHEMIC\ ACID\ ESTERS,\ CINEROLONE,\ JASMOLONE,$

PYRETHRIC ACIDS, PYRETHROLONE

Schedule 5

Schedule 2

PYRIDABEN

Schedule 6

Schedule 5

PYRIDALYL

Schedule 6

PYRIDATE

Schedule 6

PYRIDINOLCARBAMATE

Schedule 4

PYRIDOSTIGMINE

Schedule 4

PYRIDOXAL

Schedule 4

PYRIDOXAMINE

Schedule 4

PYRIDOXINE

Schedule 4

PYRIFENOX

PYRIMETHAMINE

Schedule 4

PYRIMETHANIL

Appendix B, clause 3

PYRINURON

Schedule 7

Appendix J, clause 1

PYRIOFENONE

Schedule 6

Schedule 5

PYRIPROLE

Schedule 6

PYRIPROXYFEN

Appendix B, clause 3

PYRITHIOBAC SODIUM

Schedule 5

PYRITHIONE COPPER

Schedule 6

PYRITHIONE ZINC

Schedule 6

Schedule 5

Schedule 2

Appendix E, clause 3

PYROVALERONE

Schedule 4

PYROXASULFONE

Schedule 6

PYROXSULAM

PYRVINIUM

cross reference: VIPRYNIUMA

Q

QUASSIA

Appendix B, clause 3

QUATERNARY AMMONIUM COMPOUNDS

cross reference: BENZALKONIUM CHLORIDE, DIALKYL and DIALKOYL QUATERNARY

AMMONIUM COMPOUNDS

Schedule 6 Schedule 5

Appendix E, clause 3

QUAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

OUETIAPINE

Schedule 4

Appendix K, clause 1

QUINAGOLIDE

Schedule 4

QUINALBARBITONE

cross reference: SECOBARBITAL

QUINAPRIL

Schedule 4

QUINBOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

QUINCLORAC

Schedule 5

QUINETHAZONE

OUINIDINE

Schedule 4

QUININE

cross reference: QUININE (CAS No. 130-95-0), QUININE SULFATE (1:1) (CAS No. 549-56-4), QUININE SULFATE (2:1) (CAS No. 804-63-7), QUININE SULFATE (2:1) DIHYDRATE (CAS No. 6119-70-6), QUININE SULFATE (1:1) HEPTAHYDRATE (CAS No. 6183-68-2), QUININE DIHYDROCHLORIDE (CAS No. 60-93-5), QUININE MONOHYDROCHLORIDE (CAS No. 130-89-2), QUININE HYDROCHLORIDE DIHYDRATE (CAS No. 6119-47-7), QUININE HYDROCHLORIDE (UNSPECIFIED) (CAS No. 7549-43-1)

Schedule 7

Schedule 6

Schedule 5

Schedule 4

Appendix F, clause 4

QUINISOCAINE

cross reference: DIMETHISOQUINE

Schedule 4

OUINOLINE

cross reference: 2,3-BENZAPYRIDINE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

QUINOXYFEN

Appendix B, clause 3

QUINTOZENE

cross reference: PENTACHLORONITROBENZENE

Schedule 5

QUINUPRISTIN

Schedule 4

OUIZALOFOP ETHYL

cross reference: QUIZALOFOP ETHYL (D + ISOMER)

QUIZALOFOP-*p***-ETHYL** Schedule 6

Schedule 5

QUIZALOFOP-*p***-TEFURYL** Schedule 6

R

RABEPRAZOLE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

RABIES VACCINE

Schedule 4

RACEMETHORPHAN

Schedule 9

RACEMORAMIDE

Schedule 8

RACEMORPHAN

Schedule 9

RACETAMS

Schedule 4

RACTOPAMINE

Schedule 5

Schedule 4

RADIOGRAPHIC CONTRAST MEDIA

cross reference: RADIOPAQUES

Appendix A, clause 1

RADIOISOTOPES

Appendix A, clause 1

RALOXIFENE

Schedule 4

RALTEGRAVIR

RALTITREXED

Schedule 4

RAMIPRIL

Schedule 4

RAMUCIRUMAB

Schedule 4

RANIBIZUMAB

Schedule 4

RANITIDINE

Schedule 4

Schedule 2

Appendix F, clause 4

RANOLAZINE

Schedule 4

RAPACURONIUM

Schedule 4

RASAGILINE

Schedule 4

RASBURICASE

Schedule 4

RAUWOLFIA SERPENTINA

Schedule 4

RAUWOLFIA VOMITORIA

Schedule 4

RAZOXANE

Schedule 4

REBOXETINE

RECOMBINANT VARICELLA ZOSTER VIRUS GLYCOPROTEIN E ANTIGEN

Schedule 4

RED YEAST RICE

Schedule 4

REGDANVIMAB

Schedule 4

REGORAFENIB

Schedule 4

REMIFENTANIL

Schedule 8

REMDESIVIR

Schedule 4

REMOXIPRIDE

Schedule 4

REPAGLINIDE

Schedule 4

RESCALURE

cross reference: (3S,6R)-(3S,6S)-6-isopropenyl-3-methyldec-9-en-1-yl acetate Schedule 6

RESERPINE

Schedule 4

RESLIZUMAB

Schedule 4

RESMETHRIN

Schedule 6

Schedule 5

RESORCINOL

cross reference: 1,3-BENZENEDIOL

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

RETAPAMULIN

Schedule 4

RETEPLASE

Schedule 4

RETIGABINE

Schedule 4

Appendix K, clause 1

RHIZOBIUM RHIZOGENES

Appendix B, clause 3

RIBAVIRIN

Schedule 4

RIBOCICLIB

Schedule 4

RIDAFOROLIMUS

Schedule 4

RIFABUTIN

Schedule 4

RIFAMPICIN

Schedule 4

RIFAMYCIN

Schedule 4

RIFAPENTINE

Schedule 4

RIFAXIMIN

Schedule 4

RILPIVIRINE

RILUZOLE

Schedule 4

RIMEXOLONE

Schedule 4

RIMITEROL

Schedule 4

RIMONABANT

Schedule 4

RIMSULFURON

Schedule 5

RIOCIGUAT

Schedule 4

Appendix D, clause 4

Appendix L, clause 2

RIPRETINIB

Schedule 4

RISANKIZUMAB

Schedule 4

RISDIPLAM

Schedule 4

RISEDRONIC ACID

Schedule 4

RISPERIDONE

Schedule 4

Appendix K, clause 1

RITODRINE

Schedule 4

RITONAVIR

RITUXIMAB

Schedule 4

RIVAROXABAN

Schedule 4

RIVASTIGMINE

Schedule 4

RIZATRIPTAN

Schedule 4

Schedule 3

Appendix H, clause 1

ROBENACOXIB

Schedule 4

ROBENIDINE

Schedule 5

ROFECOXIB

Schedule 4

ROFLUMILAST

Schedule 4

ROLICYCLIDINE

cross reference: PCPY, PHP

Schedule 9

ROLITETRACYCLINE

Schedule 4

ROLZIRACETAM

cross reference: RACETAMS

Schedule 4

ROMIDEPSIN

Schedule 4

ROMIFIDINE

ROMIPLOSTIM

Schedule 4

ROMOSOZUMAB

Schedule 4

RONIDAZOLE

Schedule 4

ROPINIROLE

Schedule 4

ROPIVACAINE

Schedule 4

ROSEMARY OIL

Appendix B, clause 3

ROSIGLITAZONE

Schedule 4

ROSIN

cross reference: COLOPHONY

Schedule 5

ROSOXACIN

Schedule 4

ROSUVASTATIN

Schedule 4

ROTENONE

cross reference: CUBE

Schedule 6

ROTIGOTINE

Schedule 4

Appendix K, clause 1

ROXIBOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

ROXITHROMYCIN

Schedule 4

RUBELLA VACCINE

Schedule 4

RUBOXISTAURIN

Schedule 4

RUFINAMIDE

Schedule 4

Appendix K, clause 1

Appendix L, clause 2

RUPATADINE

Schedule 4

Appendix K, clause 1

RUXOLITINIB

S

SACITUZUMAB GOVITECAN

Schedule 4

SACUBITRIL

Schedule 4

SAFINAMIDE

Schedule 4

SAFLUFENACIL

Schedule 7

Schedule 5

SAFROLE

cross reference: SASSAFRAS OIL

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

SAGE OIL

cross reference: DALMATIAN, THUJONE

Schedule 6

Appendix E, clause 3

SAGE OIL (Spanish)

cross reference: CAMPHOR

Appendix B, clause 3

SALBUTAMOL

Schedule 4

Schedule 3

Appendix F, clause 4

SALCATONIN

cross reference: CALCITONIN SALMON

SALICYLAMIDE

cross reference: ASPIRIN, CAFFEINE, PARACETAMOL

Schedule 4 Schedule 2

Appendix F, clause 4

SALICYLANILIDE

Schedule 5

SALICYLIC ACID

cross reference: CHOLINE SALICYLATE

Schedule 3

Appendix H, clause 1

SALINOMYCIN

Schedule 6

Schedule 4

SALMETEROL

Schedule 4

SALVIA DIVINORUM

Schedule 9

SANDALWOOD OIL

Appendix B, clause 3

SANGUINARIA CANADENSIS (bloodroot)

Schedule 10

SANGUINARINE

cross reference: SANGUINARIA CANADENSIS (bloodroot)

SANTONIN

Schedule 3

SAPROPTERIN

SAQUINAVIR

Schedule 4

SARILUMAB

Schedule 4

SAROLANER

Schedule 6

Schedule 5

SARS-COV-2 (COVID-19) VACCINE

Schedule 4

SASSAFRAS OIL

cross reference: SAFROLE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

SAXAGLIPTIN

Schedule 4

SCHOENOCAULON OFFICINALE

cross reference: SABADILLA

Schedule 4

SCHRADAN

Schedule 7

SCOPOLIA CARNIOLICA

Schedule 4

SEAWEED

Appendix B, clause 3

SEBELIPASE ALFA

Schedule 4

SECBUTOBARBITAL

Schedule 8

Appendix K, clause 1

SECBUTOBARBITONE

cross reference: SECBUTOBARBITAL

SECOBARBITAL

Schedule 8

Appendix K, clause 1

SECUKINUMAB

Schedule 4

SEDAXANE

Schedule 5

SEEDS

Appendix A, clause 1

SELAMECTIN

Schedule 5

SELECTIVE ANDROGEN RECEPTOR MODULATORS

cross reference: SARM

Schedule 4

Appendix D, clause 5

SELEGILINE

Schedule 4

SELENIUM

cross reference: BARIUM SELENATE, SELENIUM COMPOUNDS, SELENIUM ARSENIDE,

SELENIUM SULFIDE

Schedule 7

Schedule 6

Schedule 4

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

Appendix G, clause 1

SELETRACETAM

Cross reference RACETAMS

Schedule 4

Appendix K, clause 1

SELEXIPAG

Schedule 4

SELINEXOR

Schedule 4

Appendix L, clause 2

SELUMETINIB

Schedule 4

Appendix L, clause 2

SEMAGLUTIDE

Schedule 4

SEMDURAMICIN

Schedule 7

Schedule 6

SENECIO spp.

Schedule 10

SERELAXIN

Schedule 4

SERMORELIN

Schedule 4

SERTINDOLE

Schedule 4

SERTRALINE

Schedule 4

SETHOXYDIM

Schedule 5

SEVELAMER

Schedule 4

SEVOFLURANE

SEX HORMONES

Schedule 4

SH-OLIGOPEPTIDE-1, RH-OLIGOPEPTIDE-1

cross reference: EPIDERMAL GROWTH FACTOR

SIBUTRAMINE

Schedule 4

SIDURON

Schedule 5

SILANDRONE

Schedule 4

Appendix D, clause 5 (Anabolic steroidal agent)

SILDENAFIL

Schedule 4

SILICOFLUORIDES

cross reference: BARIUM SILICOFLUORIDE, FLUORIDES, FLUOROSILICATES,

HEXAFLUOROSILICATES MAGNESIUM FLUOSILICATE,

Schedule 6

Schedule 5

SILICONES

Schedule 10

Schedule 4

Appendix F, clause 4

SILODOSIN

Schedule 4

SILTUXIMAB

Schedule 4

SILVER

SILVER NITRATE

cross reference: SILVER SALTS

Schedule 6

Appendix E, clause 3

SILVER OXIDE

Appendix B, clause 3

SILVER SULFADIAZINE

Schedule 4

SIMAZINE

Appendix B, clause 3

SIMEPREVIR

Schedule 4

SIMVASTATIN

Schedule 4

SINBIOALLETHRIN

Schedule 6

Schedule 5

SINGLE-USE TUBES

Appendix A, clause 1

SIPONIMOD

Schedule 4

SIROLIMUS

Schedule 4

SISOMICIN

Schedule 4

SITAGLIPTIN

Schedule 4

SITAXENTAN

Schedule 4

Appendix D, clause 6

Appendix F, clause 4 Appendix L, clause 2

SLIMICIDES

Appendix A, clause 1

SODIUM ALUMINATE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

SODIUM BICARBONATE

Appendix B, clause 3

SODIUM BROMATE

Schedule 6

Appendix E, clause 3

SODIUM BROMIDE

Schedule 5

Schedule 4

SODIUM CELLULOSE PHOSPHATE

Schedule 4

SODIUM CHLORATE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SODIUM CROMOGLYCATE

Schedule 4

Schedule 2

SODIUM DIACETATE

Schedule 5

Appendix E, clause 3

SODIUM DICHLOROISOCYANURATE

Appendix E, clause 3

SODIUM DODECYLBENZENE SULFONATE

Schedule 5

Appendix E, clause 3, Part

Appendix F, clause 4

SODIUM FLUORIDE

Appendix F, clause 4

SODIUM GLYCEROPHOSPHATE HYDRATE

Schedule 4

SODIUM HYDROGEN SULFATE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SODIUM HYDROSULFITE

Schedule 5

Appendix F, clause 4

SODIUM HYDROXIDE

cross reference: LYE WATER

Schedule 10

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SODIUM LAURETH-6 CARBOXYLATE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SODIUM METABISULPHITE

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SODIUM MORRHUATE

SODIUM NITRITE

Schedule 7

Schedule 6

Schedule 5

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

SODIUM NITROPRUSSIDE

Schedule 4

SODIUM OXYBATE

Schedule 8

Appendix D, clause 1

Appendix K, clause 1

SODIUM PERCARBONATE

Schedule 6

Schedule 5

Appendix E, clause 3

SODIUM PERSULFATE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

SODIUM PHENYLBUTYRATE

Schedule 4

SODIUM PHOSPHATE

Schedule 4

Schedule 3

SODIUM PICOSULFATE

Schedule 3

SODIUM POLYSTYRENE SULPHONATE

Schedule 5

Schedule 4

SODIUM PROPIONATE

Appendix B, clause 3

SODIUM SALICYLATE

Schedule 4

SODIUM STANNATE

Schedule 5,

Appendix E, clause 3

SODIUM SULFIDE

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SODIUM TETRADECYLSULFATE

Schedule 4

SODIUM TRICHLOROACETATE

Appendix E, clause 3

SODIUM ZIRCONIUM CYCLOSILICATE.

Schedule 4

SODIUMHYDROSULFITE

Appendix E, clause 3

SOFOSBUVIR

Schedule 4

SOLASODINE

Schedule 4

SOLIFENACIN

Schedule 4

SOMAPACITAN

Schedule 4

SOMATOSTATIN

Schedule 4

SOMATOTROPIN EQUINE

SOMATROPIN

cross reference: HUMAN GROWTH HORMONE

Schedule 4

Appendix D, clause 5

Appendix G, clause 1

SONIDEGIB

Schedule 4

SONTOQUINE

Schedule 4

SORAFENIB

Schedule 4

SOTALOL

Schedule 4

SOTORASIB

Schedule 4

SOTROVIMAB

Schedule 4

SPARFLOXACIN

Schedule 4

SPARTEINE

Schedule 4

SPECTINOMYCIN

Schedule 4

SPINETORAM

Schedule 5

SPINOSAD

Schedule 5

SPIRAMYCIN

SPIRAPRIL

Schedule 4

SPIROMESIFEN

Schedule 5

SPIRONOLACTONE

Schedule 4

SPIROPIDION

Schedule 6

SPIROTETRAMAT

Schedule 6

SPIROXAMINE

Schedule 6

SOUILL

Schedule 2

STANOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

STANOZOLOL

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

STAR ANISE OIL

Schedule 5

STAVUDINE

Schedule 4

STENABOLIC (SR9009) and other synthetic REV-ERB agonists

cross reference: SR9011, GSK2945, GSK0999, GSK5072, GSK2667

Schedule 4

Appendix D, clause 5

STENBOLONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

STERIC ACID

Appendix B, clause 3

STEROID HORMONES

Schedule 4

STILBESTROL

cross reference: STILBOESTROL, DIETHYLSTILBESTROL

Schedule 4

STIRIPENTOL

Schedule 4

Appendix K, clause 1

STREPTODORNASE

Schedule 4

STREPTOKINASE

Schedule 4

STREPTOMYCES LYDICUS WYEC 108

Appendix B, clause 3

STREPTOMYCIN

Schedule 4

STRONTIUM RANELATE

Schedule 4

STROPHANTHINS

Schedule 4

STROPHANTHUS spp.

Schedule 4

Appendix G, clause 1

STRYCHNINE

cross reference: NUX VOMICA

Schedule 7

Schedule 4

Appendix E, clause 3

Appendix G, clause 1

Appendix J, clause 1

STRYCHNOS spp.

Schedule 4

STYRAMATE

Schedule 4

STYRENE

cross reference: DESIGNATED SOLVENT

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SUCCIMER

Schedule 4

SUCRALFATE

Appendix B, clause 3

SUCROFERRIC OXYHYDROXIDE

Schedule 4

SUFENTANIL

Schedule 8

SUGAMMADEX

Schedule 4

SULBACTAM

Schedule 4

SULCOFURON

Schedule 7

Appendix E, clause 3 Appendix J, clause 1

SULCONAZOLE

Schedule 4

Schedule 2

SULESOMAB

Appendix B, clause 3

SULFACETAMIDE

Schedule 5

Schedule 4

Schedule 3

SULFADIAZINE

Schedule 5

Schedule 4

SULFADIMETHOXINE

Schedule 4

SULFADIMIDINE

Schedule 5

Schedule 4

SULFADOXINE

Schedule 4

SULFAFURAZOLE

Schedule 4

SULFAGUANIDINE

Schedule 4

SULFAMERAZINE

Schedule 5

Schedule 4

SULFAMETHIZOLE

SULFAMETHOXAZOLE

Schedule 4

SULFAMETHOXYDIAZINE

Schedule 4

SULFAMETHOXYPYRIDAZINE

Schedule 4

SULFAMETROLE

Schedule 4

SULFAMIC ACID

Schedule 6

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

SULFAMONOMETHOXINE

Schedule 4

SULFAMOXOLE

Schedule 4

SULFAPHENAZOLE

Schedule 4

SULFAPYRIDINE

Schedule 4

SULFAQUINOXALINE

Schedule 4

SULFASALAZINE

Schedule 4

SULFATHIAZOLE

Schedule 5

Schedule 4

SULFATROXAZOLE

SULFENTRAZONE

Schedule 7

SULFINPYRAZONE

Schedule 4

SULFLURAMID

Schedule 6

SULFOMETURON-METHYL

Schedule 5

SULFOMYXIN

Schedule 4

SULFONAMIDES

cross reference: SULFACETAMIDE, SULPHANILAMIDE

Schedule 4

SULFONMETHANE

cross reference: ALKYL SULFONALS, SULFONAL

Schedule 4

SULFOSULFURON

Appendix B, clause 3

SULFOTEP

Schedule 7

SULFOXAFLOR

Schedule 6

Schedule 5

SULFURIC ACID

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

SULFURYL FLUORIDE

SULINDAC

Schedule 4

SULPHATED POLYSACCHARIDES

Appendix B, clause 3

SULPROFOS

Schedule 6

SULTAMICILLIN

Schedule 4

SULTHIAME

Schedule 4

SUMATRIPTAN

Schedule 4

Schedule 3

Appendix H, clause 1

SUNIFIRAM

cross reference: RACETAMS

Schedule 4

SUNITINIB

Schedule 4

SUPROFEN

Schedule 4

SUTILAINS

Schedule 4

SUVOREXANT

Schedule 4

Appendix K, clause 1

SUXAMETHONIUM

Schedule 4

SUXETHONIUM

SYMPHYTUM spp. cross reference: COMFREY

Schedule 10 Schedule 5

Appendix F, clause 4

SYNTHETIC CANNABINOMIMETICS

T

2,4,5-T

Schedule 6

TACRINE

Schedule 4

TACROLIMUS

Schedule 4

TADALAFIL

Schedule 4

TAFAMIDIS

Schedule 4

TAFENOQUINE SUCCINATE

Schedule 4

TAFLUPROST

Schedule 4

TALAZOPARIB

Schedule 4

TALIGLUCERASE ALFA

Schedule 4

TALIMOGENE LAHERPAREPVEC

Schedule 4

TALLOW ALKYLAMINE ACETATES

Schedule 6

N-TALLOW ALKYL-1,3-PROPANEDIAMINE DIACETATE

Schedule 6

TAMOXIFEN

TAMSULOSIN

Schedule 4

TANACETUM VULGARE

cross reference: OIL OF TANSY, TANSY OIL

Schedule 4

TANNIC ACID

Appendix B, clause 3

TANNIC ACID/BENZYL ALCOHOL PRODUCT

Appendix B, clause 3

TAPENTADOL

Schedule 8

Appendix K, clause 1

TAR ACIDS

Schedule 6

TASONERMIN

Schedule 4

TAZAROTENE

Schedule 4

Appendix F, clause 4

TAZOBACTAM

Schedule 4

TB-500

Schedule 4

Appendix D, clause 5

2,3,6-TBA

Schedule 5

T-CELL RECEPTOR ANTIBODY

TCMTB

cross reference: 2-[THIOCYANOMETHYLTHIO]BENZOTHIAZOLE

Schedule 6

TDE

cross reference: 1,1-DICHLORO-2,2-BIS[4-CHLOROPHENYL]ETHANE

Schedule 6 Schedule 5

TEBUCONAZOLE

cross reference: TERBUCONAZOLE

Schedule 5

TEBUFENOZIDE

Schedule 5

TEBUFENPYRAD

Schedule 6

TEBUTHIURON

Schedule 6

TEDUGLUTIDE

Schedule 4

TEFLUTHRIN

Schedule 7

Schedule 5

TEGAFUR

Schedule 4

TEGASEROD

Schedule 4

TEICOPLANIN

Schedule 4

TELAPREVIR

TELBIVUDINE

Schedule 4

TELITHROMYCIN

Schedule 4

TELMISARTAN

Schedule 4

TELOTRISTAT ETHYL

Schedule 4

TEMAZEPAM

Schedule 4

Appendix D, clause 5 (Benzodiazepine derivatives)

Appendix K, clause 1

TEMEPHOS

Schedule 6

Schedule 5

TEMOZOLOMIDE

Schedule 4

TEMSIROLIMUS

Schedule 4

TENECTEPLASE

Schedule 4

TENIPOSIDE

Schedule 4

TENOCYCLIDINE

cross reference: TCP

Schedule 9

TENOFOVIR

Schedule 4

TENOXICAM

TEPOTINIB

Schedule 4

TEPOXALIN

Schedule 4

TEPP

Schedule 8

TEPRALOXYDIM

Schedule 5

TERAZOSIN

Schedule 4

TERBACIL

Appendix B, clause 3,Part 3

TERBINAFINE

Schedule 4

Schedule 2

TERBUFOS

Schedule 7

TERBUTALINE

Schedule 4

Schedule 3

Appendix F, clause 4

TERBUTHYLAZINE

Schedule 6

TERBUTRYN

Schedule 5

TERFENADINE

Schedule 4

Appendix F, clause 4

TERIFLUNOMIDE

Schedule 4

Appendix F, clause 4

Appendix L, clause 2

TERIPARATIDE

Schedule 4

Appendix D, clause 1

TERLIPRESSIN

Schedule 4

TERMITE BARRIERS

Appendix A, clause 1

TERODILINE

Schedule 4

TEROPTERIN

Schedule 4

TERPENES, CHLORINATED

cross reference: CHLORINATED TERPENES

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

TESTOLACTONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

TESTOSTERONE

Schedule 6

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

Appendix G, clause 1

TETANUS ANTITOXIN

Schedule 4

TETANUS TOXOID

cross reference: TRIPLE ANTIGEN VACCINE

Schedule 4

1,3,5,7-TETRAAZATRICYLO[3.3.1.1^{3,7}] DECANE

cross reference: HEXAMINE, HEXAMETHYLENETETRAMINE, METHENAMINE

Schedule 5

TETRABENAZINE

Schedule 4

TETRACAINE

cross reference: AMETHOCAINE

Schedule 4 Schedule 2

TETRACHLOROETHANE

Schedule 7

Appendix E, clause 3

Appendix F, clause 4

Appendix J, clause 1

TETRACHLOROETHYLENE

cross reference: DESIGNATED SOLVENT

Schedule 6

Schedule 5

Schedule 2

Appendix E, clause 3

Appendix F, clause 4

TETRACHLORVINPHOS

Schedule 5

TETRACONAZOLE

Schedule 6

Schedule 5

TETRACOSACTIDE

TETRACOSACTRIN

cross reference: TETRACOSACTIDE

TETRACYCLINE

Schedule 5 Schedule 4

TETRADIFON

Schedule 6

TETRAETHYLAMMONIUM

Schedule 4

TETRAHYDROCANNABINOLIC ACID

cross reference: NABIXIMOLS, TETRAHYDROCANNABINOLS, CANNABIS

TETRAHYDROCANNABINOLS

cross reference: CANNABIS, HEMP SEED OIL, NABIXIMOLS

Schedule 9 Schedule 8

Appendix D, clause 1 Appendix K, clause 1

TETRAHYDROCANNABIDIVAROL

cross reference: NABIXIMOLS, TETRAHYDROCANNABINOLS, CANNABIS

TETRAHYDROFURFURYLALCOHOL

Schedule 6

TETRAHYDROZOLINE

cross reference: TETRYZOLINE

2,2',6,6'-TETRAISOPROPYL-DIPHENYL-CARBODIIMIDE

cross reference: STABAXOL

Schedule 7 Schedule 6

Appendix J, clause 1

TETRAMETHRIN

TETRAMISOLE

Schedule 6

TETRANILIPROLE

Schedule 5

TETROXOPRIM

Schedule 4

TETRYZOLINE

cross reference: TETRAHYDROZOLINE

Schedule 2

Appendix F, clause 4

TEZACAFTOR

Schedule 4

THALIDOMIDE

Schedule 4

Appendix D, clause 2

Appendix F, clause 4

Appendix L, clause 2

THALLIUM

cross reference: THALLIUM SULFATE

Schedule 7

Appendix J, clause 1

THAUMATIN

Appendix B, clause 3

THEBACON

Schedule 8

THEBAINE

Schedule 8

THENYLDIAMINE

Schedule 4

Appendix K, clause 1

THEOPHYLLINE

Schedule 4

Schedule 3

THEVETIA PERUVIANA

Schedule 4

THEVETIN

Schedule 4

THIABENDAZOLE

Schedule 5

Schedule 2

THIACETARSAMIDE

Schedule 4

THIACLOPRID

Schedule 6

THIAMBUTOSINE

Schedule 4

THIAMETHOXAM

Schedule 6

Schedule 5

THIAZAFLURON

Schedule 6

THIAZOPYR

Schedule 5

THIAZOSULFONE

Schedule 4

THIDIAZURON

Appendix B, clause 3

THIETHYLPERAZINE

Schedule 4

Appendix K, clause 1

THIFENSULFURON

Schedule 5

THIOACETAZONE

Schedule 4

THIOBENCARB

Schedule 5

THIOCARLIDE

Schedule 4

THIODICARB

Schedule 6

Schedule 5

THIOFANOX

Schedule 7

THIOFENTANYL

Schedule 9

THIOGUANINE

cross reference: TIOGUANINE

THIOMESTERONE

cross reference: TIOMESTERONE

Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

THIOMETON

Schedule 6

THIOPENTAL

Schedule 4

THIOPENTONE

cross reference: THIOPENTAL

THIOPHANATE-METHYL

Schedule 6

THIOPROPAZATE

Schedule 4

Appendix K, clause 1

THIOPROPERAZINE

Schedule 4

THIORIDAZINE

Schedule 4

Appendix K, clause 1

THIOSTREPTON

Schedule 4

THIOTEPA

cross reference: TRIETHYLENE THIOPHOSPHORAMIDE

Schedule 4

THIOTHIXENE

Schedule 4

Appendix K, clause 1

THIOURACIL

Schedule 4

THIOUREA

cross reference: ALKYL THIOUREAS

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

THIRAM

Schedule 6

THUJONE

Schedule 6

Appendix E, clause 3

THYME OIL

Schedule 5

Appendix E, clause 3

THYMOL

Schedule 6

THYMOSIN BETA 4 (THYMOSIN β4)

Schedule 4

Appendix D, clause 5

THYMOXAMINE

Schedule 4

THYROID

Schedule 4

THYROTROPHIN

cross reference: TSH

Schedule 4

THYROXINE

Schedule 4

Appendix G, clause 1

TIAFENACIL

Appendix B, clause 3

TIAGABINE

Schedule 4

TIAMULIN

Schedule 4

TIANEPTINE

Schedule 4

Appendix D, clause 5

TIAPROFENIC ACID

Schedule 4

TIARAMIDE

Schedule 4

TIBOLONE

TICAGRELOR

Schedule 4

TICARCILLIN

Schedule 4

TICLOPIDINE

Schedule 4

TIEMONIUM

Schedule 4

TIENILIC ACID

Schedule 4

TIGECYCLINE

Schedule 4

TIGILANOL TIGLATE

Schedule 4

TIGLOIDINE

Schedule 4

TIGOLANER

Schedule 6

Schedule 5

TILDIPIROSIN

Schedule 4

TILETAMINE

Schedule 4

TILIDINE

Schedule 8

TILMANOCEPT

Schedule 4

TILMICOSIN

TILUDRONIC ACID

cross reference: DISODIUM TILUDRONATE

Schedule 4

TIMBER

cross reference: WALLBOARD

Appendix A, clause 1

TIMOLOL

Schedule 4

TIMOTHY-GRASS POLLEN EXTRACT

cross reference: PHLEUM PRATENSE POLLEN EXTRACT

Schedule 4

TIN ORGANIC COMPOUNDS

cross reference: DIALKYL TIN COMPOUNDS, DIBUTYL TIN COMPOUNDS, DIETHYL TIN COMPOUNDS, DIMETHYL TIN DICHLORIDE, DIMETHYL TIN COMPOUNDS, DIPROPYI TIN COMPOUNDS, FENBUTATIN OXIDE, ORGANO TIN-COMPOUNDS, TBTO, TRIALKY TIN COMPOUNDS, TRIBUTYL TIN COMPOUNDS, TRIETHYL TIN COMPOUNDS, TRIMETHYL TIN COMPOUNDS, TRIPHENYL TIN COMPOUNDS, TRIPROPYL TIN COMPOUNDS Schedule 7

TINIDAZOLE

Schedule 4

TINZAPARIN

Schedule 4

TIOCARBAZIL

Schedule 5

TIOCONAZOLE

Schedule 4

Schedule 3

Schedule 2

Appendix H, clause 1

TIOGUANINE

cross reference: THIOGUANINE

TIOTROPIUM

Schedule 4

TIPEPIDINE

Schedule 4

TIPIRACIL

Schedule 4

TIPRANAVIR

Schedule 4

TIRILAZAD

Schedule 4

TIROFIBAN

Schedule 4

TIRZEPATIDE

Schedule 4

Appendix L, clause 2

TIXAGEVIMAB

Schedule 4

TOBRAMYCIN

Schedule 4

TOCAINIDE

Schedule 4

TOCERANIB

Schedule 4

TOCILIZUMAB

Schedule 4

TOFACITINIB

Schedule 4

TOLAZAMIDE

TOLAZOLINE

Schedule 4

TOLBUTAMIDE

Schedule 4

TOLCAPONE

Schedule 4

TOLCLOFOS-METHYL

Schedule 5

TOLFENAMIC ACID

Schedule 4

o-TOLIDINE

Schedule 7

Appendix E, clause 3

Appendix J, clause 1

TOLMETIN

Schedule 4

TOLONIUM

Schedule 4

TOLPROPAMINE

Schedule 4

TOLRESTAT

Schedule 4

TOLTERODINE

Schedule 4

TOLTRAZURIL

Schedule 5

TOLUENE

cross reference: XYLENE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

2,4-TOLUENEDIAMINE

Schedule 10

TOLUENEDIAMINES

Schedule 10

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

o-TOLUIDINE

Schedule 10

TOLVAPTAN

Schedule 4

TOLYLFLUANID

Schedule 6

TOPIRAMATE

Schedule 4

TOPOTECAN

Schedule 4

TOPRAMEZONE

Schedule 5

TORASEMIDE

Schedule 4

TOREMIFENE

Schedule 4

TOXOIDS

Schedule 4

TRABECTEDIN

Schedule 4

Appendix K, clause 1

TRALKOXYDIM

Schedule 5

TRAMADOL

Schedule 4

Appendix K, clause 1

TRAMAZOLINE

Schedule 2

Appendix F, clause 4

TRAMETINIB DIMETHYL SULFOXIDE

Schedule 4

TRANDOLAPRIL

Schedule 4

TRANEXAMIC ACID

cross reference: CETYL TRANEXAMATE

Schedule 4

TRANSFLUTHRIN

Schedule 6

TRANYLCYPROMINE

Schedule 4

Appendix K, clause 1

TRASTUZUMAB

Schedule 4

TRASTUZUMAB DERUXTECAN

Schedule 4

Appendix L, clause 2

TRASTUZUMAB EMTANSINE

Schedule 4

TRAVOPROST

TRAZODONE

Schedule 4

TRENBOLONE

cross reference: TRIENBOLONE, TRIENOLONE

Schedule 5 Schedule 4

Appendix D, clause 5 (Anabolic and/or androgenic steroidal agents)

TREOSULPHAN

Schedule 4

TREPROSTINIL

Schedule 4

TRESTOLONE

Schedule 4

Appendix D, clause 5 (androgenic steroidal agents)

TRETAMINE

Schedule 4

TRETINOIN

Schedule 4

Appendix D, clause 4

Appendix F, clause 4

Appendix L, clause 2

TRIACETYLOLEANDOMYCIN

Schedule 4

TRIADIMEFON

Schedule 6

Schedule 5

TRIADIMENOL

Schedule 5

TRI-ALLATE

TRIAMCINOLONE

Schedule 4

Schedule 3

Schedule 2

Appendix F, clause 4, Part 2

Appendix H, clause 1

TRIAMIPHOS

Schedule 7

TRIAMTERENE

Schedule 4

TRIASULFURON

Appendix B, clause 3

TRIAZBUTIL

Schedule 7

TRIAZIQUONE

Schedule 4

TRIAZOLAM

Schedule 4

Appendix D, clause 5 (benzodiazepine derivatives)

TRIBENURON-METHYL

Schedule 5

TRIBUFOS

cross reference: s,s,s-TRIBUTYLPHOSPHOROTRITHIOATE

Schedule 7

TRICHLORFON

cross reference: METRIFONATE

Schedule 6

TRICHLORMETHIAZIDE

TRICHLOROACETIC ACID

Schedule 6

Schedule 5

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

TRICHLOROACETIC ACID ALKALI SALTS

Schedule 5

Appendix E, clause 3

1,1,1-TRICHLOROETHANE

cross reference: DESIGNATED SOLVENT

Schedule 10

Schedule 5

Appendix E, clause 3

Appendix F, clause 4

TRICHLOROETHYLENE

cross reference: TRICHLOROETHENE

Schedule 6

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

TRICHLOROISOCYANURIC ACID

cross reference: CHLORINATING COMPOUNDS

Appendix E, clause 3

TRICHLOROPHENOL

Schedule 6

Appendix F, clause 4

TRICHODERMA HARZIANUM

Appendix B, clause 3

TRICHODESMA AFRICANA

Schedule 10

TRICLABENDAZOLE

TRICLOFOS

Schedule 4

TRICLOPYR

Schedule 6

TRICLOSAN

Schedule 6

TRICYCLAMOL

Schedule 4

TRIDEMORPH

Schedule 6

TRIDIHEXETHYL

Schedule 4

TRIDIPHANE

Schedule 5

TRIENTINE

Schedule 4

TRIETAZINE

Schedule 5

TRIETHANOLAMINE

cross reference: TROLAMINE

TRIETHYL PHOSPHATE

Schedule 6

Appendix E, clause 3

TRIETHYLENE GLYCOL

Appendix B, clause 3

TRIFAROTENE

Schedule 4

TRIFLOXYSTROBIN

TRIFLOXYSULFURON

Appendix B, clause 3

TRIFLUDIMOXAZIN

Schedule 5

TRIFLUMIZOLE

Schedule 5

TRIFLUMURON

Schedule 5

TRIFLUOPERAZINE

Schedule 4

Appendix K, clause 1

TRIFLUOROMETHANESULFONIC ACID

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

1-(3-TRIFLUOROMETHYLPHENYL)PIPERAZINE

cross reference: TFMPP

Schedule 9

TRIFLUPERIDOL

Schedule 4

TRIFLUPROMAZINE

Schedule 4

TRIFLURALIN

Appendix B, clause 3

TRIFLURIDINE

Schedule 4

TRIFORINE

Appendix B, clause 3

TRIHEXYPHENIDYL

cross reference: BENZHEXOL

Schedule 4

TRIISOPROPANOLAMINE LAURYL ETHER SULFATE

Schedule 5

Appendix E, clause 3 Appendix F, clause 4

TRILOSTANE

Schedule 4

TRIMEPERIDINE

Schedule 9

TRIMEPRAZINE

cross reference: ALIMEMAZINE

TRIMETAPHAN

Schedule 4

TRIMETHOPRIM

Schedule 4

3,4,5-TRIMETHOXY- α -METHYLPHENYLETHYLAMINE

cross reference: TMA

Schedule 9

3,4,5-TRIMETHOXYPHENETHYLAMINE

cross reference: MESCALINE, METHOXYPHENAMINE, METHOXY-PHENYLETHYLAMIN

Schedule 9

1-(3,4,5-TRIMETHOXYPHENYL)-2-AMINOBUTANE

Schedule 9

TRIMIPRAMINE

Schedule 4

Appendix K, clause 1

TRIMUSTINE

TRINEXAPAC-ETHYL

Schedule 5

TRINITROPHENOL

Schedule 6

Schedule 4

3,6,9-TRIOXAUNDECANEDIOIC ACID

Schedule 5

Appendix F, clause 4

TRIOXYSALEN

Schedule 4

TRIPARANOL

Schedule 10

TRIPELENNAMINE

Schedule 4

TRIPLE ANTIGEN VACCINE

cross reference: DIPHTHERIA TOXOID, PERTUSSIS ANTIGEN, TETANUS TOXOID

TRIPROLIDINE

Schedule 4

Schedule 3

Schedule 2

Appendix K, clause 1

TRIPTORELIN

Schedule 4

TRISODIUM NITRILOTRIACETATE

Schedule 6

TRITICONAZOLE

Schedule 5

TROGLITAZONE

TROLAMINE

Schedule 5

Schedule 4

Appendix E, clause 3

Appendix F, clause 4

TROMETAMOL

Schedule 4

TROPICAMIDE

Schedule 4

TROPISETRON

Schedule 4

TROVAFLOXACIN

Schedule 4

TROXIDONE

Schedule 4

TRYPTOPHAN

Schedule 4

TUAMINOHEPTANE

Schedule 2

TUCATINIB

Schedule 4

TUBERCULIN

Schedule 4

TUBOCURARINE

Schedule 4

TULATHROMYCIN

Schedule 4

TULOBUTEROL

TURPENTINE OIL

cross reference: OIL OF TURPENTINE

Schedule 5

Appendix E, clause 3

TUSSILAGO FARFARA

cross reference: COLTSFOOT

Schedule 10

TYLOSIN

Schedule 4

TYMAZOLINE

Schedule 4

Appendix F, clause 4

TYPHOID VACCINE

U

ULIPRISTAL

Schedule 4

Schedule 3

Appendix H, clause 1

ULOCLADIUM OUDEMANSII

Appendix B, clause 3

UMECLIDINIUM

Schedule 4

UNIFIRAM

cross reference: RACETAMS

Schedule 4

UNOPROSTONE

Schedule 4

UPADACITINIB

Schedule 4

URACIL

Schedule 4

URAPIDIL

Schedule 4

UREA

Appendix B, clause 3

URETHANE

Schedule 4

UROFOLLITROPIN

cross reference: FOLLICLE-STIMULATING HORMONE, HUMAN

Schedule 4

Appendix D, clause 1

UROKINASE

Schedule 4

URSODEOXYCHOLIC ACID

Schedule 4

USTEKINUMAB



VACCINES

Schedule 4

VACCINES – PLASMID DNA

cross reference: PLASMID DNA (rE. coli DH5α pINGhT)

Schedule 4

VACCINIA VIRUS VACCINE

Schedule 4

VALACICLOVIR

Schedule 4

VALDECOXIB

Schedule 4

VALGANCICLOVIR

Schedule 4

VALNOCTAMIDE

Schedule 4

VALPROIC ACID

Schedule 4

VALSARTAN

Schedule 4

VAMIDOTHION

Schedule 6

VANCOMYCIN

Schedule 4

VANDETANIB

Schedule 4

VARDENAFIL

VARENICLINE

Schedule 4

VARICELLA VACCINE

Schedule 4

VARICELLA ZOSTER VIRUS GLYCOPROTEIN E ANTIGEN (RECOMBINANT)

cross reference: RECOMBINANT VARICELLA ZOSTER VIRUS GLYCOPROTEIN E ANTIGE

VASOPRESSIN

Schedule 4

VECURONIUM

Schedule 4

VEDAPROFEN

Schedule 4

VEDOLIZUMAB

Schedule 4

VELAGLUCERASE ALFA

Schedule 4

VELPATASVIR

Schedule 4

VEMURAFENIB

Schedule 4

VENETOCLAX

Schedule 4

VENLAFAXINE

Schedule 4

VERAPAMIL

Schedule 4

VERATRUM

VERICIGUAT

Schedule 4

VERNAKALANT

Schedule 4

VERNOLATE

Schedule 5

VERTEPORFIN

Schedule 4

VETIVER OIL

Appendix B, clause 3

VIDARABINE

Schedule 4

VIGABATRIN

Schedule 4

VILANTEROL

Schedule 4

VILDAGLIPTIN

Schedule 4

VILOXAZINE

Schedule 4

VINBLASTINE

Schedule 4

VINCAMINE

Schedule 4

VINCLOZOLIN

Schedule 6

Appendix F, clause 4

VINCRISTINE

VINDESINE

Schedule 4

VINFLUNINE

Schedule 4

VINORELBINE

Schedule 4

VINYL ACETATE MONOMER

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

VINYL CHLORIDE

Schedule 7

Appendix J, clause 1

VINYL ETHER

Schedule 4

VIRGINIAMYCIN

Schedule 5

Schedule 4

VISMODEGIB

Schedule 4

VISNADINE

Schedule 4

VITAMIN A

Schedule 4

VITAMIN D

cross reference: COLECALCIFEROL, ERGOCALCIFEROL

Schedule 4

Schedule 3

Appendix H, clause 1

VITAMIN K

cross reference: PHYTOMENADIONE

Appendix B, clause 3

VITREOUS ENAMELS

Appendix A, clause 1

VORAPAXAR

Schedule 4

VORETIGENE NEPARVOVEC

Schedule 4

VORICONAZOLE

Schedule 4

VORINOSTAT

Schedule 4

VORTIOXETINE

Schedule 4

VOSORITIDE

Schedule 4

VOXILAPREVIR



WALLBOARD

cross reference: TIMBER Appendix A, clause 1

WARFARIN

Schedule 6

Schedule 5

Schedule 4

WRITING CORRECTION PENS

Appendix A, clause 1



XAMOTEROL

Schedule 4

XANTHINOL NICOTINATE

Schedule 4

XANTHOPHYLL

cross reference: LUTEIN Appendix B, clause 3

XIMELAGATRAN

Schedule 4

XIPAMIDE

Schedule 4

XYLANASE derived from Aspergillus niger

Appendix B, clause 3

XYLAZINE

Schedule 4

XYLENE

 $cross\ reference : TOLUENE$

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

XYLOMETAZOLINE

Schedule 2

Appendix F, clause 4



YLANG YLANG OIL

Appendix B, clause 3

YOHIMBINE

cross reference: ASPIDOSPERMA QUEBRACHO

Z

(Z)-9-TRICOSENE

cross reference: TRICOSENE

Appendix B, clause 3

ZAFIRLUKAST

Schedule 4

ZALCITABINE

Schedule 4

ZALEPLON

Schedule 4

ZANAMIVIR

Schedule 4

ZANUBRUTINIB

Schedule 4

ZERANOL

Schedule 6

Schedule 4

ZETA-CYPERMETHRIN

Schedule 7

Schedule 6

ZIDOVUDINE

Schedule 4

ZILPATEROL

Schedule 4

ZIMELDINE

Schedule 4

ZINC BORATE

ZINC CHLORIDE

Schedule 4

Schedule 2

Appendix E, clause 3

ZINC COMPOUNDS

Schedule 4

ZINC LACTATE

Schedule 6

Appendix F, clause 4

ZINC NAPHTHENATE

Appendix B, clause 3

ZINC para-PHENOLSULFONATE

Schedule 6

ZINC SULFATE

Schedule 6

Appendix E, clause 3

Appendix F, clause 4

ZINEB

cross reference: DITHIOCARBAMATES, MANCOZEB, PROPINEB, THIRAM

Schedule 5

ZIPRASIDONE

Schedule 4

Appendix K, clause 1

ZIRAM

Schedule 7

Schedule 6

ZOLAZEPAM

Schedule 4

ZOLEDRONIC ACID

ZOLMITRIPTAN

Schedule 4

Schedule 3

Appendix H, clause 1

ZOLPIDEM

Schedule 4

Appendix K, clause 1

ZONISAMIDE

Schedule 4

Appendix K, clause 1

ZOPICLONE

Schedule 4

Appendix K, clause 1

ZOXAZOLAMINE

Schedule 4

ZUCLOPENTHIXOL

[1] "Cultivation", "production" and "manufacture" have the same meaning as in the Narcotic Drugs Act 1967